

```

EXAMINE VARIABLES=Difference
/PLOT BOXPLOT STEMLEAF NPLOT
/COMPARE GROUPS
/STATISTICS DESCRIPTIVES
/CINTERVAL 95
/MISSING LISTWISE
/NOTOTAL.

```

Explore

Notes

Output Created		15-JAN-2016 17:46:48
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	16
Missing Value Handling	Definition of Missing	User-defined missing values for dependent variables are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any dependent variable or factor used.
Syntax		EXAMINE VARIABLES=Difference /PLOT BOXPLOT STEMLEAF NPLOT /COMPARE GROUPS /STATISTICS DESCRIPTIVES /CINTERVAL 95 /MISSING LISTWISE /NOTOTAL.
Resources	Processor Time	00:00:00,33
	Elapsed Time	00:00:00,33

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Difference	16	100,0%	0	0,0%	16	100,0%

Descriptives

			Statistic	Std. Error
Difference	Mean		3,1394	1,23998
	95% Confidence Interval for Mean	Lower Bound	,4964	
		Upper Bound	5,7823	
	5% Trimmed Mean		3,0749	
	Median		2,0000	
	Variance		24,601	
	Std. Deviation		4,95991	
	Minimum		-6,74	
	Maximum		14,18	
	Range		20,92	
	Interquartile Range		4,15	
	Skewness		,646	,564
	Kurtosis		1,446	1,091

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Difference	,198	16	,093	,913	16	,129

a. Lilliefors Significance Correction

Difference

Difference Stem-and-Leaf Plot

```

Frequency      Stem & Leaf

      1,00 Extremes      (=<-7)
      1,00          -0 .  0
     11,00           0 .  00011122444
      1,00           0 .  7
      2,00 Extremes      (>=12)

Stem width:      10,00
Each leaf:       1 case(s)

```





