

No other items may be taken into the examination room. It is your responsibility to ensure that you do not have any unauthorised notes or other items of a non-personal nature in the examination room. If you have any unauthorised material with you, hand it to the supervisor before reading any further.

Important note to candidates

Special items: drawing instruments, templates, notes on two unfolded sheets of A4 paper, and up to three calculators approved for use in the WACE examinations.

Standard items: pens(blue/black preferred), pencils(including coloured), sharpener, correction tape/fluid, erasers, ruler, highlighters

To be provided by the candidate

Formula Sheet (retained from Section One)

This Question/Answer booklet

To be provided by the supervisor

Material required/recommended for this section

Reading time before commencing work: ten minutes
Working time for paper: one hundred minutes

Time allowed for this section

Teacher's Name:

Student Name:

Calculator-assumed

Section Two:

MATHEMATICS METHODS UNIT 3

Semester One Examination 2018
Question/Answer Booklet



Insert School Logo

Structure of this paper

	Number of questions available	Number of questions to be attempted	Working time (minutes)	Marks available	Percentage of exam
Section One Calculator—free	10	10	50	52	35
Section Two Calculator—assumed	12	12	100	96	65
					100

Instructions to candidates

1. The rules for the conduct of Western Australian external examinations are detailed in the *Year 12 Information Handbook 2018*. Sitting this examination implies that you agree to abide by these rules.
2. Answer the questions according to the following instructions.

Section Two: Write answers in this Question/Answer Booklet. Answer **all** questions.

Show all your working clearly. Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat an answer to any question, ensure that you cancel the answer you do not wish to have marked.

It is recommended that you **do not use pencil**, except in diagrams.

3. You must be careful to confine your responses to the specific questions asked and to follow any instructions that are specific to a particular question.
4. Spare pages are included at the end of this booklet. They can be used for planning your responses and/or as additional space if required to continue an answer.
 - Planning: If you use the spare pages for planning, indicate this clearly at the top of the page.
 - Continuing an answer: If you need to use the space to continue an answer, indicate in the original answer space where the answer is continued, i.e. give the page number. Fill in the number of the question that you are continuing to answer at the top of the page.
5. The Formula Sheet is **not** handed in with your Question/Answer Booklet.

Question 12 (7 marks)

A curve has equation $y = ax^3 - bx^2 + cx - 9$.
There is a stationary point at $(-3, 0)$.

There is a point of inflection at $x = -\frac{5}{3}$.

Determine a , b and c . Show your working.

(7 marks)

Additional working space

Question number(s):

(3 marks)

(b) State the next value of x where the graph will have the same height (ie. $4 - 2\sqrt{2}$). Explain your reasoning.

$\frac{\pi}{2}, 4 - 2\sqrt{2}$. (3 marks)

A function f has $f'(x) = 2 \sin \frac{x}{2}$.


Question 13 (6 marks)

Additional working space

Question number(s):

Question 14 (10 marks)

Consider the graph of $y = f(x)$ for $-1 \leq x \leq 4$.



It is known that:

$$\int_{-1}^1 f(x) \, dx = 0$$

- Areas C, D and E are 1, 5 and 4 units² respectively.

(a) Determine :

$$(i) \int_{-1}^4 f(x) \, dx$$

(2 marks)

$$(ii) \int_0^4 f(x) \, dx \text{ given that Area A} = 3 \text{ units}^2$$

(2 marks)

(iii) the area enclosed by the graph of f and the x -axis between 1 and 4. (2 marks)

Question 22 (9 marks)

A drop of oil is spreading on a glass surface. The region covered is circular in shape, and the radius, r cm, of the circle is given as a function of time, t seconds.

$$r = -e^{-t} + 4$$

(a) Find the rate at which the radius is increasing when:

$$(i) t = 4.$$

(2 marks)

$$(ii) t = 5.$$

(1 mark)

(b) Use your knowledge of exponential functions and its graph, or derivatives, to determine when the radius is increasing at its fastest rate.

(2 marks)

(c) At what rate is the area of the circle increasing when $t = 4$?

(4 marks)

(2 marks)

(c) How much gas flows in total after the pipe is closed?

(1 mark)

(b) How many seconds does it take till the flow stops?

(1 mark)

(a) What is the initial rate of flow?

$$\text{is given by } \frac{dF}{dt} = 10 - \frac{t}{20}.$$

A long gas pipe is closed, but gas continues to flow out. The rate of flow $\frac{dF}{dt}$, in litres per second,

Question 21 (4 marks)

(b) Determine the values of:

$$(i) \int_2^4 [f(x) + 7] \, dx$$

(2 marks)

Question 20 (10 marks)

Consider f where $f(x) = \cos x + \sin x$ where $0 \leq x \leq 2\pi$.

(a) Determine:

(i) $f'(x)$.

(1 mark)

(ii) $f''(x)$.

(1 mark)

$$(ii) \int_3^4 2f(x) \, dx$$

(2 marks)

(b) State the exact maximum value of f over the given domain.
Prove it is the maximum using the second derivative test.

(4 marks)

(c) Identify any points of inflection over the domain. Give the exact answer.

(4 marks)

<p>Question 19 (6 marks)</p> <p>A forest fire is estimated to be spreading at a rate of 5% per hour. The area A, in ha, covered by the fire at any time t, in hours since the fire was discovered, is defined by $\frac{dA}{dt} = 0.05A$.</p> <p>(a) Thirty adults are randomly selected using the council records of the town.</p> <p>75% of adults in a certain town graduated from high school.</p> <p>(i) Calculate the probability that twenty five of these adults graduated from high school. State the probability distribution, and any parameters associated with that distribution.</p> <p>(ii) Given that at least twenty five graduated, find the probability that more than twenty eight graduated.</p> <p>(b) When would the fire cover an area of 5 ha? Give your answer to the nearest hour.</p>
<p>Question 15 (15 marks)</p> <p>Given that at least twenty five graduated, find the probability that more than twenty eight graduated.</p> <p>(b) How many adults need to be randomly selected so that the probability that at least ten graduated is at least 99%?</p>
<p>Question 14 (3 marks)</p> <p>Given that at least twenty five graduated, find the probability that more than twenty eight graduated.</p> <p>(b) How many adults need to be randomly selected so that the probability that at least ten graduated is at least 99%?</p>
<p>Question 13 (3 marks)</p> <p>Given that at least twenty five graduated, find the probability that more than twenty eight graduated.</p> <p>(b) How many adults need to be randomly selected so that the probability that at least ten graduated is at least 99%?</p>

The Smith family consists of eleven adults. Five of the Smiths graduated from high school.

- (c) (i) If three of the Smiths attend a concert together, find the probability that at least one of them graduated from high school. (3 marks)

The particle has a displacement, x metres, from the origin O on the line. It is initially at the origin.


- (d) Determine the displacement when $t = 3$. (3 marks)

- (ii) Peter Smith could be considered a Bernoulli trial.
Define that Bernoulli distribution.

(3 marks)

- (e) Determine the distance travelled in the first 3 seconds. (2 marks)

- (f) Explain why the answers to (d) and (e) are different. (1 mark)



(c) (i) Determine an expression for the acceleration.

(2 marks)

(c) (ii)

(2 marks)

(c) (iii) Determine the points of intersection of $y = \sin 2x$ and $y = -\cos x$ for $0 \leq x \leq 2\pi$.

(2 marks)

(i)

(iii) Hence, or otherwise, determine when the velocity is a minimum.

(b) Calculate when the particle is stationary.

(2 marks)

(b)

(b) Hence, or otherwise,

(3 marks)

Hence, or otherwise,

(a) Solve $\sin 2x + \cos x = 0$ for $0 \leq x \leq 2\pi$.

(2 marks)

(1 mark)

(a)

(a) Determine the particle's initial velocity.

A particle is undergoing rectilinear motion. The velocity of the particle is given by $v = 2t^2 - 5t + 3$ where t is time in seconds.

(a) Determine the particle's initial velocity.

Question 17 (5 marks)

Consider the function $y = \frac{x+1}{x-1}$

(a) Determine the x -intercept(s) of the function.

(1 mark)

(b) (i) Determine $\frac{dy}{dx}$.

(1 mark)

(ii) Prove the conjecture; "This function has no turning points."

(1 mark)

(c) (i) Determine $\frac{d^2y}{dx^2}$.

(1 mark)

(ii) Prove the conjecture; "This function has no points of inflection."

(1 mark)