

Semester Two Examination 2010

Question/Answer Booklet

3C/3D **WATHEMATICS**

Calculator-free Section One:

Student Name:

Time allowed for this section

Fifty (50) minutes Working time for this section: Five (5) avi \overline{A} Reading time before commencing work:

Material required/recommended for this section

To be provided by the supervisor

This Question/Answer Booklet

Formula Sheet

To be provided by the candidate

Standard items: pens, pencils, pencil sharpener, eraser, correction fluid, ruler, highlighters

Special items:

Important note to candidates

have any unauthorised material with you, hand it to the supervisor before reading any further. do not have any unauthorised notes or other items of a non-personal nature in the examination room. If you No other items may be used in this section of the examination. It is your responsibility to ensure that you

> \Box \geq \leq N \dashv П \bar{z} \perp \supset N \Box

MATHEMATICS 3C/3D

SEMESTER TWO EXAMINATION CALCULATOR-FREE

Structure of this paper

Section	Number of questions available	Number of questions to be answered	Working time (minutes)	Marks available	Percentage of exam
Section One: Calculator-free	8	8	50	40	33 1/3
Section Two: Calculator-assumed	13	13	100	80	66 2/3
				120	100

2

Instructions to candidates

- The rules for the conduct of Western Australian external examinations are detailed in the Year 12
 Information Handbook 2010. Sitting this examination implies that you agree to abide by these rules.
- Write your answers in the spaces provided in this Question/Answer Booklet. Spare pages are
 included at the end of this booklet. They can be used for planning your responses and/or as
 additional space if required to continue an answer.
 - Planning: If you use the spare pages for planning, indicate this clearly at the top of the page.
 - Continuing an answer: If you need to use the space to continue an answer, indicate in the
 original answer space where the answer is continued, i.e. give the page number. Fill in the
 number of the question(s) that you are continuing to answer at the top of the page.
- 3. Show all your working clearly. Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat an answer to any question, ensure that you cancel the answer you do not wish to have marked.
- It is recommended that you do not use pencil except in diagrams.

See next page

NOT WRITE IN THIS AREA

SEMESTER TWO EXAMINATION SECTION ONE

11

MATHEMATICS 3C/3D CALCULATOR FREE

A 1 114 1		
Additional	working	space

Z

N

Ш

 \geq

 \dashv

 \perp

 \supset

R E ≥

Question number	r(s):
Question number	L(3)

Write your answers in the space	Answer all questions.	This section has eight (8) questions.
(40 Marks)		Section One: Calculator-free
СУГСПГУДОВ ЕВЕЕ		SECLION ONE
MATHEMATICS 3C/3D	ε	SEMESTER TWO EXAMINATION

Spare pages are included at the end of this booklet. They can be used for planning your responses provided.

- Continuing an answer: If you need to use the space to continue an answer, indicate in the Planning: If you use the spare pages for planning, indicate this clearly at the top of the page. and/or as additional space if required to continue an answer.
- number of the question(s) that you are continuing to answer at the top of the page. original answer space where the answer is continued, i.e. give the page number. Fill in the

Suggested working time for this section is 50 minutes.

For the functions $f(x) = e^{x-2}$ and $g(x) = \frac{1}{\sqrt{x}}$, determine (6 marks) 1 noitson 1

(2 marks) (a) $g \circ f(0)$, as a simplified exact value

(b) the domain of
$$g(x)$$

See next page

CVTCOLLOR-FREE SEMESTER TWO EXAMINATION

MATHEMATICS 3C/3D

(5 marks) **Question 8**

simplifications. (a) Write an expression for f'(x) in terms of a and b and undertake any obvious A function f(x) is defined by $f(x) = \frac{1+xb}{d+x}$ for constants a and b.

(2 marks)

 \circ

 \geq

 \dashv

 \leq

 \mathbb{R}

 \dashv П

_ Z

エ

 \supset

70

П

 \supset

 \triangleleft

 α

 \triangleleft

 $_{\pm}$

 \geq

Ш

 \vdash

 \geq

 \circ

(1 mark) $(a) \quad \text{Yerify that } a = 3 \text{ and } b = 1 \text{ lead to the result } f(1) = f(2) = 2.$

(2 marks) (c) Give two general observations about the slope of y = f(x) when a = 3 and b = 1.

See next page

MATHEMATICS 3C/3D

4 SEMESTER TWO EXAMINATION CALCULATOR-FREE

Question 2 (6 marks)

Differentiate the following:

(a)
$$y = e^{\sqrt{\epsilon}}$$
 (2 marks)

(b)
$$f(x) = \int_{0}^{x^2} \sqrt{5-2t} \, dt$$
 (1 mark)

(c)
$$g(x) = x \cdot e^x$$
 (1 mark)

From your result for g'(x) in part (c):

(d) find
$$\int x e^x dx$$
 (2 marks)

SEMESTER TWO EXAMINATION SECTION ONE

9

MATHEMATICS 3C/3D CALCULATOR FREE

Question 7

 \Box

 \circ

 \geq

 \circ

 \dashv

 \vee R |

 $_{\square}$

Z I

HIS A

J

 \square

 \triangleleft

 \mathbb{R}

 \triangleleft

 \circ

 \perp

 \leq

Ш

 $\overset{\cong}{\vdash}$

 \geq

Z

 \circ

(3 marks)

Solve the system of equations
$$\begin{cases} x + 3y + z = 6 \\ x - y - z = 0 \\ 2x + 6y + z = 7 \end{cases}$$

CYPCULATOR FREE MATHEMATICS 3C/3D	DA ORE LEG LAGO EXVININATION S	
(5 marks)	£ no	oitsəuQ
	ard normal score of 1.28 is such that $P(0 < 5 < 1.28) = 0.4$ information to determine:	
(2 marks)	(82.1 > 5 82.1 > 5 > 0)	(a)
([(1)
(1 mark)	an 80% confidence interval for an observation from a normal population with mean 50 and standard deviation 10.	(q)
(0.150.00)	onio do oferenos uno do moras odd. Lod formodni como bilineo 1000 no	(8)
	an 80% confidence interval for the mean of any sample of size taken from any population of mean 50 and standard deviation	(5)

See next page

HIS AREA

RITEIN

DONOD

D O	(I mark)	Write down the integral, or integrals, that you would use to calculate the volume of the solid of revolution formed when the area in part (b) is revolved through 360° around the x -axis.	(5)
Z 0 1			
OT WRITE			
_ Z			
S			
A R E A	(3 marks)	Calculate the area enclosed by this tangent, the curve $y = \sqrt{x}$ and the y-axis.	(q)
	(2 marks)	A tangent is drawn to the curve $y = \sqrt{x}$ at the point (4,2). What is the equation of this tangent?	(a)
	(6 marks)	9 поі	Quest

MATHEMATICS 3C/3D

CALCULATOR-FREE

SEMESTER TWO EXAMINATION

See next page

MATHEMATICS 3C/3D

6 SEMESTER TWO EXAMINATION CALCULATOR-FREE

Question 4 (4 marks)

Determine the following integrals:

(a)
$$\int (e^{3x} - e^{-3x})^2 dx$$
 (2 marks)

(b)
$$\int x\sqrt{4-x^2} \, dx$$
 (2 marks)

SEMESTER TWO EXAMINATION SECTION ONE

7

MATHEMATICS 3C/3D CALCULATOR FREE

Question 5

 \Box

 \mathbb{Z}

 \vee R |

 $_{\square}$

 \geq

 \dashv

HIS A

J

 \square

(5 marks)

Identify all the values of x for which
$$2 - \frac{x}{2} \ge \frac{5}{x+3}$$

EA

 \circ

 \perp

 \leq