3C Mathematics

Additional working space Question number(s):

Rossmoyne Senior High School

Examination, Semester 1 2010

Question/Answer Booklet

MATHEMATICS 3C/3D

Section One: Calculator-free

Student Name

Goh Robinson Longley Birrell Whyte

Time allowed for this section
Reading time before commencing work:
Working time for this section:

5 minutes
50 minutes

Material required/recommended for this section To be provided by the supervisor This Question/Answer Booklet Formula Sheet

To be provided by the candidate
Standard items: pens, pencils, pencil sharpener, eraser, correction fluid, ruler, highlighters

Special items: nil

Important note to candidates
No other items may be used in this section of the examination. It is your responsibility to essure
that you do not have any unauthorised notes or other items of a non-personal nature in the
examination room. If you have any unauthorised material with you, hand it to the supervisor
before reading any further.

page 12

## Structure of this paper

Section	Number of questions available	Number of questions to be answered	Working time (minutes)	Marks available	
Section One: Calculator-free	9	9	50		
Section Two: Calculator-assumed	13	13	100	80	
				120	

## Instructions to candidates

- The rules for the conduct of Western Australian external examinations are detailed in the Year 12 Information Handbook 2010. Sitting this examination implies that you agree to abide by these rules.
- Write your answers in the spaces provided in this Question/Answer Booklet. Spare pages are included at the end of this booklet. They can be used for planning your responses and/or a additional space if required to continue an answer.
   Planning: If you use the spare pages for planning, indicate this clearly at the top of the

  - Continuing an answer: If you need to use the space to continued an answer, indicate in the original answer space where the answer is continued, i.e. give the page number. Fill in the number of the question(s) that you are continuing to answer at the top of the
- 3. Show all your working clearly. Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incornect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat an answer to any question, ensure that you cancel the answer you do not wish to have marked.

page 2

It is recommended that you do not use pencil except in diagrams.

Additional working space Question number(s):

3C Mathematics Question 10.

Question 10.	(5 marks)	Section One: Calculator-free	(40 Marks)					
When driving to work, a motorist encounters 8 traffic lights. The probability stopped at any one of these traffic lights is 1/3. The motorist is late to work is more times.  Write an expression, but do not evaluate, giving the probability that  (a) He does not get stopped at any of the lights		This section has <b>nine</b> (9) questions. Answer <b>all</b> questions. Write your answers provided.  Spare pages are included at the end of this booklet. They can be used for plannia and/or as additional space if required to continue an answer.	ing your responses					
(1 mark)		<ul> <li>Planning: If you use the spare pages for planning, indicate this clearly at the Continuing an answer: If you need to use the space to continue an answer, it original answer space where the answer is continued, i.e. give the page number number of the question(s) that you are continuing to answer at the top of the</li> </ul>	indicate in the ber. Fill in the					
		Suggested working time for this section is 50 minutes.				(salaten	112)	$xp_{xx}, a$ (q)
(b) He gets stopped at exactly 2 of the lights	( 1 mark)	Question 1.	(5 marks)					- 5
		There are four corridors in a hospital which lead from the Emergency Room to Room and three which lead from the Examination Room to the X-Ray Departm Determine the number of different paths that an orderly can take in wheeling a (a) from the Emergency Room to the X-Ray Department via the Ex-	ment. I patient					
(c) He gets stopped at 7 of the lights, given that he is late to work	k					(shea	m S)	
	( 2 mark)			(sdram 5)				$xp = \frac{1 - x}{\sqrt{xE - x}}$ (6)
		(b) from the Emergency Room to the X-Ray Department via the Ex- and return, if (i) it is possible to return via the same corridors	(2 marks)		$\frac{1}{4} = (84 \geq X \geq \alpha   38 \geq X) q \ \ \text{navig} \ \ \Omega \ \ \text{fo oulse} \ \ \text{ad} \Gamma$	(3)	(4 marks)	Question 6. Determine the following integrals:
(d) He is late, given that he is stopped 7 times	( 1 mark)							
		<ul> <li>the corridors used in the return journey must differ from the to the X-Ray Department</li> </ul>	ose used in getting					
		to the Array Department	( 2 marks)	(strem 5)	$(92 \leq X \mid 36 \leq X)q$	(d)		(b) Calculate $P(\overline{A}\cap B)$ when $A$
				6		(spires)		
				(2 marks)	$(96 \ge X)q$	(s) nirmənəG		(a) Calculate P(A∩B) when
					()[ Isvratni oth ni notiudintsib mrotinu a sad oldanav mo		. $\frac{1}{\varepsilon}$ = $(a)^q$ and $\frac{1}{\varepsilon}$ = $(A)^q$ is that the same space are such that	
				(6 marks)		Question 7.	(3 marks)	Question 5.

g a9ed

3C Mathematics

page 10

3C Mathematics

Question 2. (4 marks)

Differentiate the following, without simplifying:

(a)  $y = e^{2x-x^2}$ 


**(b)**  $y = \frac{5x}{x^2 + 4}$ (2 marks)

Question 3. (3 marks)

The probabilities of two events A and B are given by: P(A) = 0.6 and P(B) = 0.3 Calculate  $P(A \cup B)$  given that A and B are independent.

Determine all turning points and points of inflection of the function  $f(x) = 2x^3 - 3x^2 - 12x + 20$ , and use these to sketch its graph.

(7 marks) (7 mark)



(4 marks)

Find the maximum and minimum values over the interval  $1 \le x \le 2$  of the function

 $\frac{z^X}{t} + x = (x)J$ 

(4 marks) Question 4.


g affed

(Arem I)

(Anem I) (c) Zeetch on the same axes the Braph of  $\lambda = \alpha e^{i \omega}$ 

(2 marks) (b) Evaluate 0 and 0.

(a) Is b positive or negative? Justify your answer.



The graph of  $y\equiv ae^{ik}+\epsilon$  is shown below. The graph passes through the point (0,2) , and  $y\to 3$  as  $x\to\infty$  ,

(4 marks) Question 8.

3C Mathematics

page 4