

# TEST 1 (Complex Numbers & Vectors)

Worth 5% of the Year Mark 50 minutes permitted.

Name :

Score :  
(out of 60)

## 1. [10 marks]

Given complex numbers  $\mathbf{z}$  and  $\mathbf{w}$  where  $\mathbf{z} = 3 + 5\mathbf{i}$  and  $\mathbf{w} = 4 - 7\mathbf{i}$

(a) Determine, exactly

(i)  $|\mathbf{z} - \mathbf{w}|$

[2]

(ii)  $\operatorname{Re}(\mathbf{z}) - \operatorname{Im}(\mathbf{w})$

[1]

(iii)  $\frac{1}{\bar{\mathbf{z}} - \bar{\mathbf{w}}}$

[3]

(b) Find the value of  $a$  such that  $a\mathbf{z} + 3\mathbf{w} = 6 - 31\mathbf{i}$

[4]

**2. [8 marks]**

Consider the complex numbers  $\mathbf{u} = 2\sqrt{3} - 2\mathbf{i}$  and  $\mathbf{v} = \mathbf{i} - 1$

(a) Write  $\mathbf{u}$  and  $\mathbf{v}$  in exact polar form.

[3]

(b) Simplify  $\frac{u^2}{v^6}$ , leaving your answer exactly in polar form.

[3]


(c) Find exactly  $|\mathbf{u} + 2\mathbf{v}|$

[2]

3. [9 marks]


(a) Sketch the graphs in the Argand Plane to indicate the set of numbers  $z$  that satisfy :

(i)  $\frac{z}{z} = i$



[3]


(ii)  $-\frac{\pi}{6} \leq \text{Arg}\left[(1 + \sqrt{3}i)z\right] \leq \frac{\pi}{3}$



[3]

(b) Describe the shaded region in the Argand plane below.

[3]



**4. [5 marks]**

For the region in the Argand plane defined by the inequality  $|z - 4 - 2i| \leq 2$ ,  
determine the maximum and minimum value for the argument of  $z$ .

5. [5 marks]

- (a) State the geometrical relationship between the complex numbers  $\mathbf{w}$  and  $\mathbf{z}$  if it is known that  $\mathbf{w} = i\mathbf{z}$

[2]

- (b) The three points A, B and C in the Argand plane correspond to complex numbers  $\mathbf{z}_1$ ,  $\mathbf{z}_2$ , and  $\mathbf{z}_3$  respectively. The triangle ABC is isosceles and has a right angle at A.

Write down algebraically the relationship between  $\mathbf{z}_3 - \mathbf{z}_1$  and  $\mathbf{z}_2 - \mathbf{z}_1$ .  
Explain how you arrived at your answer.

[3]

6. [23 marks]

Consider the following vectors in space :

$$\mathbf{a} = \begin{pmatrix} -2 \\ 2 \\ -3 \end{pmatrix}, \quad \mathbf{b} = \begin{pmatrix} x \\ 3 \\ -2 \end{pmatrix}, \quad \mathbf{c} = \begin{pmatrix} 5 \\ 2 \\ -1 \end{pmatrix},$$

and  $\mathbf{d} = \begin{pmatrix} 1 \\ 0 \\ -5 \end{pmatrix}$

Determine :

(a) vector  $\mathbf{e}$  such that  $\mathbf{e}$  is parallel to  $\mathbf{d}$  and double its length.

[1]

(b) the acute angle between vectors  $\mathbf{a}$  and  $\mathbf{d}$  (to nearest degree).

[3]

(c) the relationship between  $x$  and  $z$  if  $\mathbf{c}$  is perpendicular to  $\mathbf{b}$ .

[2]

(d) the value of  $x$  such that  $\mathbf{a}$  is parallel to  $\mathbf{b}$ .

[3]

(e) vector  $\mathbf{f}$  such that  $\mathbf{f}$  is in the direction of  $\mathbf{a}$  with a magnitude of 17 units.

[3]

- (f) a vector which is perpendicular to both  $\mathbf{a}$  and  $\mathbf{d}$ .

[4]

Suppose that vectors  $\mathbf{a}$  and  $\mathbf{d}$  represent position vectors of points  $A$  and  $D$  respectively.

- (f) Determine the position vector  $\mathbf{p}$  for the point  $P$  which divides  $AD$  internally in the ratio 3:1.

[4]

- (g) Determine the vector equation for the line in space that connects points  $A$  and  $D$ .

[3]

**End of Test**