# SEMESTER ONE YEAR 12

Papers written by Australian Maths Software

# MATHEMATICS METHODS REVISION 2 Unit 3

2016

Section One

sətunim 03	Working time for section:
sətunim 3	Reading time before commencing work:
	TIME ALLOWED FOR THIS SECTION
	Теасhег:
	Name:
	(Calculator–free)

#### MATERIAL REQUIRED / RECOMMENDED FOR THIS SECTION

# To be provided by the candidate

Standard items: pens, pencils, pencil sharpener, highlighter, eraser, ruler.

#### IMPORTANT NOTE TO CANDIDATES

No other items may be taken into the examination room. It is **your** responsibility to ensure that you do not have any unauthorised notes or other items of a non-personal nature in the examination room. If you have any unauthorised material with you, hand it to the supervisor before reading any further.

## To be provided by the supervisor

Question/answer booklet for Section One. A formula sheet which may also be used for Section Two.

#### Structure of this examination

	Number of questions available	Number of questions to be answered	Working time (minutes)	Marks available	Percentage of exam
Section One Calculator—free	7	7	50	50	35
Section Two Calculator—assumed	13	13	100	100	65
			Total marks	150	100

#### Instructions to candidates

- The rules for the conduct of this examination are detailed in the Information Handbook.
   Sitting this examination implies that you agree to abide by these rules.
- 2. Write your answers in the Question/Answer booklet.
- 3. You must be careful to confine your responses to the specific questions asked and to follow any instructions that are specific to a particular question.
- Spare pages are provided at the end of this booklet. If you need to use them, indicate in the original answer space where the answer is continued i.e. give the page number.
- 5. Show all your working clearly. Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat an answer to any question, ensure that you cancel the answer you do not wish to have marked.
- 6. It is recommended that you do not use pencil, except in diagrams.
- 7. The Formula Sheet is **not** to be handed in with your Question/Answer booklet.

(5)

7. (7 marks)

1. (8 marks)

Find the derivative for each of the following functions

(S) 
$${}^{\epsilon}(x-01) \Delta = v \qquad \text{(a)}$$

(p) 
$$\lambda = \epsilon_{-x} \left(\cos(x)\right)$$

$$((x)\cos x) = x - (x)$$

$$((r) cos) = (a)$$

$$((x)\cos x)$$
  $x=x$   $(x)$ 

$$\frac{(x)unt}{(x)} = y \qquad (0)$$

$$\frac{x}{(x)uvt} = x \qquad (2)$$

(2)

(2)

$$\frac{\pi}{2} = x \text{ in } \frac{\sqrt{b}}{xb} \text{ bind ence find}$$

(i) find the expression for y = g(x) f(x)

 $x \triangleright = (x)$ 8 pns (x)nis = (x)t nevið (s)

$$(x) \quad \text{in} \quad v = v \quad \text{if} \quad \frac{\sqrt{b}}{xb} \quad \text{bni} \quad \text{(d)}$$

### **END OF SECTION ONE**

10

2. (6 marks)

(a) Simplify the following

(i)  $\int (5-2x)^5 dx$ 

(2)

(ii)  $\int \left(4e^{2x} - \cos(2x)\right) dx$ 

(2)

(2)

(b) Given  $\frac{dy}{dx} = sin(x) + e^x$  find the relationship between x and y given if x = 0 then y = 0.

6. (8 marks)

(a) (i) Determine  $\int_{\frac{\pi}{2}}^{x^2} cos(t) dt$ 

(2)

(2)

(2)

(ii) Hence determine  $\frac{d}{dx} \left( \int_{\frac{\pi}{2}}^{x^2} cos(t) dt \right)$ 

(b) Given  $\int f(x)dx = F(x) + c$ 

(i) find  $F'\left(\frac{\pi}{3}\right)$  where f(x) = tan(x).

(ii) find  $\int_{1}^{4} f(x) dx$  where  $F(x) = \sqrt{x}$ 

3. (7 marks)

Evaluate the following

$$xp\frac{x}{x\xi-\xi x+\zeta x} \int_{0}^{0} (s)$$

6. Given (5) marks) Given 
$$\int_1^2 \int b ds \, \xi = x b(x) \int_1^2 \int ds \, ds = \xi = x \int_1^2 \int ds \, ds = \xi = x \int_1^2 \int ds \, ds = \xi = x \int_1^2 \int ds \, ds = \xi = x \int_1^2 \int ds \, ds = \xi = x \int_1^2 \int ds \, ds = \xi = x \int_1^2 \int ds \, ds = \xi = x \int_1^2 \int ds \, ds = \xi = x \int_1^2 \int ds \, ds = \xi = x \int_1^2 \int ds \, ds = \xi = x \int_1^2 \int ds \, ds = \xi = x \int_1^2 \int ds \, ds = \xi = x \int_1^2 \int ds \, ds = \xi = x \int_1^2 \int ds \, ds = \xi = x \int_1^2 \int ds \, ds = \xi \int_1^2 \int ds \, ds$$

$$xp(x)fz^{\varepsilon}$$
 (e)

(2)

(5)

$$xb^{\varepsilon}(x\Delta-1)^{\varepsilon}_{z}$$
 (d)

(2)

$$xp(x)f_{\mathcal{V}}-I_{\varepsilon}^{z}\int$$
 (q)

(2)

$$(c) \qquad \int_{-\frac{\pi}{4}}^{\pi} \cos(2x) dx$$


(2)

$$xp\left(x+\frac{7}{(x)f}\right)_{7}^{1}$$
 (o)

4. (9 marks)

The displacement – time graph y = f(t) showing the motion of a particle is graphed below.

(a) Sketch the velocity time graph and the acceleration time graphs. (4)



(b) Explain the relationship between the graphs y = f(t), y = f'(t) and y = f''(t) at the points