

MESTEX COFFECE

By daring & by doing

Semester Two Examination, 2016

Question/Answer Booklet

)
place your student identification label in this box	
If required by your examination administrator, please	

METHEMATICS METHODS UNITS 3 AND 4

Section Two: Calculator-assumed

To be provided by the candidate
Materials required/recommended To be provided by the supervisor This Question/Answer Booklet Formula Sheet (retained from Section One)
Time allowed for this section Reading time before commencing work: te Working time for section: on
Your name
ln words
Student Number: In figures

Standard items: pens (blue/black preferred), pencils (including coloured), sharpener, correction

Important note to candidates

Special items:

No other items may be taken into the examination room. It is **your** responsibility to ensure that you do not have any unauthorised notes or other items of a non-personal nature in the examination room. If you have any unauthorised material with you, hand it to the supervisor before reading any further.

fluid/tape, eraser, ruler, highlighters

drawing instruments, templates, notes on two unfolded sheets of ${\sf A4}$ paper, and up to three calculators approved for use in the WACE examinations

© 2016 WA Exam Papers. Wesley College has a non-exclusive licence to copy and communicate this paper for non-commercial, educational use within the express written permission of We Exam Papers.

Exam Papers.

METHODS UNITS 3 AND 4

CALCULATOR-ASSUMED

Structure of this paper

Section	Number of questions available	Number of questions to be answered	Working time (minutes)	Marks available	Percentage of exam
Section One: Calculator-free	7	7	50	52	35
Section Two: Calculator-assumed	13	13	100	98	65
			Total	150	100

2

Instructions to candidates

- The rules for the conduct of examinations are detailed in the school handbook. Sitting this examination implies that you agree to abide by these rules.
- Write your answers in this Question/Answer Booklet. 2.
- You must be careful to confine your response to the specific question asked and to follow any instructions that are specified to a particular question.
- Spare pages are included at the end of this booklet. They can be used for planning your responses and/or as additional space if required to continue an answer.
 - Planning: If you use the spare pages for planning, indicate this clearly at the top of the
 - · Continuing an answer: If you need to use the space to continue an answer, indicate in the original answer space where the answer is continued, i.e. give the page number. Fill in the number of the question that you are continuing to answer at the top of the page.
- Show all your working clearly. Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat any question, ensure that you cancel the answer you do not wish to have marked.
- 6. It is recommended that you do not use pencil, except in diagrams.
- The Formula Sheet is **not** to be handed in with your Question/Booklet.

CALCULATOR-ASSUMED

19

METHODS UNITS 3 AND 4

Additional working space

Question	number:	
Question	number.	

	The water supply pipe was seriously compromised when the mussel densit thousand shellfish per square metre. After how many days from the comme observations did this happen?	(c)
(2 marks)	mussel density was observed to double every eight days. Determine the value of k , rounded to four decimal places.	(p) <u>1</u> µe ı
(1 mark)	What was the mussel density in the colony when observations began?	(a)
wer station	a mussels are an invasive species of shellfish recently discovered in some Norways. The mussel density, D , in shellfish per square metre, observed in a por supply pipe t days after a colony began, was modelled by the following equative constant: $D = 200e^{kt}$	wate wate
(2 warks)	8 noits	gne
	ring time for this section is 100 minutes.	Work
sepseds eht ni s	section has thirteen (13) questions. Answer all questions. Write your answer ded.	zidT ivo1q

3

Section Two: Calculator-assumed

CALCULATOR-ASSUMED

65% (98 Marks)

METHODS UNITS 3 AND 4

Additional working space 18 METHODS UNITS 3 AND 4

CALCULATOR-ASSUMED

Question number: _

METHODS UNITS 3 AND 4

4

CALCULATOR-ASSUMED

CALCULATOR-ASSUMED

Question 9 (7 marks)

The speeds of 250 vehicles, on a section of freeway undergoing roadworks with a speed limit of 60 kmh⁻¹, had a mean and standard deviation of 56.9 kmh⁻¹ and 3.6 kmh⁻¹ respectively. A summary of the data is shown in the table below.

Speed (x kmh ⁻¹)	$45 \le x < 50$	$50 \le x < 55$	$55 \le x < 60$	$60 \le x < 65$	$65 \le x < 70$
Relative frequency	0.024	0.272	0.504	0.188	0.012

- (a) Use the table of relative frequencies to estimate the probability that the next vehicle to pass the roadworks
 - (i) was not exceeding the speed limit.

(1 mark)

(ii) had a speed of less than 65 kmh⁻¹, given they were exceeding the speed limit. (2 marks)

- (b) Subsequent tests on the measuring equipment discovered that it had been wrongly calibrated. The correct speed of each vehicle, v, could be calculated from the measured speed, x, by increasing x by 6% and then adding 1.7.
 - (i) Calculate the adjusted mean and standard deviation of the vehicle speeds. (2 marks)

(ii) Determine the correct proportion of vehicles that were speeding. (2 marks)


CALCULATOR-ASSUMED

17

METHODS UNITS 3 AND 4

Question 20 (8 marks)

A particle, initially stationary and at the origin, moves subject to an acceleration, a ms⁻², as shown in the graph below for $0 \le t \le 20$ seconds.



a) Determine the velocity of the object when

(i)
$$t = 6$$
. (1 mark)

(ii)
$$t = 20$$
. (2 marks)

- (b) At what time is the velocity of the body a maximum, and what is the maximum velocity?
 (2 marks)
- (c) Determine the distance of the particle from the origin after 3 seconds. (3 marks)

Determine the mean and standard deviation of the normal distribution that the sample proportions would approximate. (2 marks)	(ii)
Explain why it is reasonable to expect that the distribution of the sample proportions would approximate normality. (2 marks)	(i)
suming that 80% of students had access to more than one computer at home, the dent carried out 100 simulations in which a sample proportion was calculated from a dom sample of 64 students.	nts
Select and ask every $100^{\rm th}$ student from the school roll. (1 mark)	(iii)
Advertise the survey in a whole school assembly and ask the first 50 students who volunteer to stay behind. (1 mark)	(ii)
Wait at the bus-bay after school and ask the first 50 students who show up. (1 mark)	(i)
s student thought of the following three ways to select a sample from the population. If y discuss the main source of bias in each method.	
planned to investigate what proportion of the 1260 students at their school had access an one computer at home.	
	Question

G

CALCULATOR-ASSUMED

METHODS UNITS 3 AND 4

METHODS UNITS 3 AND 4 16 CALCULATOR-ASSUMED

Question 19 (7 marks)

The moment magnitude scale $M_{\rm w}$ is used by seismologists to measure the size of earthquakes in terms of the energy released. It was developed to succeed the 1930's-era Richter magnitude scale.

The moment magnitude has no units and is defined as $M_w = \frac{2}{3} \log_{10}(M_0) - 10.7$, where M_0 is the total amount of energy that is transformed during an earthquake, measured in dyn-cm.


On 28 June 2016, an estimated 2.82 \times 10²¹ dyn·cm of energy was transformed during an earthquake near Norseman, WA. Calculate the moment magnitude for this earthquake. (1 mark)

A few days later, on 8 July 2016, there was another earthquake with moment magnitude 5.2 just north of Norseman. Calculate how much energy was transformed during this earthquake. (2 marks)

(c) Show that an increase of 2 on the moment magnitude scale corresponds to the transformation of 1000 times more energy during an earthquake. (4 marks)

6 **Question 11** (10 marks)

The graph below shows the curve y = f(x), where $f(x) = \frac{12}{2x-1}$.



Use the five centred rectangles shown to estimate the shaded area under the curve from x = 1.25 to x = 3.75. (3 marks)

Given $\int_a^b h(x) dx = k$ and h(x) is a polynomial, determine the following in terms of the constants a, b and k:

(i)
$$\int_{a}^{b} 3 h(x) dx$$
. (1 mark)

(ii)
$$\int_{a}^{b} 2 - h(x) dx$$
. (2 marks)

Question 18 (7 marks)

15

From a random sample of n people, it was found that 54 of them subscribe to a streaming music service. A symmetric confidence interval for the true population proportion who subscribe is 0.1842 .


Determine the value of n, by first finding the mid-point of the interval. (3 marks)

Determine the confidence level of the interval. (4 marks)

(1 mark)

(c) Determine the exact area of the region bounded by:


(4 marks) $\frac{\pi}{2} = x \text{ bns } 0 = x, x \cos \theta = y, x \sin \theta = y$



L

Question 17 (7 marks)

A trough for holding water is to be formed by taking a length of metal sheet 70 cm wide and folding 15 cm on either end, up through an angle of θ . The following diagram shows the cross-sectional area, A, shaded.



Show that $A = 600 \sin \theta + 225 \sin \theta \cos \theta$. (2 marks)

c) Use calculus to determine the maximum possible cross-sectional area. (4 marks)

See next page

(3 marks)

(1 mark)

8 Question 12 (8 marks)

A box contains a large number of packets of buttons. The number of buttons in a packet may be modelled by the random variable X, with the probability distribution shown below. It is also known that E(X) = 6.25.

х	3 or fewer	4	5	6	7	8	9 or more
P(X = x)	0	0.05	а	b	0.25	0.15	0

Two packets are randomly chosen from the box. Determine the probability that there are at least 15 buttons altogether in the two packets. (2 marks)

Determine the values of a and b.

- Calculate Var(X).
- As part of a fundraiser, patrons pay 75 cents to select a packet at random and then win back 10 cents for each button in the packet. If the random variable W represents the net gain per game for a patron in cents, determine the mean and variance of W. (2 marks)

The stationery company that supplies pens to the conference centre claim that no more than 3 in 50 pens fail to write. Use your previous working to comment on the validity of this claim. (2 marks)

Comment on how the margin of error would change in (a) (ii) if

CALCULATOR-ASSUMED

the quality of the pens had been better. (1 mark)

(1 mark) the required level of confidence decreased.

3 marks) (3 marks) (3 marks)	0.0 zi	erval for p .	iii) an approximate 98% confidence int
the value of k , if the longest 15% of stakes exceed k metres in length. (1 mark) ge number of stakes were measured and it was found that 97% of them were longer their nominal length. Show how to use this information to deduce that the value of σ			
the probability that a randomly chosen stake is longer than 1.79 m given that it is shorter than 1.8 metres.	(ii)	a 98% confidence interval for p. (3 marks)	(ii) the approximate margin of error for
store sells wooden stakes, of nominal length 1.8 metres, to be used for supporting at trees. The length, X metres, of the stakes can be modelled by a normal distribution .85 and standard deviation σ . $= 0.035$, determine the probability that a randomly chosen stake is shorter than 1.8 metres. (1 mark)	newly plante with mean 1	sted a random sample of 150 pens and found step and found our teach of 150 pens and found sample	The management at a conference centre was corprovided in its meeting rooms. A staff member test that 18 of them fail to write. (a) If p is the true proportion of pens that fail to proportion, use the above sample to determ to proportion.
	f noitseuQ	(system e)	Question 16

CALCULATOR-ASSUMED

METHODS UNITS 3 AND 4

6

METHODS UNITS 3 AND 4

15

CALCULATOR-ASSUMED

CALCULATOR-ASSUMED

Question 14 (8 marks)

The random variable *X* denotes the number of hours that a business telephone line is in use per nine hour working day.

nine hour working day. The probability density function of X is given by $f(x) = \begin{cases} \frac{(x-a)^2+b}{k} & 0 \leq x \leq 9 \\ 0 & \text{otherwise} \end{cases}$, where a, b and k are constants.

(a) If a = 15 and b = 3, determine the value of k. (2 marks)

- (b) Let a = 16, b = 1 and k = 1260.
 - (i) The business is open for work for 308 days per year. On how many of these days can the business expect the phone line to be in use for more than eight hours?

 (2 marks)

(ii) Determine, correct to two decimal places, the mean and variance of X. (4 marks)

Question 15 (8 marks)

11

An analysis of the number of dogs registered by each household within a suburb resulted in the following information:

Number of dogs registered	0	1	2	3 or more
Percentage of households	21	44	27	8

(a) A council worker selects households at random to visit. What is the probability that the first five households visited all have at least one dog registered? (2 marks)

(b) A random sample of 40 households within the suburb is selected.

Use a binomial distribution with n=40, together with relevant information from the table in each case, to determine the probability that the sample contains:

(i) exactly 6 households with no dogs registered. (2 marks)

(ii) no more than 15 households with at least two dogs registered. (2 marks)

(c) A random sample of 25 households within the city is to be selected. If X is the number of households in the sample that have exactly one dog registered, determine the mean and variance of X. (2 marks)