

## Course Methods test 2 Year 12

Student name:	Teacher name:
Task type:	Response
Time allowed for this task:40 mins	
Number of questions:	8
Materials required:	Calculator with CAS capability (to be provided by the student)
Standard items:	Pens (blue/black preferred), pencils (including coloured), sharpener, correction fluid/tape, eraser, ruler, highlighters
Special items:	Drawing instruments, templates, notes on one unfolded sheet of A4 paper, and up to three calculators approved for use in the WACE examinations
Marks available:	41 marks
Task weighting:	_10%
Formula sheet provided:	Yes
Note: All part questions	worth more than 2 marks require working to obtain full marks.

Q1 (3 & 3 = 6 marks) (3.2.9)

Determine y in terms of x for the following. Show all working.

a) 
$$\frac{dy}{dx} = 15x^2 + 14x$$
 and  $y = 13$  when  $x = 1$ .

b) 
$$\frac{dy}{dx} = 10(2x+1)^4$$
 and  $y = 10$  when  $x = -1$ .

Q2 (3 & 2 = 5 marks) (3.2.22, 3.2.5)

A car travels in a straight line from the origin, initially at rest, with constant acceleration  $\frac{4\cos(3t)m/s^2}{\sin(t)}$  with  $\frac{t}{t}$  time in seconds.

a) Determine the distance from the origin at  $t = \frac{\pi}{3}$  seconds?

b) What is the velocity of the car at  $t = \frac{\pi}{3}$  seconds?

Q3 (2 marks) (3.2.19)

Determine the exact area between  $y = x^3 + x^2 - 37x + 35$  and the x axis from x = -10 to x = 10.

Q4 (2, 2 & 3 = 7 marks) (3.2.18)

A factory produces electric vehicles. The total number,  $\it E$  , that the company has produced  $\it t$  months after production commenced is such that:

$$\frac{dP}{dt} = 450 - \frac{800}{(t+5)^3}$$

Determine the number produced in


- a) The first 6 months
- b) The third month

Determine the minimum number of months required to produce:

c) 10000 vehicles.

Q5 (5 & 3 = 8 marks) (3.2.20)

a) On the axes below, sketch the following graphs:  $y = x^3 + 2x^2$  and  $y = 5x - 2x^2$ . Indicate on your sketch coordinates(one decimal place) of any stationary points, and label their nature, and of any points where the graphs intersect each other.



b) Determine the exact area between  $y = x^3 + 2x^2$  and  $y = 5x - 2x^2$ .

Q6 (2 & 2 = 4 marks) (3.1.3, 3.1.4)

The number of kangaroos, N in a particular site that have developed disease W are increasing such dN

- that  $\frac{dt}{dt}$  with t the time in years. There are initially 2300 kangaroos with the disease.
  - a) Determine the number of kangaroos with disease W in 5 years' time.
  - b) Determine the time taken to triple the number with the disease in years to one decimal place.


Q7 (4 marks) (3.2.16)

Consider the function  $G(x) = \int_{0}^{x} f(t) dt$  such that  $G''(x) = \frac{3}{4x^{\frac{5}{2}}}$  and  $G(4) = \frac{79}{2}$ . Determine the rule for the function f(x).

Q8 (5 marks) (3.1.15)

Consider the function  $f(x) = ax^3 + bx^2 + cx + d$  where  $a, b, c \otimes d$  are constants.

Below is a graph of f(x) (Note: diagram is not drawn to scale)



There is an x intercept at x = -4, y intercept at y = 24 and  $\int_{4}^{9} f(x) dx = \frac{368}{3}$ . There is an inflection point at  $x = \frac{1}{3}$ .

Determine the exact values of  $^{a,b,c\,\&\,d}$  .