

# 2APHY Nuclear Physics Assignment One 2009

Due: Monday 18<sup>th</sup> May

Name: \_\_\_\_\_ (50 marks total)

1. Complete the following. (3 marks)

Element	Nuclide	Atomic Number	Number Of Neutrons	Mass Number
Nitrogen-14				
	$^{13}_{7}\text{N}$	7		
		6		14
Helium-4				



2. Two of the elements above are isotopes of each other. Which are they and why are they isotopes?

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_ (2 marks)

3. In a lab report on a Nuclear Physics experiment, a student summarized some information on radiation. The table below shows part of his report. Complete the table to include all the information. (3 marks)

What it is	Radiation symbol	Name of radiation	Transmutation ability (yes or no)	Stopped by
Like a Helium nucleus				
High speed electron				
Electromagnetic radiation				

4. Complete the following equations and name the radiation or particle produced.



- d. Calcium-45 decays emitting a beta particle and a new element is formed. (3 marks)

(i) Write the full nuclear equation.

\_\_\_\_\_

(ii) What is the atomic number of the new element? \_\_\_\_\_

(iii) What is the mass number of the new element? \_\_\_\_\_

5. Explain, using your understanding of the structure of alpha, beta and gamma radiation, why alpha particles can't penetrate the skin, beta can penetrate to about 2.0 cm and gamma can go straight through the body. (3 marks)


This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. The paper has a slight shadow on the right side, suggesting it's resting on a surface.

6. People who work in mines, especially those that may contain small amounts of radon gas, are strongly advised not to smoke as well as this increases their chance of getting cancer. Explain why breathing in radon gas (which is an alpha emitter) can cause cancer. (2 marks)

[illegible]

7. Within a Nuclear Power Plant, some research scientists were studying the half-life of Polonium. The activity of a particular sample of polonium was  $8.4 \times 10^3$  Bq. They knew that the half-life of polonium was 140 days and wanted to know how long it would take for the sample to reach an activity of 525 Bq. Using your understanding of half-life, calculate this time for them. (2 marks)

8. University students, studying the activity of a particular radioactive isotope which had a half-life of 12.0 hours. If the original activity of the sample was 448 kBq, what would the activity be 3.00 days later? (2 marks)
9. An industrial worker accidentally inhaled a radioisotope with an activity of 0.200 kBq. The substance swallowed has a very long effective half-life and therefore the activity will not change significantly during the worker's lifetime. Every decay of the isotope releases  $1.12 \times 10^{-14}$  J of energy into the body and the radioisotope is not eliminated from the body. Determine the amount of energy absorbed in one year by the worker from this substance. (1 year = 365 days) (2 marks)
10. Students were given a radioactive source which emitted either alpha, beta or gamma radiation. They were instructed to identify the types of radiation emitted by the source. The experimental arrangement is illustrated.



Their results were:

Material between source and counter	Counts per minute
10 mm air	3549
Sheet of paper	2613
2 mm of aluminium	156
5 cm lead	8

What type of radiation was emitted from the source? \_\_\_\_\_ (1 mark)

11. Some radioisotopes have a short half life such as Sodium-24 (Na-24) which has a half-life of 15 hours. Sodium-24 is a beta emitter with a high activity and is used as a tracer in blood circulation studies.

a. Write the nuclear equation for sodium-24 emitting beta radiation. (1 mark)

---

---

---

---

---

---

---

b. A medical technician received a 5.0 g sample of sodium-24 but a week later she needed to order a new sample even though the original sample still had a mass of 5.0 g. Explain why. (1 marks)

12. In an experiment, a student collected the following data for the decay of a radioactive isotope. On the graph paper below, plot the graph the student would have correctly plotted and from the graph estimate the half-life of the radioactive isotope:


Count rate (per second)

1005   820   670   555   455   370   300

Time (minutes)

0   1   2   3   4   5   6

Half-life of radio-active isotope



Half-life = \_\_\_\_\_ (2 marks)