

PERTH MODERN SCHOOL



EXCEPTIONAL SCHOOLD

Question/Answer booklet

Semester One Examination, 2017

METHODS
MATHEMATICS
UNIT 3

Student Number

GANNO

MCLERL

STRAIN

CARTER

Exceptional schooling. Exceptional students.

JOQUINS NINDOWI LUNI

Time allowed for this section
Reading time before commencing work:
one hundred minutes

Materias required/recommended for this section
o be provided by the supervisor
his Question/Answer booklet
ormula sheet (retained from Section One)

Special items:
drawing instruments, templates, notes on two unfolded pages, calculator, ruler, writing materials

Important note to candidates
Do other items may be taken into the examination room. It is your responsibility to ensure that you do not have any unauthorised material. If you have any unauthorised material with you, hand it to the supervisor before reading any further.

Structure of this paper

Section	Number of questions available	Number of questions to be answered	Working time (minutes)	Marks available	Percentage of examination
Section One: Calculator-free	8	8	50	51	34
Section Two: Calculator-assumed	13	13	100	101	66
Total					100

Instructions to candidates

1. The rules for the conduct of examinations are detailed in the school handbook. Sitting this examination implies that you agree to abide by these rules.
2. Write your answers in this Question/Answer booklet.
3. You must be careful to confine your response to the specific question asked and to follow any instructions that are specified to a particular question.
4. Additional working space pages at the end of this Question/Answer booklet are for planning or continuing an answer. If you use these pages, indicate at the original answer, the page number it is planned/continued on and write the question number being planned/continued on the additional working space page.
5. Show all your working clearly. Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat any question, ensure that you cancel the answer you do not wish to have marked.
6. It is recommended that you do not use pencil, except in diagrams.
7. The Formula sheet is not to be handed in with your Question/Answer booklet.

- Section Two: Calculator-assumed** **66% (101 Marks)**
- This section has **thirteen (13)** questions. Answer **all** questions. Write your answers in the spaces provided.
- Working time: 100 minutes.
- Question 9** **(7 marks)**
- The velocity graph of a moving particle is shown below.
- (a) Sketch the displacement – time graph and the acceleration-time graph on the sets of axes provided. **(2+2)**
- (b) State the relationship between the roots and turning point of $y = v(t)$ with the graphs of $y = x(t)$ and $y = a(t)$ in (a). **(3 marks)**
-

Question 10**(7 marks)**

The voltage between the plates of a discharging capacitor can be modelled by the function $V(t)=14e^{kt}$, where V is the voltage in volts, t is the time in seconds and k is a constant.

It was observed that after three minutes the voltage between the plates had decreased to 0.6 volts.

- (a) State the initial voltage between the plates.

(1 mark)

- (b) Determine the value of k .

(2 marks)

- (c) How long did it take for the initial voltage to halve?

(2 marks)

- (d) At what rate was the voltage decreasing at the instant it reached 8 volts?

(2 marks)

(3 marks)

If $E[X] = 1.8$ and $\text{Var}[X] = 1.728$, determine n and p .

pegs in a bag.

Pegs produced by a manufacturer are known to be defective with probability p , independently of each other. The pegs are sold in bags of n for \$4.95. The random variable X is the number of faulty pegs in a bag.

(b)

(iv) Z is the total of the scores when two dice are thrown.

(iii) Y is the number of odd numbers showing when a die is thrown.

(ii) X is the score when a die is thrown.

(i) W is the number of throws of a die until a six is scored.

The dice referred to is a cube with faces numbered with the integers 1, 2, 3, 4, 5 and 6.
(4 marks)

(a) Four random variables W , X , Y and Z are defined below. State, with reasons, whether the distribution of the random variable is Bernoulli, binomial, uniform or none of these.

(7 marks)

Question 11

Question 12**(9 marks)**

75% of the avocados produced by a farm are known to be first grade, the rest being second grade. Trays of 24 avocados are filled at random in a packing shed and sent to market.

Let the random variable X be the number of first grade avocados in a single tray.

- (a) Explain why X is a discrete random variable, and identify its probability distribution.
(2 marks)

- (b) Calculate the mean and standard deviation of X .
(2 marks)

- (c) Determine the probability that a randomly chosen tray contains
(i) 18 first grade avocados.
(1 mark)

- (ii) more than 15 but less than 20 first grade avocados.
(2 marks)

- (d) In a random sample of 1000 trays, how many trays are likely to have fewer first grade than second grade avocados.
(2 marks)


PAGES FOR WORKING

Question 13

Mathematics Methods Unit 3 2017

Calculator Assumed

The speed, in metres per second, of a car approaching a stop sign is shown in the graph below and can be modelled by the equation $v(t) = 6(1 + \cos(0.25t) + \sin^2(0.25t))$, where t represents the time in seconds.



- (a) Complete the table below, rounding to two decimal places. (2 marks)

t	$v(t)$
0	
2.5	
5	
7.5	
10	3.34

- (b) Complete the following table and hence estimate the distance travelled by the car during the first ten seconds by calculating the mean of the sums of the inscribed areas and the circumscribed areas, using four rectangles of width 2.5 seconds. (5 marks)

Interval	Inscribed area	Circumscribed area
0–2.5		
2.5–5		
5–7.5		
7.5–10		24.15

- (c) Suggest one change to the above procedure to improve the accuracy of the estimate. (1 mark)

Question 14**(10 marks)**

A slot machine is programmed to operate at random, making various payouts after patrons pay \$2 and press a start button. The random variable X is the amount of the payout, in dollars, in one play of the machine. Each payout can be assumed to be independent of other payouts.

The probability, P , that the machine makes a certain payout, x , is shown in the table below.

Payout (\$) x	0	1	2	5	10	20	50	100
Probability $P(X=x)$	0.25	0.45	0.2125	0.0625	0.0125	0.005	0.005	0.0025

(a) Determine the probability that

(i) in one play of the machine, a payout of more than \$1 is made. (1 mark)

(ii) in ten plays of the machine, it makes a payout of \$5 no more than once. (2 marks)

(iii) in five plays of the machine, the second payout of \$1 occurs on the fifth play. (3 marks)

(b) Calculate the mean and standard deviation of X . (2 marks)

(c) In the long run, what percentage of the player's money is returned to them? (2 marks)

PAGES FOR WORKING

- (a) Complete the probability distribution of X below. (1 mark)
- | | | | | |
|----------|----------------|-----------------|---|----------------|
| x | 0 | 1 | 2 | 3 |
| $P(X=x)$ | $\frac{5}{42}$ | $\frac{10}{21}$ | | $\frac{1}{21}$ |
- Let the random variable X be the number of vowels in a random selection of four letters from those in the word LOGARTHM, with no letter to be chosen more than once.
- (b) Show how the probability for $P(X=1)$ was calculated. (2 marks)
- (c) Determine $P(X \geq 1 \vee X \leq 2)$. (2 marks)
- Let event A occur when no vowels are chosen in a random selection of four letters from those in the word LOGARTHM.
- (d) State $P(\underline{A})$. (1 mark)

Question 15	
Mathematics Methods Unit 3 2017	Calculator Assumed
Mathematics Methods Unit 3 2017	Calculator Assumed
(6 marks)	

Question 16**(11 marks)**

The profit P for the first few months of a company vary according to the function $P = e^{0.2t} \sin(t)$,

where t represents months.

Hint: Use radians.

- (a) Find the first and second derivatives of the profit function and explain exactly how these derivatives could help you graph the function. (6)

Question 17**(6 marks)**

The base radius of a conical pile of sand is twice its height. If the volume of the sand is initially 60 m^3 and then another 1m^3 of sand is added, use the increments formula to estimate the increase in the height of pile.

Quote your result in millimetres and you should assume that that radius of the cone remains twice its height.

Question 21**(5 marks)**

In 1880, the population in the United States was 50 189 209.

In 1930, the population had increased to 123 202 624.

- (a) Taking $t = 0$ in 1880, set up an equation in the form $P = P_0 e^{kt}$ that can be used to estimate the population in the United States during the 50 year period. (2)

- (b) Write down the average annual population growth over that period. (1)

Over the next 60 years to 1990, the population grew from 123 202 624 to 248 709 873.


- (c) Determine if the rate of growth during the 60 years from 1930 to 1990 is the same as the rate of growth from 1880 to 1930. (1)

END OF QUESTIONS

Mathematics Methods Unit 3 2017
Calculator Assumed
(5 marks)

Question 18
Mathematics Methods Unit 3 2017
Calculator Assumed
(5 marks)

(a) Given $n = 5$ and $p = 0.3$, sketch the histogram of the binomial distribution for $x \in \{0, 1, 2, 3, 4, 5\}$ on the set of axes below.



(b) Given $n = 5$ and $p = 0.3$, sketch the histogram of the binomial distribution for $x \in \{0, 1, 2, 3, 4, 5\}$ on the set of axes below.

Question 20
Mathematics Methods Unit 3 2017
Calculator Assumed
(9 marks)

(a) Given $n = 5$ and $p = 0.3$, sketch the histogram of the binomial distribution for $x \in \{0, 1, 2, 3, 4, 5\}$ on the set of axes below.

(a) The area of the region bounded by the curve $y = k\sqrt{x}$, where k is a positive constant, the x -axis, and the line $x = 9$ is 27. Determine the value of k .
(3 marks)

(b) For the domain $-4 \leq x \leq 4$, the curves $y = e^x - 1$ and $y = 2 \sin x$ intersect at $x = a$, $x = b$ and $x = c$ where $a < b < c$. Determine the values of a , b and c .
(3 marks)

(ii) Write down an integral to calculate the total area bounded by the two curves for the domain $-4 \leq x \leq 4$.
(2 marks)

(t) Opposite direction.

(iii) Evaluate the integral established in part (ii).
$$\int_a^b (e^x - 1 - 2 \sin x) dx$$

(1 mark)

$$x=a, 0 \leq x \leq b$$

Question 19

The gradient function of f is given by $f'(x) = 12x^3 - 24x^2$.

- (a) Show that the graph of $y=f(x)$ has two stationary points.

Calculator Assumed

(11 marks)

(2 marks)

- (b) Determine the interval(s) for which the graph of the function is concave upward. (3 marks)

- (c) Given that the graph of $y=f(x)$ passes through $(1, 0)$, determine $f(x)$. (2 marks)

- (d) Sketch the graph of $y=f(x)$, indicating all key features.

Calculator Assumed

(4 marks)

