

By daring & by doing

## YEAR 12 MATHEMATICS METHODS

Differentiation, applications and anti-differentiation **Test 2** 

Marks:

## Calculator Free (24 marks)

1. [3 marks]

Name:


Using calculus techniques, find two numbers whose difference is 32 and whose product is a minimum.

[3]

/50

2. [4 marks]

The displacement for an object is given by  $x = \frac{2t-5}{3t+1}$ , where x is in metres and t is in seconds. Find the equations for velocity and acceleration.



[3]

Given that  $y = \sqrt[3]{x}$ , use x = 27 and the incremental formula  $\delta y \approx \frac{dy}{dx} \times \delta x$  to determine an approximate value for  $\sqrt[3]{29}$  .

[3 marks]

[2 marks]

Given that  $f'(x) = 3x^3 - 3x^2$  and f(2) = 7, find f(x).

[3]

[2]

Find the **antiderivative** of each of the following:

a) 
$$2x^4$$

b)  $\frac{x^3}{5}$ 

c)  $\frac{4}{x^2}$ 

d)  $e^{5x}$ 

e)  $6e^{\frac{x}{5}}$ 

f)  $\sqrt{2x-5}$ 

[6 marks]



| NAME: |  |
|-------|--|
|       |  |

By daring & by doing


## **Calculator Section**

(26 marks)

7. [4 marks]

The population P of fish in a certain lake was studied over time, and at the start the number of fish was 2500.

- a) During the study,  $\frac{dP}{dt}$  < 0 . What does this say about the number of fish during the study?
- b) If, at the same time,  $\frac{d^2P}{dt^2} > 0$ , what can you say about the population rate?
- c) Sketch the graph of the population *P* against *t*.



[1]

- 8. [2 marks]
- For a certain curve, the derivative is zero when x = -3. Also f''(-3) = 0 and f''(x) > 0 either side of x = -3. Explain what kind of point is at x = -3.
  - [2]


a) At the l

[5 marks]

- a) At the Blackstrap Molasses factory, the profit in dollars depends on the amount (x kg) of molasses according to the formula  $P = -x^3 + 69x^2 + 5040x + 580$ . What is the marginal profit after the  $50^{\text{th}}$  kg is sold?
- [2]
- b) A spherical balloon is subjected to heat, causing it to expand uniformly. Use the incremental formula to find the approximate percentage change in volume when the diameter increases by 4%.

10. [4 marks]

A box is made by cutting square corners out of a rectangular piece of tin and folding the sides up. If the original piece of tin measures 63 cm by 15 cm, and the squares have side length x cm, find using calculus techniques the volume of the box formed and justify that the volume is a maximum.



| 11. [11 marks]   |     |  |  |
|--|-----|--|--|
| A particle is initially at an origin $O$ . It is then projected away from $O$ and moves in a straight line such that its displacement from $O$ , $t$ seconds later is $x$ metres where $x = t^3 - 6t^2 + 9t$ . |     |  |  |
| Determine:  a) the initial speed of projection.  |     |  |  |
| b) when the particle is at rest and how far it is from the origin at these times.  | [2] |  |  |
|  |     |  |  |
| c) when the particle is moving in a positive direction.  | [4] |  |  |
| c) when the particle is moving in a positive direction.  |     |  |  |
| d) the total distance travelled in the first 5 seconds.  | [2] |  |  |
|  |     |  |  |
|  | [3] |  |  |
|  |     |  |  |
|  |     |  |  |

End of Part B