

## Chapter test with answers

# **Chapter 5 Electrochemical cells**

Time permitted: 50 minutes

	Section	Number of questions	Marks available
Α	Multiple choice	15	15
В	Short	5	15
	Total	20	30

#### Scale:

## **Section A Multiple choice (15 marks)**

Section A consists of 15 questions, each worth one mark. Each question has only one correct answer. Circle the correct answer. Attempt all questions. Marks will not be deducted for incorrect answers. You are advised to spend no more than 15 minutes on this section.

- 1 An electrolytic cell and galvanic cell both:
  - A convert chemical energy into electrical energy.
  - B are spontaneous chemical reactions.
  - C are in one container.
  - **D** have a battery to supply electrons.
- 2 In an electrochemical cell the anode is the:
  - A positive electrode where reduction occurs.
  - **B** positive electrode where oxidation occurs.
  - C negative electrode where reduction occurs.
  - D negative electrode where oxidation occurs.
- 3 Write the correct notation for the following galvanic cell: a zinc electrode in a solution of tin ions, connected by a salt bridge to a beaker of zinc ions with a tin electrode.
  - **A**  $Zn|Zn^{2+}||Sn^{2+}|Sn$
  - **B**  $Sn|Zn^{2+}||Sn^{2+}|Zn$
  - **C**  $Sn/Sn^{2+}//Zn^{2+}/Zn$
  - $D Zn|Sn^{2+}||Zn^{2+}|Sn$





- 4 Using your data sheet, which of the following reactions are likely?
  - i  $Sn(s) + Zn^{2+}(aq) \square Sn^{2+}(aq) + Zn(s)$
  - ii  $Zn(s) + 2Fe^{3+}(aq) \square Zn^{2+}(aq) + 2Fe^{2+}(aq)$
  - iii  $2Fe^{2+}(aq) + Sn^{2+}(aq) \square 2Fe^{3+}(aq) + Sn(s)$
  - iv  $Zn^{2+}(aq) + H_2(g) \square Zn(s) + 2H^{+}(aq)$
  - $v 3Sn^{2+}(aq) + 2Al(s) \square 2Al^{3+}(aq) + 3Sn(s)$
  - A i, ii and v
  - B ii and v
  - **C** i and ii
  - D iii and iv

### Reaction to answer Questions 5-6

$$Fe_2O_3 + 2Al \square 2Fe + Al_2O_3$$

- 5 Which statement below is true?
  - **A** The oxidation number of iron drops.
  - **B** The oxidation number of oxygen increases.
  - C Iron is oxidised.
  - D Aluminium is reduced.
- 6 Which two half equations is this reaction a summation of?
  - i  $Fe_2O_3 + 6H^+ \square 2Fe + 3H_2O + 6e^-$
  - ii Al +  $6H^+$  +  $6e^ Al_2O_3$  +  $3H_2O_3$
  - iii  $Fe_2O_3 + 6H^+ + 6e^- \square 2Fe + 3H_2O$
  - iv  $Al_2O_3 + 6H^+ + 6e^- \square 2Al + 3H_2O$
  - $V 2AI + 3H_2O \square AI_2O_3 + 6H^+ + 6e^-$
  - A i and ii
  - B ii and iii
  - **C** ii and v
  - D iii and iv
- 7 Copper purification removes impurities from the raw copper. Which equations below best describe this process?
  - **A** Anode: Cu<sup>2+</sup> + 2e<sup>-</sup> [] Cu, Cathode: Cu [] Cu<sup>2+</sup> + 2e<sup>-</sup>
  - **B** Anode:  $Cu \square Cu^{2+} + 2e^-$ , Cathode:  $Cu \square Cu^{2+} + 2e^-$
  - C Cathode: Cu<sup>2+</sup> + 2e<sup>-</sup> [] Cu, Anode: Cu<sup>2+</sup> + 2e<sup>-</sup> [] Cu
  - D Cathode:  $Cu^{2+} + 2e^{-} \square Cu$ , Anode:  $Cu \square Cu^{2+} + 2e^{-}$



- 8 Electrolysis of water is touted as a clean source of fuel for cars. The overall reaction is  $2H_2O \square O_2 + H_2$ . Which reactions combine to give this result?
  - i  $H_2O + 2e^- \rightarrow 2OH^- + H_2$
  - ii  $2H_2O + 2e^- \rightarrow H_2 + 2OH^-$
  - iii  $4H^+ + 4e^- \rightarrow 2H_2$
  - iv  $2H_2O \rightarrow 2H_2 + O_2$
  - $V = 4OH^{-} \rightarrow 2H_{2}O + O + 4e^{-}$
  - A Only iv
  - **B** iii and v
  - C i and iv
  - **D** iii and iv
- **9** In the electrolysis of water above, which species are oxidised and which are reduced?
  - **A**  $OH^-$  is oxidised and  $H^+$  is reduced.
  - B H<sub>2</sub>O is both oxidised and reduced.
  - C OH⁻ is reduced and H⁺ is oxidised.
  - D H<sub>2</sub>O is oxidised and H<sup>+</sup> is reduced.
- 10 Which of the following is essential for rust to form on iron?
  - A Oxygen
  - **B** Oxygen and water
  - C Oxygen, water and salt
  - D Water and salt
- 11 What happens to an oxidant in a redox reaction?
  - A It is oxidised and gains electrons.
  - **B** It is oxidised and loses electrons.
  - **C** It is reduced and gains electrons.
  - **D** It is reduced and loses electrons.
- **12** Consider the following reaction:

$$2MnO_4^- + 5H_2SO_3 \rightarrow 2Mn^{2+} + 5SO_4^{2-} + 3H_2O + 4H^+$$

What is the reduced species?

- A MnO₄⁻
- **B** *Mn*<sup>2+</sup>
- C H<sub>2</sub>SO<sub>3</sub>
- D SO<sub>4</sub><sup>2-</sup>
- 13 For the following electrochemical cell, which statement is correct?

$$Zn(s) |Zn^{2+}(aq)| |Ag^{+}(aq)| Ag(s)$$

**A** *Zn* is oxidised and is the anode.



- **B** Zn is reduced and is the anode.
- C Zn is oxidised and is the cathode.
- **D** Zn is reduced and is the cathode.
- **14** For a reaction to be spontaneous in an electrochemical cell:
  - A the  $E^{\circ}$  value must be positive and the battery supplies energy.
  - **B** the  $E^{\circ}$  value must be negative and the battery supplies energy.
  - $\mathbf{C}$  the  $\mathbf{E}^{\circ}$  value must be positive and the reaction supplies energy.
  - **D** the  $E^{\circ}$  value must be negative and the reaction supplies energy.
- 15 Which is the correct oxidation half equation for the following redox reaction?

$$Pb(s) + PbO_2(s) + 2H_2SO_4(aq) \rightarrow 2PbSO_4(s) + 2H_2O(l)$$

- A  $4H^{+} + 2O^{-} \rightarrow 2H_{2}O(I)$
- **B**  $Pb(s) \to Pb^{2+} + 2e^{-}$
- C  $2H^+ + O^- \rightarrow H_2O(I)$
- D Pb(s)  $\rightarrow$  Pb<sup>+</sup> + e<sup>-</sup>

## **Section B Short (15 marks)**

Section B consists of five questions. Write your answers in the spaces provided. You are advised to spend 20 minutes on this section.

- 1 Steel sheets are coated with zinc to protect them from rusting; these galvanised sheets are protected from rusting as the zinc corrodes sacrificially to stop the iron from rusting.
  - **a** Using your data sheet explain why zinc and magnesium can be used but not lead to protect steel.
    - Answer: Magnesium and zinc are both stronger reducing agents than iron (more negative  $E^{\circ}$  values) and hence will react with oxygen before the iron will. Lead, a weaker reducing agent, will not protect the iron. (2 marks)
  - **b** Use  $E^{\circ}$  values to show why rusting (the reaction between iron and oxygen) occurs, where iron is oxidised to ferrous ions and oxygen is reduced to hydroxide ions.

Answer:

$$\mathrm{Fe^{2+}} + 2\mathrm{e^{-}} \, \mathbb{I} \, \mathrm{Fe}$$

 $E^{\circ} = -0.45 \text{ V}$ 

$$O_2 + 2H_2O + 4e^- I 4OH^-$$

 $E^{\circ} = +0.40 \text{ V}$ 

 $E^{\circ}$  cell will be: +0.45 V + 0.40 V = 0.85 V

 $E^{\circ}$  is positive so reaction is spontaneous and will occur.

(2 marks)

(= 4 marks total)

**2** a Describe oxidation and reduction in terms of electron transfer.



Answer: Oxidation is the loss of electrons and reduction is the gain of electrons (OIL RIG). (1 mark)

**b** What are the advantages of fuel cells in vehicles?

Answer: Fossil fuels will eventually run out and the greenhouse effects of burning fossil fuels are two suitable answers. (1 mark)


(= 2 marks total)

#### An electrochemical cell to answer Questions 3-4

Silver rod immersed in a solution of silver nitrate connected via wires and voltmeter to a nickel rod immersed in nickel nitrate solution.

3 Sketch the electrochemical cell and label the solutions, electrodes, direction of electron flow and which electrode is the anode and cathode.

Answer:



(= 3 marks total)

**a** Describe what happens in the salt bridge and suggest a suitable solution to use in the salt bridge.

*Answer*: A solution that does not precipitate with ions in solutions such as  $KNO_3(aq)$ . The salt bridge migrates its ions into each beaker to maintain electrical neutrality of solution, i.e. at cathode where silver ions become silver metal,  $K^+(aq)$  will move into the beaker, and  $NO_3^-(aq)$  will move into beaker as  $Ni^+(aq)$  ions from dissolving rod enter the solution.

(2 marks)

**b** Calculate the  $E^{\circ}$  value of the cell.

Answer: 
$$E^{\circ}$$
cell = 0.80 – (-0.23) = 1.03 V (1 mark)  
(= 3 marks total)



5 A methane fuel cell has been proposed for development. Below are the unbalanced reduction and oxidation half reactions. Complete them and give the overall redox reaction.

Oxidation ½ equation	CH4 + OH → CO2 + H2O + e	
Reduction ½ equation	O2 + H2O + e → OH	
Overall reaction	CH4 + 2O2 → CO2 + 2 H2O	



Answer:

$${\rm CH_4 + 8OH^- \rightarrow CO_2 + 6H_2O + 8e^-} \ 2{\rm O_2 + 4H_2O + 8e^- \rightarrow 8OH^-}$$

The overall reaction is balanced.

(= 3 marks total)