 <p>PERTH MODERN SCHOOL Exceptional schooling. Exceptional students. Independent Public School</p>	<p>Year 12 Specialist TEST 1 Friday 9 February 2018 TIME: 5 mins reading 40 minutes working Classpads allowed! 37 marks 7 Questions</p>
--	--

Name: _____

Teacher: _____

Note: All part questions worth more than 2 marks require working to obtain full marks.

Some useful Formulae

Cartesian form	
$z = a + bi$	$\bar{z} = a - bi$
$\text{Mod}(z) = z = \sqrt{a^2 + b^2} = r$	$\text{Arg}(z) = \theta, \quad \tan \theta = \frac{b}{a}, \quad -\pi < \theta \leq \pi$
$ z_1 z_2 = z_1 z_2 $	$\left \frac{z_1}{z_2} \right = \frac{ z_1 }{ z_2 }$
$\arg(z_1 z_2) = \arg(z_1) + \arg(z_2)$	$\arg\left(\frac{z_1}{z_2}\right) = \arg(z_1) - \arg(z_2)$
$z \bar{z} = z ^2$	$z^{-1} = \frac{1}{z} = \frac{\bar{z}}{ z ^2}$
$\overline{z_1 + z_2} = \bar{z}_1 + \bar{z}_2$	$\overline{z_1 z_2} = \bar{z}_1 \bar{z}_2$
Polar form	
$z = a + bi = r(\cos \theta + i \sin \theta) = r \text{cis } \theta$	$\bar{z} = r \text{cis } (-\theta)$
$z_1 z_2 = r_1 r_2 \text{cis } (\theta_1 + \theta_2)$	$\frac{z_1}{z_2} = \frac{r_1}{r_2} \text{cis } (\theta_1 - \theta_2)$
$\text{cis}(\theta_1 + \theta_2) = \text{cis } \theta_1 \text{cis } \theta_2$	$\text{cis}(-\theta) = \frac{1}{\text{cis } \theta}$
De Moivre's theorem	
$z^n = z ^n \text{cis } (n\theta)$	$(\text{cis } \theta)^n = \cos n\theta + i \sin n\theta$
$z^{\frac{1}{q}} = r^{\frac{1}{q}} \left(\cos \frac{\theta + 2\pi k}{q} + i \sin \frac{\theta + 2\pi k}{q} \right), \quad \text{for } k \text{ an integer}$	

$\cos^2 x + \sin^2 x = 1$	$1 + \tan^2 x = \sec^2 x$
$\cos(x \pm y) = \cos x \cos y \mp \sin x \sin y$	$\cos 2x = \cos^2 x - \sin^2 x$ $= 2 \cos^2 x - 1$ $= 1 - 2 \sin^2 x$
$\sin(x \pm y) = \sin x \cos y \pm \cos x \sin y$	$\sin 2x = 2 \sin x \cos x$
$\tan(x \pm y) = \frac{\tan x \pm \tan y}{1 \mp \tan x \tan y}$	$\tan 2x = \frac{2 \tan x}{1 - \tan^2 x}$
$\cos A \cos B = \frac{1}{2} (\cos(A - B) + \cos(A + B))$	$\sin A \cos B = \frac{1}{2} (\sin(A + B) + \sin(A - B))$
$\sin A \sin B = \frac{1}{2} (\cos(A - B) - \cos(A + B))$	$\cos A \sin B = \frac{1}{2} (\sin(A + B) - \sin(A - B))$

Note: All part questions worth more than 2 marks require working to obtain full marks.

Q1) (2, 2, 2, 2 & 1 = 9 marks)

If $w = 2 - 2i$ and $z = 9 - 5i$ determine exactly:

a) wz

b) $\frac{w}{z}$

c) $z\bar{w}$


d) $w\bar{z}$

e) What do you notice about (c) and (d)?


Q2 (2 & 2 = 4 marks)

Express each of the following into Cartesian form, $a + bi$

a) $7\text{cis}\left(-\frac{2\pi}{3}\right)$




Q4 (3 marks)

Determine z in polar form given that w and zw have been drawn below.

Q5 (5, 3 & 3 =11 marks)

- a) Determine all the roots of the equation $z^5 = 1 - i$, expressing them all in polar form with $r \geq 0$ and $-\pi < \text{Arg} z \leq \pi$

- b) Plot the roots on the diagram below. (Note: each minor angle is $\frac{\pi}{20}$ radians.)



- c) The roots form the vertices of a pentagon. Determine the value for the perimeter of the pentagon to two decimal places.


Q6 (5 marks)

Determine, **using de Moivre's theorem**, an expression for $\sin 3\theta$ in terms of $\sin \theta$ only.

{Hint: start with $(\cos \theta + i \sin \theta)^3$ }

Q7 (5 marks)

Consider the points A and B in the complex plane. The perpendicular bisector of the line AB is represented by $\text{Im}(z) = 3\text{Re}(z) - 1$



If point A is $5 + ci$ and point B is $d - 7i$ in the complex plane, determine the values of the constants c and d.