

Semester One Examination, 2020

(if applicable):

answer booklets used

Number of additional

Question/Answer booklet

	Your name		
	ln words		
WA student number:	ln figures		
Calculator-free			
Section One:	١		
S TINU		place your student identification label in this box	
WETHODS		If required by your examination administrator, please	

fifty minutes

five minutes

Materials required/recommended for this section

To be provided by the supervisor

Reading time before commencing work:

Time allowed for this section

This Question/Answer booklet

MATHEMATICS

Formula sheet

To be provided by the candidate

Standard items: pens (blue/black preferred), pencils (including coloured), sharpener,

correction fluid/tape, eraser, ruler, highlighters

Special items:

Important note to candidates

it to the supervisor before reading any further. you do not have any unauthorised material. If you have any unauthorised material with you, hand No other items may be taken into the examination room. It is your responsibility to ensure that

written permission of WA Exam Papers. SN245-155-3. the school. No other copying, communication or use is permitted without the express copy and communicate this document for non-commercial, educational use within © 2020 WA Exam Papers. Kennedy Baptist College has a non-exclusive licence to

Structure of this paper

	Number of	Number of	Working	Marks	Percentage
Section	questions	questions to	time		of
	available	be answered	(minutes)	available	examination
Section One: Calculator-free	8	8	50	52	35
Section Two: Calculator-assumed	13	13	100	98	65
				Total	100

Instructions to candidates

- 1. The rules for the conduct of examinations are detailed in the school handbook. Sitting this examination implies that you agree to abide by these rules.
- 2. Write your answers in this Question/Answer booklet preferably using a blue/black pen. Do not use erasable or gel pens.
- 3. You must be careful to confine your answers to the specific question asked and to follow any instructions that are specific to a particular question.
- 4. Show all your working clearly. Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat any question, ensure that you cancel the answer you do not wish to have marked.
- 5. It is recommended that you do not use pencil, except in diagrams.
- Supplementary pages for planning/continuing your answers to questions are provided at the end of this Question/Answer booklet. If you use these pages to continue an answer, indicate at the original answer where the answer is continued, i.e. give the page number.
- 7. The Formula sheet is not to be handed in with your Question/Answer booklet.

Supplementary pag	je
Question number:	

Section One: Calculator-free 35% (52 Marks)

This section has **eight** questions. Answer **all** questions. Write your answers in the spaces provided.

Working time: 50 minutes.

Question 1 (5 marks)

A curve, defined for x>0, passes through the point A(2,1) and its gradient is given by

$$01 - \frac{8}{z_X} - z_X = \frac{xp}{x}$$


(3 marks) Verify that A is a stationary point, determine the value of the second derivative at A and hence describe the nature of the stationary point.

(2 marks) Determine the equation of the curve.

Question 8 (7 marks)

Determine an expression for $\frac{d}{dt} \left(8t \sin \left(\frac{\pi t}{8} \right) \right)$.

The volume of water in a tank, v litres, is changing at a rate given by $v'(t) = \pi t \cos\left(\frac{\pi t}{\delta}\right)$, where t is the time in hours. The rate of change is shown in the graph below.



Using the result from part (a) or otherwise, determine the change in volume of water in the tank between $t\!=\!0$ and $t\!=\!8$ hours.

Question 2 (5 marks)

Determine the area bounded by the line y=-2x and the parabola $y=x^2-6x$.

Question 7 (8 marks)

Initially, particle P is stationary and at the origin. Particle P moves in a straight line so that at time t seconds its acceleration a cms⁻² is given by $a = 8 - 3\sqrt{t}$ where $t \ge 0$.

(a) Determine the speed of P after 1 second. (3 marks)

Determine the speed of P when it returns to the origin. (5 marks)

(8 marks)

Question 3
Determine

The graph of y=f(x) has a stationary point at (2,5) and $f'(x)=ax^2-9x+6$, where a is a constant.

(ഉ ացւкշ)

(S marks)

(a) $f'(x) = f(x) = f(x) = \sqrt{4x - 3}.$

Determine the interval over which $f'(\mathbf{x})$ <0 and $f''(\mathbf{x})$ <0.

9 noiteau

(3 marks)

(b) $\frac{d}{d\theta} [\theta^3 e^{4\theta}]$ when $\theta = 2$.

(3 warks)

(c) $f'\left(\frac{\pi}{4}\right) \text{ when } f(t) = \frac{1 + \cos t}{\sin t}.$

	g contains 40 counters, 15 marked with 0 and the remainder marked with 1 . The r ble X is the number on a randomly selected counter from the bag. Explain why X is a Bernoulli random variable and determine the mean and variable X		Func	tions f and g are such that $f(2){=}{-}1, f^{'}(x){=}6(2x{-}7)^{-2}$ $g(-3){=}{-}1, g^{'}(x){=}6(2x{+}7)^{-2}$	
			(a)	Determine $f(3)$.	(3 marl
the c	of the 32 students in a class randomly select a counter from the bag, note the nu ounter and then replace it back in the bag. The random variable Y is the number Φ class who select a counter marked with Φ .	umber on of students			
(b)	Define the distribution of Y and determine the mean and variance of Y .	(3 marks)	(b)	Use the increments formula to determine an approximation for $g(-2.97).$	(3 marl
(c)	Explain why it is important that the students replace their counters for the distribution part (b) to be valid.	oution of <i>Y</i> (1 mark)	(c)	Briefly discuss whether using the information given about f and the increments would yield a reasonable approximation for $f(3)$.	s formula (1 ma

(7 marks)

Question 4

(7 marks) Question 5 Functions f and g are such that $f(2)=-1, f'(x)=6(2x-7)^{-2}$ $g(-3)=-1, g'(x)=6(2x+7)^{-2}$ Determine f(3). (3 marks) Use the increments formula to determine an approximation for g(-2.97). (3 marks)

(1 mark)