

Australian Islamic College 2019

ATAR Chemistry Units 3 and 4

Task 10 (Weighting: 5%)

Term 3 Holiday Homework Validation Test Proteins and Amino Acids

Test Time: 45 minutes

Please do not turn this page until instructed to do so.

First Name	Surname

Teacher

Mark / 36	Percentage

Equipment allowed: Pens, pencils, erasers, whiteout, correction tape, rulers and non-programmable calculators permitted by the Schools Curriculum and Standards Authority.

Special conditions:

2 marks will be deducted for failing to write your full name on this test paper.

Teacher help: Your teacher can only help you during your test in one situation.

If you believe there is a mistake in a question show your teacher and your teacher will tell you if there is a mistake in the question and if appropriate, how to fix that mistake.

Spelling of Science words must be correct. Science words with more than one letter wrong (wrong letter and/or wrong place) will be marked wrong.

Unless stated otherwise, **equations** must be written balanced and with correct state symbols or they will be marked wrong.

Questions must be answered in this booklet.

Total marks: 36


PART ONE: MULTIPLE CHOICE QUESTIONS

(7 MARKS)

Circle the correct answer on this page.


1. Insulin is a protein that acts as a hormone in the human body. It functions to control blood glucose levels. It consists of two separate chains of amino acids, the α chain and the β chain.

What level of structure is being maintained by the linkages between the two chains seen on the diagram?



- a. Primary
 - b. Secondary
 - c. Tertiary
 - d. Quaternary
2. Which of these amino acids is more likely to be found in the core of a globular protein?
- a. Alanine
 - b. Serine
 - c. Tyrosine
 - d. Glutamine
3. Which of these is not an alpha amino acid?
- a. $\text{NH}_2\text{CH}_2\text{CH}_2\text{COOH}$
 - b. $\text{NH}_2\text{CH}_2\text{COOH}$
 - c. $\text{NH}_2\text{CH}(\text{CH}_3)\text{COOH}$
 - d. $\text{NH}_2\text{CH}(\text{CH}_2\text{OH})\text{COOH}$

4. Refer to the diagram below.



Which level of protein structure is 'Level of Structure A'?

- a. Primary
 - b. Secondary
 - c. Tertiary
 - d. Quaternary
5. Which of these is a functional group found in all alpha amino acids?
- a. Amine
 - b. Amide
 - c. Ester
 - d. Phenyl
6. Information about the three-dimensional structure of which of these groups of molecules is stored in the Protein Data Bank, in addition to information about proteins?
- a. Carbohydrates
 - b. Lipids
 - c. Nucleic acids
 - d. Inorganic molecules
7. Which of these is not one or more chains of amino acids?
- a. Polyamides
 - b. Proteins
 - c. Polypeptides
 - d. Polynucleotides

END OF MULTIPLE CHOICE SECTION

PART TWO: SHORT ANSWER QUESTIONS**(29 marks)**

8. Draw structural formulae of all the products resulting from the condensation reaction between three glycine residues.


(2 marks)

9. Tyroserleutide (YSL) is a tripeptide consisting of (in order) three amino acids, L-tyrosine, L-serine and L-leucine. YSL has exhibited potent antitumor activities in human tumour cell lines. Draw a structural formula for YSL, in unionised form, with the N-terminus on the left.

(2 marks)

10. On the diagram below of a short polypeptide chain indicate exactly where a disulfide bridge could be found.

(1 mark)



11. Below is shown the amino acid sequence of a short polypeptide.



- a. Does the diagram represent the primary, secondary, tertiary or quaternary structure of the polypeptide?
(1 mark)
- b. Draw the full structure of the amino acid closest to the C-terminus as a zwitterion.
(1 mark)
- c. How many peptide bonds (peptide linkages) are shown in the diagram?
(1 mark)
- d. Of the amino acids shown in the diagram, identify those that match the following descriptions. The same amino acid may be used for more than one answer and some amino acids may not be used.
 - i. Four amino acids with side chains that cannot form any intermolecular forces other than dispersion forces.
(1 mark)
 - ii. Two amino acids with side chains that are capable of hydrogen bonding but are not capable of forming salt bridges or disulphide bridges.
(1 mark)
 - iii. An amino acid with a side chain capable of forming salt bridges.
(1 mark)

12. The isoelectric point of tyrosine is 5.66. Draw a tyrosine molecule as it would exist at pH 6.00.

(1 mark)

13. Amino acids are covalent molecular substances. Whereas most covalent molecular substances with low molar masses have low melting points, amino acids are crystalline solids at room temperature.

- a. Explain why amino acids are solid at room temperature, despite being covalent molecular substances.

(3 marks)

- b. Would you expect amino acids to be soluble in water? Explain why.

(2 marks)

14. Haemoglobin is the major protein found in red blood cells. It is a large protein consisting of four polypeptide chains. There are two chains called alpha chains and two chains called beta chains. Haemoglobin functions to carry oxygen from our lungs to the body's cells.

The disease sickle cell anaemia results when the haemoglobin does not function correctly as a consequence of an incorrect primary structure in one of the beta chains. Shown below is a short sequence of a normal beta chain on the left and the corresponding sequence in a person with sickle cell anaemia on the right.



- a. State specifically what is wrong with the primary sequence of the beta chain in the person with sickle cell anaemia.
(1 mark)
- b. Explain why the problem you referred to above is very unlikely to affect the secondary structure of haemoglobin.
(1 mark)
- c. By referring to the specific amino acids involved, propose an explanation why the haemoglobin of a person with sickle cell anaemia does not function properly.
(4 marks)
- d. Identify the amino acid that could most likely best replace glutamic acid without the symptoms of sickle cell anaemia appearing.
(1 mark)

15. Ceviche is a method for preparing fish for eating that originated in Peru. Raw fish is soaked in an acidic solution prepared from citrus fruits. The low pH causes the fish proteins to be denatured.

a. What does it mean that the proteins are 'denatured'?

(1 mark)

b. Name something other than a change in pH that can denature proteins.

(1 mark)

c. By referring to specific amino acids, explain how low pH causes the protein to be denatured.

(3 marks)

END OF TEST

Blank Page For Student Use. This Page Will Not Be Marked.