



TEST 1 – POLAR COORDINATES & COMPLEX NUMBERS

NAME: SOLUTIONS

DATE: 14/15 February 2012

[To achieve full marks, working and reasoning should be shown.]

[A maximum of 2 marks will be deducted for incorrect rounding, units, notation, etc.]

This is Resource Free – 40 minutes for 36 marks:

1. [2, 2, 2 = 6 marks]

Determine $\frac{dy}{dx}$ for each of the following

a) $y = (e^{2x} + 1)^3$

$$\begin{aligned}\frac{dy}{dx} &= 3 \times 2e^{2x} (e^{2x} + 1)^2 \quad \checkmark \\ &= 6e^{2x}(e^{2x} + 1)^2 \quad \checkmark\end{aligned}$$

b) $y = \frac{3x - 1}{x^2 + 1}$

$$\begin{aligned}\frac{dy}{dx} &= \frac{3(x^2 + 1) - 2x(3x - 1)}{(x^2 + 1)^2} \quad \checkmark \\ &= \frac{3 + 2x - 3x^2}{(x^2 + 1)^2} \quad \checkmark\end{aligned}$$

c) $y = \ln[x^2(x + 1)]$

$y = 2 \ln x + \ln(x + 1) \quad \checkmark$

$$\frac{dy}{dx} = \frac{2}{x} + \frac{1}{x + 1} \quad \checkmark$$


2. [4 marks]

Express $(1, -1)$ and $(1, \sqrt{3})$ into **exact** polar form for $-\pi < \theta \leq \pi$.

$$r_1 = \sqrt{1^2 + 1^2} = \sqrt{2} \quad \checkmark$$

$$\alpha = \tan^{-1} 1 = \frac{\pi}{4} \Rightarrow \theta_1 = -\frac{\pi}{4} \quad \checkmark$$

$$\therefore (1, -1) = [\sqrt{2}, -\frac{\pi}{4}] \quad \text{-1 overall if omit this line or not []}.$$



$$r_2 = \sqrt{(\sqrt{3})^2 + 1^2} = 2 \quad \checkmark$$

$$\theta = \tan^{-1} \sqrt{3} = \frac{\pi}{3} \quad \checkmark$$

$$\therefore (1, \sqrt{3}) = [2, \frac{\pi}{3}]$$

3. [2 marks]

Find the **exact** distance between the points A $[6, 25^\circ]$ and B $[10, 145^\circ]$.

$$\begin{aligned} AB &= \sqrt{6^2 + 10^2 - 2(6)(10) \cos(-120^\circ)} \quad \checkmark \\ &= \sqrt{136 - 120 \times (-0.5)} \\ &= \sqrt{196} \\ &= 14 \text{ units} \quad \checkmark \end{aligned}$$

4. [3 marks]

Find the polar equation and the Cartesian equation of a circle of centre $(0,0)$ and radius 3.

$$\text{Polar equation: } r = 3 \quad \checkmark$$

$$\begin{aligned} \text{Cartesian equation: } \sqrt{x^2 + y^2} &= 3 \quad \checkmark \\ \Rightarrow x^2 + y^2 &= 9 \quad \checkmark \end{aligned}$$

5. [1, 2, 2 = 5 marks]

Given $z = 3 - 3i$, calculate:

a) $\bar{z} = 3 + 3i$ ✓

b) $z^2 = (3 - 3i)(3 - 3i)$
 $= 9 - 9i - 9i - 9$
 $= -18i$ ✓

c) $z \times \bar{z} = (3 - 3i)(3 + 3i)$ ✓
 $= 9 + 9i - 9i + 9$
 $= 18$ ✓

6. [1, 1, 1 = 3 marks]

For each of the following, express p in terms of q .

a) $q^4 = \frac{p^3}{8}$
 $p^3 = 8q^4$
 $p = 8q^{\frac{4}{3}}$ ✓

b) $\log_e p = 2 \log_e q$
 $\log_e p = \log_e q^2$
 $p = q^2$ ✓

c) $\frac{e^{2p}}{3} = q$
 $e^{2p} = 3q$
 $2p = \ln 3q$
 $p = \frac{\ln 3q}{2}$ ✓

7. [3 marks]

The Cartesian equation of a circle is $x^2 + y^2 = 10$. Find the polar equation of this circle.

$x^2 + y^2 = 10 \Rightarrow$ circle centre (0,0) and radius $\sqrt{10}$ ✓✓

\therefore Polar equation is $r = \sqrt{10}$. ✓

8. [1, 4, 2 = 7 marks]

If $z = \text{cis } \frac{\pi}{4}$ and $w = \text{cis } \frac{\pi}{6}$,

a) express $\frac{z}{w}$ in polar form,

$$\frac{z}{w} = \text{cis} \left(\frac{\pi}{12} \right) \quad \checkmark \quad \text{-1 overall if given as co-ordinates in } [].$$

b) express z , w and $\frac{z}{w}$ in Cartesian form, and

$$z = \frac{\sqrt{2}}{2} + \frac{\sqrt{2}}{2}i \quad \checkmark \quad \text{or} \quad z = \frac{1}{\sqrt{2}} + \frac{1}{\sqrt{2}}i$$

$$w = \frac{\sqrt{3}}{2} + \frac{1}{2}i \quad \checkmark$$

$$\frac{z}{w} = \frac{\sqrt{2} + \sqrt{2}i}{\sqrt{3} + i} \quad \checkmark \checkmark$$

c) give $\frac{z}{w}$ with a rationalised denominator.

$$\begin{aligned} \frac{z}{w} &= \frac{\sqrt{2} + \sqrt{2}i}{\sqrt{3} + i} \times \frac{\sqrt{3} - i}{\sqrt{3} - i} \quad \checkmark \\ &= \frac{(\sqrt{6} + \sqrt{2}) + (\sqrt{6} - \sqrt{2})i}{4} \quad \checkmark \end{aligned}$$

9. [3 marks]

Find the polar equation of this curve.

Equation is in the form $r = k\theta$.

First x-intercept is $[2\pi, \pi]$. \checkmark

$\Rightarrow k = 2$ \checkmark

\therefore Polar equation is $r = 2\theta$. \checkmark

