

No other items may be taken into the examination room. It is your responsibility to ensure that you do not have any unauthorised notes or other items of a non-personal nature in the examination room. If you have any unauthorised material with you, hand it to the supervisor before reading any further.

Important note to candidates

Special items: and up to three calculators approved for use in the WACE examinations.

Standard items: drawing instruments, templates, notes on two unfolded sheets of A4 paper,

To be provided by the candidate: correction tape/fluid, erasers, ruler, highlighters

Formula Sheet (retained from Section One)

This Question/Answer booklet

To be provided by the supervisor

Material required/recommended for this section

Reading time before commencing work: ten minutes

Working time for paper: one hundred minutes

Teacher's Name:

Student Name:

Calculator-assumed
Section Two:

MATHEMATICS METHODS UNIT 3

Structure of this paper

	Number of questions available	Number of questions to be attempted	Working time (minutes)	Marks available	Percentage of exam
Section One Calculator—free	9	9	50	52	35
Section Two Calculator—assumed	13	13	100	96	65
					100

Instructions to candidates

1. The rules for the conduct of Western Australian external examinations are detailed in the *Year 12 Information Handbook 2018*. Sitting this examination implies that you agree to abide by these rules.
2. Answer the questions according to the following instructions.

Section Two: Write answers in this Question/Answer Booklet. Answer **all** questions.

Show all your working clearly. Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat an answer to any question, ensure that you cancel the answer you do not wish to have marked.

It is recommended that you **do not use pencil**, except in diagrams.

3. You must be careful to confine your responses to the specific questions asked and to follow any instructions that are specific to a particular question.
4. Spare pages are included at the end of this booklet. They can be used for planning your responses and/or as additional space if required to continue an answer.
 - Planning: If you use the spare pages for planning, indicate this clearly at the top of the page.
 - Continuing an answer: If you need to use the space to continue an answer, indicate in the original answer space where the answer is continued, i.e. give the page number. Fill in the number of the question that you are continuing to answer at the top of the page.
5. The Formula Sheet is **not** handed in with your Question/Answer Booklet.

- (b) Determine the exact increase in k and hence determine the percentage error in your approximation from (a). Give your answer to one decimal place. (2 marks)

- (a) Use the incremental formula to approximate the increase in K , as θ changes from $\frac{\pi}{4}$ to 0.3π in a circle of radius 4 cm. (3 marks)

A sector of a circle has area K , given by $K = \frac{1}{2} r^2 \sin \theta$, where r is the radius of the circle, and θ is the central angle.

Question 10 (5 marks)

Working time: 100 minutes

- Planing: if you use the spare pages for planning, indicate this clearly at the top of the page.
- Continuing an answer: if you need to use the space to continue an answer, indicate in the original answer space where the answer is continued, i.e. give the page number. Fill in the number of the question(s) that you are continuing to answer at the top of the page.

Spare pages are included at the end of this booklet. They can be used for planning your responses and/or as additional space if required to continue an answer.

This section has **thirteen (13)** questions. Attempt all questions. Write your answers in the spaces provided.

Section Two: Calculator-Assumed
96 marks

MATHEMATICS METHODS UNIT 3

Question 11 (7 marks)

A curve has equation $y = ax^3 - bx^2 + cx - 9$.
There is a stationary point at $(-3, 0)$.

There is a point of inflection at $x = -\frac{5}{3}$.

Determine a , b and c . Show your working.

(7 marks)

Additional working space

Question number(s):

WATP acknowledges the permission of the School Curriculum and Assessment Authority in providing instructions to students.

(3 marks)

(b) State the next value of x where the graph will have the same height (ie. $4 - 2\sqrt{2}$). Explain your reasoning.

$\frac{\pi}{2}, 4 - 2\sqrt{2}$. (3 marks)

A function f has $f'(x) = 2 \sin \frac{x}{2}$.

Question 12 (6 marks)

Question 13 (4 marks)

The exponential series can be expressed as:

$$e^x = 1 + \frac{x}{1!} + \frac{x^2}{2!} + \frac{x^3}{3!} + \frac{x^4}{4!} + \dots$$

- (a) Use the first five terms of the series to evaluate e as a fraction. (2 marks)
(Hint: $e = e^1$)

- (b) Use the series to show that the derivative of ex is ex . (2 marks)

Question number(s):

(c) At what rate is the area of the circle increasing when $t = 4\text{?}$ (4 marks)

(b) Use your knowledge of exponential functions and its graph, or derivatives, to determine when the radius is increasing at its fastest rate. (2 marks)

(ii) $t = 5.$ (1 mark)

(i) $t = 4.$ (2 marks)

(a) Find the rate at which the radius is increasing when:

$$r = -e^{-t} + 4$$

A drop of oil is spreading on a glass surface. The region covered is circular in shape, and the radius, r cm, of the circle is given as a function of time, t seconds.

Question 14 (6 marks)

(a) Calculate the value of $k.$

A function $M(x)$ has $M(x) = 3x^2 - kx$, where k is a constant. A stationary point occurs at $(6, 1).$

(b) Determine the value of the y -intercept on the graph of $M.$ (4 marks)

(i) $t = 5.$ (1 mark)

(b) Use your knowledge of exponential functions and its graph, or derivatives, to determine when the radius is increasing at its fastest rate. (2 marks)

(c) At what rate is the area of the circle increasing when $t = 4\text{?}$ (4 marks)

(a) Calculate the value of $k.$

A function $M(x)$ has $M(x) = 3x^2 - kx$, where k is a constant. A stationary point occurs at $(6, 1).$

(b) Determine the value of the y -intercept on the graph of $M.$ (4 marks)

(c) At what rate is the area of the circle increasing when $t = 4\text{?}$ (4 marks)

(b) Use your knowledge of exponential functions and its graph, or derivatives, to determine when the radius is increasing at its fastest rate. (2 marks)

(c) At what rate is the area of the circle increasing when $t = 4\text{?}$ (4 marks)

Question 15 (15 marks)

75% of adults in a certain town graduated from high school.

- (a) Thirty adults are randomly selected using the council records of the town.

- (i) Calculate the probability that twenty five of these adults graduated from high school. State the probability distribution, and any parameters associated with that distribution.

(3 marks)

- (ii) Given that at least twenty five graduated, find the probability that more than twenty eight graduated.

(3 marks)

- (b) How many adults need to be randomly selected so that the probability that at least ten graduated is at least 99%?

(3 marks)

Question 21 (4 marks)

A long gas pipe is closed, but gas continues to flow out. The rate of flow $\frac{dF}{dt}$, in litres per second, is given by $\frac{dF}{dt} = 10 - \frac{t}{20}$.

- (a) What is the initial rate of flow?

(1 mark)

- (b) How many seconds does it take till the flow stops?

(1 mark)

- (c) How much gas flows in total after the pipe is closed?

(2 marks)

<p>Consider $f(x) = \cos x + \sin x$ where $0 \leq x \leq 2\pi$. The Smith family consists of eleven people. Five of the Smiths graduated from high school.</p> <p>(a) Determine: (i) $f'(x)$. (ii) $f''(x)$.</p> <p>(b) If three of the Smiths attend a concert together, find the probability that at least one of them graduated from high school. (c) If Peter and Sally are part of this family, find the probability that one, but not both of them graduated from high school.</p>	<p>(3 marks)</p> <p>(1 mark)</p> <p>(1 mark)</p>
---	--

16 CALCULATOR-ASSUMED MATHEMATICS METHODS UNIT 3
CALCULATORS METHODS UNIT 3
9


Question 16 (6 marks)

- (a) Solve $\sin 2x + \cos x = 0$ for $0 \leq x \leq 2\pi$. (2 marks)

Hence, or otherwise,

- (b) determine the points of intersection of $y = \sin 2x$ and $y = -\cos x$ for $0 \leq x \leq 2\pi$. (2 marks)

- (c) The graphs of $y = \sin(2x)$ and $y = -\cos(x)$ are drawn below. Determine the area of shaded region. (2 marks)



See next page

Question 19 (6 marks)

A forest fire is estimated to be spreading at a rate of 5% per hour. The area A , in ha, covered by the fire at any time t , in hours since the fire was discovered, is defined by $\frac{dA}{dt} = 0.05A$. At the moment of discovery, the area covered was 0.6 ha.

- (a) What will be the area of the fire ten hours after it was discovered?
Give your answer correct to two decimal places. (3 marks)

- (b) When would the fire cover an area of 5 ha?
Give your answer to the nearest hour. (3 marks)

See next page

(1 mark)

(f) Explain why the answers to (d) and (e) are different.

(2 marks)

(e)

Determine the distance travelled in the first 3 seconds to the nearest cm.

(3 marks)

(d) Determine the displacement when $t = 3$.The particle has a displacement, x metres, from the origin O on the line.

It is initially at the origin.

Question 17 (5 marks)

Consider the function $y = \frac{x+1}{x-1}$

- (a) Determine the x -intercept(s) of the function.

(1 mark)

- (b) (i) Determine $\frac{dy}{dx}$.

(1 mark)

- (ii) Prove the conjecture; "This function has no turning points."

(1 mark)

- (c) (i) Determine $\frac{d^2y}{dx^2}$.

(1 mark)

Question 18 (13 marks)

A particle is undergoing rectilinear motion. The velocity of the particle is given by $v = 2t^2 - 5t + 3$ where t is time in seconds. Displacement is in metres.

- (a) Determine the particle's initial velocity.

(1 mark)

- (b) Calculate when the particle is stationary.

(3 marks)

- (c) (i) Determine an expression for the acceleration.

(1 mark)

- (ii) Hence, or otherwise, determine when the velocity is a minimum.

(2 marks)

- (ii) Prove the conjecture; "This function has no points of inflection."

(1 mark)