

### **UNIT TEST 3** 2016

## Section One: Calculator-free MATHEMATICS METHODS Year 12

to the supervisor before reading any further.

Important note to candidates

Special items:	lin	
	ed by the candidate pens (blue/black preferre correction fluid/tape, era	d), pencils (including coloured), sharpener, ier, ruler, highlighters
	uired/recommended by the supervisor nswer Booklet	for this section
	rks available for this fore commencing work:	section S minutes 15 marks 15 marks
	Teacher nan	91
	msn fnabut2	9
ogiculator-fre	a	

nature in the examination room. If you have any unauthorised material with you, hand it ensure that you do not have any unauthorised notes or other items of a non-personal No other items may be taken into the examination room. It is  $\boldsymbol{your}$  responsibility to

> CALCULATOR-ASSUMED 10 MATHEMATICS METHODS Year 12

Additional working space

Question number:

MATHEMATICS METHODS Year 12 2 CALCULATOR-FREE

#### Instructions to candidates

1. Write your answers in this Question/Answer Booklet.

- 2. Answer all questions.
- 3. Show all your working clearly. Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat an answer to any question, ensure that you cancel the answer you do not wish to have marked.
- 4. It is recommended that you do not use pencil, except in diagrams.

MATHEMATICS METHODS Year 12 9 CALCULATOR-ASSUMED

Question 11 (4 marks)

A dice game is played according to the following rules.

Each game costs \$2 to play.

Two dice are rolled and the total of the numbers on the upper faces is noted.

If the total is less than 5 or more than 8, the player wins \$12. Otherwise he loses \$6.

(a) What is the expected payout (amount received) for a player in each game? (3 marks)

b) Is this a fair game? Give a reason.

(1 mark)

(3 marks)		L noiteau
MATHEMATICS METHODS Year 12	3	CALCULATOR-FREE

Evaluate the following.

(a) 
$$\frac{d}{dx} \int_{2}^{x^{2}} e^{t} \sin t \, dt$$

(2 marks)

 $xp_{z^x} \partial_{\varepsilon} x \frac{xp}{p} _{t}^{-}$  (q)

15% of a large batch of iPhones contain a hardware fault. Let X be the number of randomly inspected iPhones until a faulty iPhone is found.

(2 warks)

CALCULATOR-ASSUMED

) Find the probability for the following values of X. (1 mark)

8

Ot noitseuD

MATHEMATICS METHODS Year 12

		9721.0	31.0	(x = X)d
7	3	2	l	x

Determine a rule for P(X = k) where k is a positive integer. (1 mark)

c) Find P(X = 16).

Find the smallest value of k such that for P(X=k) < 0.01.

Question 9

(6 marks)

(2 marks)

Question 2 (4 marks)

State the limit of each expression.

(a) 
$$\lim_{n\to\infty} \left(1+\frac{1}{n}\right)^n$$

(1 mark)

(b) 
$$\lim_{n\to\infty} \left(1 + \frac{1}{2n}\right)^n$$

(1 mark)

(c) 
$$\lim_{h\to 0} \left(\frac{e^{h}-1}{h}\right)$$

(1 mark)

(d) 
$$\lim_{h\to 0} \left( \frac{\sin(2x+h) - \sin 2x}{h} \right)$$

(1 mark)

A box contains 100 iPads, of which  $\frac{1}{5}$  are known to be defective.

A sample of 5 iPads is selected at random.

(a) Find the probability that exactly 2 iPads will be defective.

(b) Find the probability that at least 2 iPads will be defective. (2 marks)

(c) If it is known that at least 2 iPads are defective, find the probability that 4 iPads will be defective. (2 marks)

(4 marks)		Question 3
MATHEMATICS METHODS Year 12	2	CALCULATOR-FREE

outcome equal to  $\frac{1}{3}$  and  $\frac{2}{3}$  respectively. The random variable X has only two outcomes, 6 and 3, with the probability of each

(a) Find 
$$E(X)$$
.

(b) Find 
$$E(3X - 5)$$
.

(c) Find 
$$Var(3X - 5)$$
 given that  $Var(X) = 2$ .

#### (3 marks) Question 8 CALCULATOR-ASSUMED MATHEMATICS METHODS Year 12 9

reason if it is not. Indicate if each of the following is or is not a discrete probability distribution. Give a

4.0	6.0	2.0	1.0	(x = X)d
7	l	0	ı-	x

<u>1</u>  $(x = X)_d$ **3.0** 0 2.01 3  $\boldsymbol{x}$ 6 9

<b>3.0</b>	1.0 -	4.0	2.0	(x = X)d
12	6	9	3	х

:0

:8

:Α

See next page

CALCULATOR-FREE

**Question 4** 

6 MATHEMATICS METHODS Year 12

(4 marks)

Let  $F(x) = \int_0^x f(t)dt$ , where  $F(5) = e^5$  and  $F''(x) = e^x$ .

Find the function f(x).

CALCULATOR-ASSUMED 5 MATHEMATICS METHODS Year 12


Question 7 (4 marks)

A radioactive substance with a half-life of 80 days has been decaying for 20 days.

Currently, 180 g of the substance remains. Determine how much of the substance was present initially, giving your answer to the nearest grams.

See next page

2016 UNIT TEST 3



# MATHEMATICS METHODS Year 12 Section Two:

Calculator-assumed

to the supervisor before reading any further.

Important note to candidates

To be provided by the candidate

Special items:

r this section	Materials required/recommended to To be provided by the supervisor This Question/Answer Booklet Formula Sheet (retained from Section One)
	Teacher name
	Student name

No other items may be taken into the examination room. It is **your** responsibility to ensure that you do not have any unauthorised notes or other items of a non-personal nature in the examination room. If you have any unauthorised material with you, hand it

drawing instruments, templates, and up to three calculators approved

for use in the WACE examinations

Standard items: pens (blue/black preferred), pencils (including coloured), sharpener, correction fluid/tape, eraser, ruler, highlighters

MATHEMATICS METHODS Year 12 4 CALCULATOR-ASSUMED

Question 6 (4 marks)

A biologist is researching a newly-discovered species of bacteria. At time t=0 hours, he places 100 bacteria into what he has determined to be a favourable growth medium. Six hours later, he measures 450 bacteria. Assuming exponential growth where  $^{\rm dp}$ 

 ${}_{1}^{\prime} A A = \frac{db}{db}$ 

determine the growth rate k for the bacteria rounded to two decimal places. (2 marks)

(b) using the growth rate k found in (a), determine the time taken for the colony to increase to 10 000 bacteria, giving your answer to the nearest hour. (2 marks)

See next page

**MATHEMATICS METHODS Year 12** 

2

**CALCULATOR-ASSUMED** 

#### **CALCULATOR-ASSUMED**

Question 5

**MATHEMATICS METHODS Year 12** 

(4 marks)

## Instructions to candidates

1. Write your answers in this Question/Answer Booklet.

2. Answer all questions.

3. Show all your working clearly. Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat an answer to any question, ensure that you cancel the answer you do not wish to have marked.

4. It is recommended that **you do not use pencil**, except in diagrams.

A water tank has developed a leak and is losing water at the rate given by the equation  $\frac{dV}{dt} = 3 + 2e^{0.5t}$  in litres per hour, where V is the volume in litres of the water at time t

3

hours since the leak was discovered.

(a) If the water leakage was discovered after an hour, how much water to the nearest millilitre has been leaked? (2 marks)

(b) If there were initially 1 000 litres of water in the tank, how long does it take for the water to completely drain out of the tank?

Give your answer to the nearest hour. (2 marks)