



PERTH MODERN SCHOOL
Exceptional schooling. Exceptional students.
INDEPENDENT PUBLIC SCHOOL

Page 9 of 13

Page 8 of 13

(4 marks)

16r (3 - 2X). (6)

**MATHEMATICS
METHODS
UNIT 3
Section One:
Calculator-free**

Semester One Examination, 2017

Question/Answer booklet

CARTER	<input type="checkbox"/>	ROOHI	<input type="checkbox"/>
STRAN	<input type="checkbox"/>	CHENG	<input type="checkbox"/>
STAFFE	<input type="checkbox"/>	SKODA	<input type="checkbox"/>
MCLELLAND	<input type="checkbox"/>	GANNON	<input type="checkbox"/>

Student Number: In figures

--	--	--	--

Your name _____

Time allowed for this section
Reading time before commencing work: five minutes
Working time: fifty minutes

Materials required/recommended for this section
To be provided by the supervisor
This Question/Answer booklet
Formula sheet

To be provided by the candidate
Standard items: pens (blue/black preferred), pencils (including coloured), sharpener, correction fluid/tape, eraser, ruler, highlighters

Special items: nil

Important note to candidates

No other items may be taken into the examination room. It is **your** responsibility to ensure that you do not have any unauthorised material. If you have any unauthorised material with you, hand it to the supervisor **before** reading any further.

(a) Determine the values of the constants a and b . (4 marks)

$P(X=x)$	0	1	$a+b$	b	2a	3
x						

16r (3 - 2X). (6)

It is known that $E(X) = 1.7$ and $Var(X) = 1.11$.

The table below shows the probability distribution for a random variable X .

(6 marks)

Question 7 (3 marks)

(a) The function f is such that $|f| = 2$ and $f(x) = \frac{3}{x+1}$. Use the documents formula to determine an approximate value for $f(1.05)$. (3 marks)

Calculator Free

Mathematics Methods Unit 3 2017

6 marks

Mathematics Methods Unit 3 2017

6

Calculator Free

6 marks

Calculator Free

6 marks

Structure of this paper

Section	Number of questions available	Number of questions to be answered	Working time (minutes)	Marks available	Percentage of examination
Section One: Calculator-free	8	8	50	51	34
Section Two: Calculator-assumed	13	13	100	101	66
Total				100	


- Instructions to candidates**
- The rules for the conduct of examinations are detailed in the school handbook. Sitting this examination implies that you agree to abide by these rules.
 - Write your answers in this Question/Answer booklet.
 - You must be careful to confine your response to the specific question asked and to follow any instructions that are specified to a particular question.
 - Additional working space pages at the end of this Question/Answer booklet are for planning or continuing an answer. If you use these pages, indicate at the original answer, the page number it is planned/continued on and write the question number being planned/continued on the additional working space page.
 - Show all your working clearly. Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat any question, ensure that you cancel the answer you do not wish to have marked.
 - It is recommended that you do not use pencil, except in diagrams.
 - The Formula sheet is **not** to be handed in with your Question/Answer booklet.

(c) Given that $f(x) = e^{(x^2+4x-1)}$, use the second derivative to justify that one of the stationary points is a local minimum and that the other is a local maximum. (3 marks)

(b) On the axes below, sketch the graph of $y = F(x)$ for $0 \leq x \leq 10$, where $F(x) = \int_0^x f(t) dt$. (4 marks)


(a) Use the graph to determine an estimate for $\int_0^6 f(t) dt$. (2 marks)

(a) Show that $f(x) = e^{(x^2+2x-3)}$. (1 mark)



The graph of $y = f(x)$ is shown below, where $f(x) = e^{(x^2-3)}$.

(b) Determine the x -coordinate/s of the stationary points of $f(x)$. (2 marks)



T

Question 8
Mathematics Methods Unit 3 2017
Calculator Free
(6 marks)

Question 5
Mathematics Methods Unit 3 2017
Calculator Free
(6 marks)

Question 5
Mathematics Methods Unit 3 2017
Calculator Free
(6 marks)

T

he graph of $y = f(t)$ is shown below over the interval $0 \leq t \leq 10$.



Section One: Calculator-free**35% (51 Marks)**

This section has **eight (8)** questions. Answer **all** questions. Write your answers in the spaces provided.

Working time: 50 minutes.


Question 1

- (a) Find $\frac{dy}{dx}$ and simplify the expression for each of the following
 (i) $y = e^{3x} \times \cos(2x)$ (2)

(5 marks)

$$(i) \quad y = \frac{(x^3 + 3x)}{e^{3x}}$$

(3)



The graph below shows the curve $y = \frac{180}{7x+5}$ and the line $x = 5$. Determine the area of the shaded region, enclosed by the x -axis, the y -axis, the line $x = 5$ and the curve.

END OF QUESTIONS**(5 marks)**

Question 4
 Mathematics Methods Unit 3 2017
 Calculator Free
 Mathematics Methods Unit 3 2017
 Page 3 of 13

Question 2
Evaluate the following

(a) $\int_0^2 \cos(2x) dx$

(11 marks)

(3)

(b) $\int (x^2 + 4x^3) dx$

(2)

Integrate

(c) $\int e^{3x} dx$

(2)

(d) $\int \frac{4x^3 + 3}{x^2} dx$

(2)

(e) $\int (2x - 3)^2 dx$

(2)

- (c) Find when the particle changes direction.
-
- (d) Hence find the velocity and displacement at
- $t = 2$
- s.

(3)

(2)

- (d) Hence find the velocity and displacement at
- $t = 2$
- s.

(2)

- (a) Find the velocity and the displacement equations.
-
- (b) The acceleration of a particle is given by
- $a = -6t + 6 \text{ m s}^{-2}$
- for
- $t > 0$
- and it is known that
-
- $v_0 = 3 \text{ m s}^{-1}$
- and
- $x_0 = 4 \text{ m}$
- .
-
- Find the velocity and displacement equations.

(9 marks)

(4)