

# Science Department

Year 12 2015 Topic Test 3: Organics

Name:	 	
Teacher:		

#### **Instructions to Students:**

- 1. 50 minutes permitted
- 2. Attempt all questions
- 3. Write in the spaces provided
- 4. Show all working when required
- 5. All answers to be in blue or black pen, diagrams in pencil.

Part A	Part B	TOTAL	Final Percentage
/15	/40	/ 55	

#### **Section One: Multiple-choice (15 questions)**

(15 marks)

This section has **15** questions. Answer **all** questions on the separate Multiple-choice Answer Sheet provided.

- 1. Which of the following molecules contains at least a single bond, a double bond and a triple bond?
  - a) CH<sub>2</sub>CHCCH
  - b) CH<sub>2</sub>Cl(CH<sub>2</sub>)<sub>3</sub>CH<sub>3</sub>
  - c) CH<sub>2</sub>CCICCICH<sub>2</sub>
  - d) CH<sub>3</sub>CHBrCH<sub>3</sub>
- 2. Which one of the following names is incorrect?
  - a) 1,2,3-trimethylcyclohexane.
  - b) 2,3,3-trichlorohexane.
  - c) 2,3,4-trichlorocyclohexene.
  - d) 4,4,5-trimethylhexane.
- 3. Which of the following compounds has only one distinct form of the molecule which can be drawn?
  - a) 3-chloropropene.
  - b) Dichloropropanone.
  - c) Butene
  - d) 1,2-dichloropropene.
- 4. Which one of the following substances will exhibit geometrical (cis trans) isomerism?
  - a) CH<sub>3</sub>CCl=CCl<sub>2</sub>
  - b) CH<sub>3</sub>-(CH<sub>2</sub>)<sub>2</sub>-CH=CHCOOH
  - c)  $CH_2=CH-(CH_2)_4-CH_3$
  - d) HOOC-(CH<sub>2</sub>)<sub>2</sub>-COOH

### 5. Which of the following molecules is the trans form of a pair of geometric isomers?

## 6. Which of the following reactions are substitution reactions?

- a) II and IV only.
- b) II and III only.
- c) I and IVonly.
- d) I and II only.

- 7. One of the compounds formed when fluorine reacts with ethane is 1,2-difluoroethane. This type of reaction is called:
  - a) an addition reaction.
  - b) a hydrolysis reaction.
  - c) a combustion reaction.
  - d) a substitution reaction.
- 8. Which of the following has been filled in correctly?

		Representation of functional group	Main intermolecular forces between molecules of the substance	Solubility
a)	Carboxylic acid	RCOOH	dipole - dipole	soluble in water
b)	Amine	RNH <sub>2</sub>	hydrogen bonding	soluble in water
c)	Aldehyde	RCHO	hydrogen bonding	soluble in water
d)	Alkene	R = R	dispersion forces	soluble in water

- 9. 2-pentanone can be prepared from which of the following lists of substances?
  - a) 2-pentanoic acid and 2-pentanol.
  - b) 2-pentanol and acidified potassium permanganate solution.
  - c) Pentanal and acidified potassium permanganate solution.
  - d) 2-pentene and pentanoic acid.

10. The figure below shows the structure of aspirin. The structure contains:

$$H_2C \xrightarrow{C-O} C=C$$

- a) an acid and an ester
- b) an acid and a ketone
- c) an ester and a ketone
- d) a ketone and an alcohol
- 11. Which of the following lists do not have the compounds arranged in order of decreasing boiling point?
  - a) Pentanal, 1-pentanol, 1-pentanoic acid.
  - b) Butanoic acid, butanone, butane.
  - c) Hexane, pentane, propane.
  - d) Diamond, ammonia, carbon dioxide.
- 12. Which of the following substances will react with  $CH_3(CH_2)_2COOH$  to produce  $CH_3(CH_2)_2COOCH_2CH_3$  and water?
  - a) CH<sub>3</sub>CH<sub>2</sub>CH<sub>3</sub>
  - b) CH<sub>3</sub>CHCH<sub>2</sub>
  - c) Acidified potassium permanganate solution
  - d) CH<sub>3</sub>CH<sub>2</sub>OH

13. Which of the following most correctly describes what happens in the manufacture of soaps?

	Main reaction classification	Reactants	By-product(s)
a)	Hydrolysis	triglyceride, water	glycerol
b)	Saponification	sodium hydroxide, fat	1,2,3- propanetriol
c)	Esterification	glycerol, fatty acids	water
d)	Sulfonation	sulfuric acid, alkyl benzene	water

14. Which of the following is an isomer of fumaric acid, whose structure is shown below?

$$C = C$$

- a) CH<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>COOH
- b) HO(CH<sub>2</sub>)<sub>3</sub> COOH
- c) HOOCCH2CHOHCOOH
- d) HOOC(CH)<sub>2</sub>COOH
- 15. The following represents the repeating sequence of a condensation polymer:

Which of the following represents the pairs of monomers which produced the above polymer?

- a) CH<sub>2</sub>OH and HOOC(CH<sub>2</sub>)<sub>2</sub>COOH
- b) HOOCCH<sub>2</sub>COOH and HO(CH<sub>2</sub>)<sub>2</sub>OH
- c) HOCH<sub>2</sub>OH and HOOC(CH<sub>2</sub>)OH
- d) (HO)<sub>2</sub>CCH(OH)<sub>2</sub> and (HOOC)<sub>2</sub>CH<sub>2</sub>(COOH)<sub>2</sub>

# PART B: SHORT ANSWER QUESTIONS

(40 MARKS)

1.	The h	ydrocarbon but-1-ene ( $C_4H_8$ ) is a member of the homologous series of es.	
	a)	Provide the general formula of the alkenes: (	1)
	b)	But-1-ene has structural isomers.	
		(i) State the meaning of the term <i>structural isomers</i> .	
		(	2)
		(ii) Give the IUPAC names of two further isomers of $C_4H_8$ .	
		(	2)
	c)	Write an equation for the combustion of But-1-ene in an excess of air.	
		(	1)

	2.	Write IUPAC names for the following	g compounds.
--	----	-------------------------------------	--------------

Compounds	Names
CH₃CH₂COOCH₃	
(CH₃)₃CH	
CH <sub>3</sub> CH(CH <sub>3</sub> )CH <sub>2</sub> CH <sub>2</sub> COCH <sub>3</sub>	

(3)

3. From the following list of substances, chose two that fit the descriptions below.

 $H_3PO_4$   $Cr(NO_3)_3$   $CI_2$   $HNO_3$   $CH_3CH_2COOH$   $Cr(OH)_3$   $K_2Cr_2O_7$   $C_2H_4$   $Br_2$   $CH_3CHO$   $C_3H_8$   $CH_3CH_2OH$   $H_2$   $CH_4$  HOOCCOOH

Description	Substance 1	Substance 2
Two green substances that are both soluble in water.		
Two monoprotic acids.		
Two substances that can react together to produce ethanoic acid		
Two substances that can be used as monomers in polymerization reactions		
Two substances with the same empirical formula.		

a)	Name three substances necessary for the laboratory prep the above compound.	aration of
		(3)
b)	Draw the structure of propylethanoate:	(1)
	(1(	
c)	Name two isomers of the above substance.	(2)
d)	Write an equation for the formation of propylethanoate:	(1)

A student has been asked to prepare a sample of propyl ethanoate.

4.

a)	Write an equation for the production of the soap Sodium Stearate $(CH_3(CH_2)_{16}COONa)$ from a triglyceride and sodium hydroxide.
m	/hat are the terms used to describe the two portions of the soap olecule A (shaded) and B (unshaded) in regards to their interaction ith water?
m	olecule A (shaded) and B (unshaded) in regards to their interaction
m	olecule A (shaded) and B (unshaded) in regards to their interaction ith water?
m	olecule A (shaded) and B (unshaded) in regards to their interaction ith water?
m W	olecule A (shaded) and B (unshaded) in regards to their interaction ith water?  (CH <sub>3</sub> (CH <sub>2</sub> ) <sub>16</sub> COONa)  A B
m w A B	olecule A (shaded) and B (unshaded) in regards to their interaction ith water?  (CH <sub>3</sub> (CH <sub>2</sub> ) <sub>16</sub> COONa)  A B
m W A B b) V	olecule A (shaded) and B (unshaded) in regards to their interaction ith water?

5.

6. The repeating units of two polymers, P and Q, are shown below.

a) Draw the structure of the monomer used to form polymer **P**. Name the type of polymerisation involved.

Structure of monomer

Name of monomer:	
Type of polymerisation	(3)

b) Draw the structures of two compounds which react together to form polymer Q. Name these two compounds and name the type of polymerisation involved.

Structure of compound 1

Structure of compound 2

Type of polymerisation ......(3)

7. Alanine and aspartic acid are naturally occurring amino acids.

$$\begin{array}{cccc} & & & & & CH_2COOH \\ H_3C-C-COOH & & & H-C-COOH \\ & & & & | \\ & NH_2 & & NH_2 \\ & & & & aspartic acid \\ \end{array}$$

a) Draw the structure of the zwitterion formed by alanine.

(1)

**b)** Draw the structure of a dipeptide formed by two aspartic acid molecules.

(1)

8. The polymer commonly known as Kevlar is used to make bullet proof vests and bicycle tyres. It can be made in a polymerization reaction between the two monomers shown below.

$$HO$$
  $C$   $OH$   $H_2N$   $NH_2$ 

a) Draw one repeating unit of the polymer.

h)	Indicate the amide linkage on your drawing	(2)
U)	Indicate the amide linkage on your drawing.	(2)

c)	In terms of the intermolecular forces between the polymer chains, explain t	the
	strength of Kevlar fibres. Use a diagram in your answer.	

	••••	••••	••••	••••	••••	 ••••	 	 	••••	 ••••	••••	 • • • • •	 ••••	••••	••••	••••	••••	 
••••	••••					 	 ••••	 		 ••••		 • • • • •	 					 
	• • • •					 	 ••••	 	• • • •	 		 • • • •	 					 
	•••					 	 	 		 		 • • • •	 					 
	••••					 	 	 		 ••••		 • • • • •	 					 
						 	 	 	• • • •	 		 	 					 
						 	 ••••	 		 		 	 					 
						 	 ••••	 		 		 	 					 
						 	 	 		 		 • • • • •	 					 
						 	 	 		 		 • • • • •	 					 

(3)