



**PERTH MODERN SCHOOL**  
Exceptional schooling. Exceptional students.  
**Independent Public School**

## Course Specialist Year 12 Test Three 2022

Student name: \_\_\_\_\_ Teacher name: \_\_\_\_\_

**Task type:** Response

**Time allowed for this task:** \_\_\_\_40\_\_\_\_ mins

**Number of questions:** \_\_\_\_6\_\_\_\_

**Materials required:** NO classpads nor calculators

**Standard items:** Pens (blue/black preferred), pencils (including coloured), sharpener, correction fluid/tape, eraser, ruler, highlighters

**Special items:** Drawing instruments, templates, notes on one unfolded sheet of A4 paper, and up to three calculators approved for use in the WACE examinations

**Marks available:** \_\_\_\_40\_\_\_\_ marks

**Task weighting:** \_\_\_\_10\_\_\_\_%

**Formula sheet provided:** Yes

**Note:** All part questions worth more than 2 marks require working to obtain full marks.

---

## NO classpads nor calculators!

Q1 (3 & 3= 6 marks) (3.3.9-3.3.10)

a) Solve the following set of linear equations.

$$3x - 2y + z = -8$$

$$x + 2y - 3z = -14$$

$$2x + y - z = -9$$

b) Consider the system below,

$$3x - 2y + z = p$$

$$x + 2y - 3z = -14$$

$$2x + y + qz = -9$$

Determine the values of  $p$  &  $q$  such that there are:

- i) Unique solution
- ii) Infinite solutions
- iii) No solutions.

Q2 (2, 2, 2 & 3 = 9 marks) (3.3.11, 3.3.13)

$$v = \begin{pmatrix} t \\ -t^2 \\ -3 \end{pmatrix} m/s$$


A particle moves such that at time  $t$  seconds the velocity is  $\begin{pmatrix} t \\ -t^2 \\ -3 \end{pmatrix} m/s$ . The particle is initially at the origin.

Determine:

- The position vector at time  $t = 1$  second.
- The acceleration of the particle at  $t = 1$  second.
- The speed of the particle at  $t = 2$  seconds.
- The time(s) when the velocity is perpendicular to the acceleration.

Q3 (4, 3 & 2 = 9 marks) (3.3.12, 3.3.13, 3.3.15)

Consider a particle that is projected from the top of a cliff of height 30 metres with a speed of  $u$  metres per second at an angle of  $\alpha$  to the horizontal. Assume that the acceleration is constant at  $10 \text{ m/s}^2$  towards the centre of the Earth. Let the origin of cartesian axes be at the base of the cliff as shown below with the appropriate unit vectors  $i$  &  $j$ .



Let  $\ddot{r} = \begin{pmatrix} 0 \\ -10 \end{pmatrix} \text{ m/s}^2$ .

- a) Using vector integration, show how to derive the position vector  $r$  at time  $t$  seconds in terms of  $u$  &  $\alpha$ . Show all steps.

- b) Show how to derive the cartesian equation for the path of the particle in terms of  $u$  &  $\alpha$ .
- c) Set up an equation in terms of  $u$  &  $\tan \alpha$  ONLY, but do not solve, that would allow the range ( $x$ ) to be determined where the particle hits the floor from the base of the cliff.

Q4 (4 marks) (4.2.1)

If  $y^2 - \sin x = 1 - 5y$ , determine  $\frac{dy}{dx}$  &  $\frac{d^2y}{dx^2}$  in terms of  $x$  &  $y$  only.

Q5 (3 &amp; 4 = 7 marks) (4.2.1)

Determine the following integrals:

a)  $\int \frac{5x}{\sqrt{x+1}} dx \quad u = x+1$

b)  $\int \frac{8x^2 - 6x + 5}{(x - 2)(x^2 + 1)} dx$

Q6 (5 marks) (4.1.1, 4.2.2)

Consider a lighthouse that is 50 metres away from the shore. On the shore is a long brick wall. The light on the lighthouse is rotating at 4 revolutions per second. Determine the exact speed of the dot of light on the wall at a point 3 metres from the point directly opposite the lighthouse as shown below.

