

ACKNOWLEDGEMENTS

CALCULATOR-ASSUMED

20

MATHEMATICS 3C/3D

Retrieved May 2012 from <http://ageing.oxfordjournals.org/content/26/1/15.full.pdf>

years by Richard W Bohannon

Question 19 Data source: Comfortable and maximum walking speed of adults aged 20-79

Section Two:

MATHEMATICS
3C/3D
Question/Answer Booklet
Semester 2 Examination 2012
SCHOOL NAME

<input type="text"/>							
----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------

Student Number: In figures
In words _____

SOLUTIONS

In words _____

Calculator-assumed:
Section Two:

Working time for this section: one hundred minutes
Reading time before commencing work: ten minutes

Time allowed for this section

Materials required/recommended for this section
To be provided by the supervisor
Formula Sheet (retrieved from Section One)
This Question/Answer Booklet

Standard items: pens, pencils, pencil sharpener, eraser, correction fluid/tape, ruler, highlighters
Special items: drawing instruments, templates, notes on two unfolded sheets of A4 paper, and

for this examination.
Up to three calculators satisfying the conditions set by the Curriculum Council
that you do not have any unauthorised notes or other items of a non-personal nature in the examination room. If you have any unauthorised material with you, hand it to the supervisor
before reading any further.

Important note to candidates
No other items may be used in this section of the examination. It is **your** responsibility to ensure
that you do not have any unauthorised notes or other items of a non-personal nature in the examination room. If you have any unauthorised material with you, hand it to the supervisor
before reading any further.

Structure of this paper

Section	Number of questions available	Number of questions to be attempted	Working time (minutes)	Marks available	Percentage of exam
Section One: Calculator-free	7	7	50	50	
Section Two: Calculator-assumed	14	14	100	100	
				100	

Question number	Marks allocated	Marks awarded
8	5	
9	5	
10	7	
11	11	
12	9	
13	11	
14	6	
15	9	
16	10	
17	7	
18	11	
19	9	

Instructions to candidates

1. Write your answers in the spaces provided in this Question/Answer Booklet. Spare pages are included at the end of this booklet. They can be used for planning your responses and/or as additional space if required to continue an answer.
 - Planning: if you use the spare pages for planning, indicate this clearly at the top of the page.
 - Continuing an answer: If you need to use the space to continue an answer, indicate in the original answer space where the answer is continued i.e give the page number. Fill in the number of the question(s) that you are continuing to answer at the top of the page.
2. **Show all your working clearly.** Your working should be in sufficient detail to allow your answer to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat an answer to any question, ensure that you cancel the answer you do not wish to have marked.
3. It is recommended that you **do not use pencil**, except in diagrams.

Additional working space

Question number: _____

Question 19**(5 marks)**

A survey of 230 adults determined that their average "comfortable" walking pace was normally distributed with a mean of 4.97 km/h and a standard deviation of 0.67 km/h.

For each question below, clearly state the probability distribution you are using. As well as its parameters.

(a) Determine a 95% confidence interval for the population mean "comfortable" walking speed for adults, assuming the population standard deviation is the same as the sample standard deviation.

(3 marks)

(1 mark)

(a) Show that events B and C are mutually exclusive.

(a) Determine a 95% confidence interval for the population mean "comfortable" walking speed for adults, assuming the population standard deviation is the same as the sample standard deviation.

(3 marks)

(5 marks)**Question 8**

Three events A, B \cup C are such that $P(A)=0.6$, $P(B)=0.4$, $P(C)=0.3$, $P(A \cap B)=0.12$, $P(A \cap C)=0.72$? $P(B|C)=0$.

(a) Show that events B and C are mutually exclusive.

(1 mark)

(4 marks)

(b) Determine which of the three events are independent. Justify your answer.

(b) If a second survey is to be conducted, what is the minimum number of participants required for this second survey to be 99% confident that the mean of this second survey is within 0.1 km/h of the population mean, assuming that the population mean is equal to the mean of the participants in the first survey?

(3 marks)

(c)

(c) To determine whether talking on mobile phones made a difference to walking speed, a sample of 33 adults was taken, and their "comfortable" walking speed while talking on the mobile phone was found to have a mean of 4.5 km/h. Determine whether this mean is significantly different from the population mean at the 1% level, assuming that the population mean is equal to the original sample mean.

(3 marks)

Question 9**(5 marks)**

A student catches the bus to school each day. The amount of time the student has to wait for their bus varies between 1 minute and 15 minutes, and is uniformly distributed.

For each question below, clearly state the probability distribution you are using, as well as its parameters.

- (a) Determine the probability that on a particular day the student waits more than 5 minutes, given that they wait less than 10 minutes. (2 marks)

- (b) The waiting time for the student on any particular day is independent of the waiting time on other days. Determine the probability that in any period of 10 days, the student has to wait less than 10 minutes on exactly 8 of those days. (3 marks)

- (c) Given that the weight of dog food in each tin is independent of the weight of food in any other tin, determine the probability that a sample of ten tins will contain no more than 3 tins with less than the labelled weight of dog food. (2 marks)

- (d) The manufacturers of the dog food wish to reduce the probability of tins containing less than the labelled weight to 0.005, while having no more than 1% of tins containing more than 590g of food. Determine the new mean and standard deviation, to 3 significant figures, needed for the filling machine to achieve these aims. (4 marks)

(7 marks)

Question 10

(11 marks)

Question 18

(1 mark)

(b) Hence predict the population of Diggitup at the beginning of 2020.

(a) Assuming that the growth rate of the population P remains the same in the future, use this information to write an equation to predict the population of Diggitup t years from the beginning of 2012. (2 marks)

The mining town of Diggitup has been experiencing constant exponential growth over the last decade. The population of the town 10 years ago was 10 000, and there are now (at the beginning of 2012) an extra 1 600 people living in the town.

A brand of dog food, Kennel Sanders, sells the food in tins that are labelled as containing 580g of the dog food. The filling machine is calibrated such that the amount of food that goes into each tin is normally distributed, with a mean of 585g and a standard deviation of 6g.

For each question below, clearly state the probability distribution you are using, as well as its parameters.

(3 marks)

(ii) During which years will the population of Flitton be greater than the population of Diggitup, according to these equations?

(1 mark)

(i) What is the current population (as of the beginning of 2012) of Flitton?

(c) The nearby town of Flitton has also been growing, but its population growth has been such that the equation to predict its population F in t years time from the beginning of 2012 is $F(t) = 35000 - 25000e^{-0.015t}$.

(b) Given that a randomly selected tin does not contain less than the stated weight, what is the probability that it contains less than 595g of dog food?

(3 marks)

(i) What is the probability that it contains less than the stated weight.

(11 marks)**Question 11**


To raise money at a school fête some parents decide to run a pie and pastie stall. Each pie requires 100g of dough, 100g of vegetables and 200g of meat. Each pastie requires 100g of dough, 200g of vegetables and 100g of meat. The parents have ordered 23kg of dough, 38kg of vegetables and 35kg of meat. 30 people have preordered pies, and 20 have preordered pasties.

If the parents make x pies, and y pasties, four of the five restrictions that apply to this situation are:

$$x \geq 30, y \geq 20, x + y \leq 230 \wedge x + 2y \leq 380.$$

- (a) Write the inequality for the fifth restriction. (1 mark)

- (b) Graph this inequality on the graph below, and shade the feasible region. (2 marks)

**Question 17****(7 marks)**

A four person committee is to be formed from a group of 6 women and 8 men.

- (a) What is the probability that such a committee contains Tony (a man) or Julia (a woman) but not both? (2 marks)

- (b) (i) Determine the probability that the committee contains more women than men. (2 marks)

- (ii) How many ways are there of selecting a committee with more women than men and arranging them for a photograph so that the women are together? (3 marks)

Question 16

CALCULATOR-ASSUMED

14

MATHEMATICS 3C/3D

- (a) Write an expression in terms of h for the volume of the glass. (2 marks)
- A champagne glass is shaped by rotating the curve $y = \sqrt{x}$ around the x axis from 0 to h , where h is the height of the glass.
- (c) If each pie sells for \$2.30, and each pastie sells for \$2.10, how many of each should be made to maximise revenue? State the maximum revenue. (4 marks)

Question 11 (continued)

CALCULATOR-ASSUMED

7

MATHEMATICS 3C/3D

- (b) Determine the height of one of these champagne glasses if it is to have a volume of 120cm^3 . (2 marks)
- (d) Use the incremental formula to determine the percentage change in height associated in a 1% increase in the volume of the glass. (3 marks)

- (d) Which ingredient is left over, and by how much if the parents make the number of pies and pasties for the optimum situation in part (c)? (2 marks)
- (e) Assuming that the price of a pastie remains at \$2.10, by how much could they increase the price of a pie before the optimum situation in part (c) changes? (2 marks)

- (d) If liquid is being poured into the glass at a rate of $10\text{cm}^3/\text{sec}$, use related rates to determine the rate at which the height of liquid is increasing when there is 50cm^3 of liquid in the glass. (3 marks)
- (e) If liquid is being poured into the glass at a rate of $10\text{cm}^3/\text{sec}$, by how much could the parents make the number of pies and pasties for the optimum situation in part (c) if the parents make the number of pies and pasties for the optimum situation in part (c) changes? (2 marks)


(9 marks)**Question 12**

A motorist travels through three sets of traffic lights on their way to work each day. They have noticed that there is a 40% probability of getting a green light at the first set of lights.

If they get a green light at the first set of lights, the probability of getting a green light at the second set of lights is 80%, however if they did not get a green light at the first set of lights the probability of getting a green light at the second set of lights is only 25%.

At the third set of lights, the motorist has a 70% probability of getting a green light if they got a green light at the second set of lights, but if they did not get a green light at the second set of lights, there is a 50% probability of getting a green light.

- (a) Complete the tree diagram below to show the probability of each outcome at the three sets of lights. (3 marks)



- (c) Given that the tent must have a volume of 3m^3 , write L in terms of x only. (1 mark)

- (d) The material to make the walls of the tent costs $\$8/\text{m}^2$, and the material to make the floor costs $\$12/\text{m}^2$. Use this information to write an expression in terms of x only for the total cost of fabric for the tent. (3 marks)

- (e) Determine the value of x that will minimise the cost of the material for the tent. State this minimum cost. (2 marks)

Question 15

(I mark)

(I) got no green lights.


Type equation here.

(2 marks)

(II) got green lights at exactly two sets of lights.

Type equation here.

The camping supplier For All in Towns has designed a two person tent in the shape of an equilateral triangle based prism, as shown in the diagram below.



(9 marks)

(b) Determine the probability that the motorist

MATHEMATICS 3C/3D

CALCULATOR-ASSUMED

9

CALCULATOR-ASSUMED

12

MATHEMATICS 3C/3D

CALCULATOR-ASSUMED

(b)

(2 marks)

If the length of each side of the equilateral triangle is x , use the fact that the perpendicular height of an equilateral triangle is given by the formula $h = \frac{\sqrt{3}}{2}x$ to show that the base to the height is given by the formula


- (III) got a green light at the first set of lights, given that they got a green light at the last set of lights. (3 marks)

(1 mark)

(b) Hence determine an expression for the volume of the tent in terms of x and L only.

Question 13

The graph below shows the derivative $f'(x)$ of a function.



- (a) Use the graph of $f'(x)$ to determine the x -values of all stationary points of the original function (and their nature) and the x -values of the points of inflection. (5 marks)

- (b) Given that the original function $f(x)$ passes through the point $(d, 10)$, write an equation (in terms of d) for the line that is tangential to the function at $(d, 10)$. (3 marks)

- (c) Given that the equation of the derivative is $f'(x) = k$, write an expression for k in terms of a and e , and hence write an expression for the second derivative in terms of a and e only. (3 marks)

(11 marks)

Question 14

At the Kumm-Fee sofa factory, it was found that the instantaneous rate of production t hours into a shift followed the equation

$$P'(t) = 30t - 3t^2$$

- (a) What is the appropriate domain for the function in this context? (1 mark)

- (b) (i) Write an expression using integration to determine the total production in the n^{th} hour of the shift. (1 mark)

- (ii) Hence or otherwise determine the total production in the sixth hour of the shift. (1 mark)

- (c) (i) Write an expression for the average production rate over the first n hours of the shift. (1 mark)

- (ii) Hence determine at what time during the shift the average production rate during the shift is the same as the instantaneous production at that time. (2 marks)

(6 marks)