Busselton Senior High School



Semester One Examination, 2017

Question/Answer booklet

E TINU **WETHODS MATHEMATICS**

Calculator-free Section One:

Your name_

Time allowed for this section

sətunim ytti Working time: Reading time before commencing work: sətunim əvit

Materials required/recommended for this section

To be provided by the supervisor This Question/Answer booklet

Formula sheet

To be provided by the candidate

fluid/tape, eraser, ruler, highlighters Standard items: pens (blue/black preferred), pencils (including coloured), sharpener, correction

Special items:

Important note to candidates

it to the supervisor before reading any further. you do not have any unauthorised material. If you have any unauthorised material with you, hand No other items may be taken into the examination room. It is your responsibility to ensure that

CALCULATOR-FREE 2 METHODS UNIT 3

Structure of this paper

Section	Number of questions available	Number of questions to be answered	Working time (minutes)	Marks available	Percentage of examinatio n
Section One: Calculator-free	8	8	50	52	35
Section Two: Calculator-assumed	11	11	100	98	65
				Total	100

Instructions to candidates

- The rules for the conduct of examinations are detailed in the school handbook. Sitting this
 examination implies that you agree to abide by these rules.
- 2. Write your answers in this Question/Answer booklet.
- You must be careful to confine your response to the specific question asked and to follow any instructions that are specified to a particular question.
- 4. Additional working space pages at the end of this Question/Answer booklet are for planning or continuing an answer. If you use these pages, indicate at the original answer, the page number it is planned/continued on and write the question number being planned/continued on the additional working space page.
- 5. Show all your working clearly. Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat any question, ensure that you cancel the answer you do not wish to have marked.
- 6. It is recommended that you do not use pencil, except in diagrams.
- The Formula sheet is not to be handed in with your Question/Answer booklet.

CALCULATOR-FREE 3 METHODS UNIT 3

Section One: Calculator-free 35% (52 Marks)


This section has **eight (8)** questions. Answer **all** questions. Write your answers in the spaces provided.

Working time: 50 minutes.

Question 1 (5 marks)

The graph below shows the curve $y = \frac{180}{(2x+5)^2}$ and the line x=5.

Determine the area of the shaded region, enclosed by the $x-\delta$ axis, the $y-\delta$ axis, the line x=5 and the curve.



See next page

T-960-11TNS

CALC	CULATOR-FREE	4	METHODS UNIT 3		
Ques	tion 2		(8 marks)		
	A small body, initially at the origin, moves in a straight line with acceleration $a(t)=6t-10~{\rm ms^{-2}}$, where t is the time in seconds, $t \ge 0$. When $t=5$, it was observed to have a velocity of 31 ms ⁻¹ .				
(a)	Determine an expression for $v(t)$, the v	elocity of the body.	(2 marks)		
(b)	Determine the acceleration of the body	when v =19.	(3 marks)		
(c)	Determine the velocity of the body as it	passes through the origin for t	he last time. (3 marks)		

SN177-095-1 See next page


CALCULATOR-FREE 13 METHODS UNIT 3

© 2016 WA Exam Papers. Busselton Senior High School has a nonexclusive licence to copy and communicate this paper for non-commercial, educational use within the school. No other copying, communication or use is permitted without the express written permission of WA Exam Papers. SN177-095-1.

75

(e marks)

Question 3 The graph of y=f(x) is shown below, where $f(x)=e^x(x^2-3)$.



g

(† mark)

(a) Show that $f'(x) = e^x(x^2 + 2x - 3)$.

(2 marks)

(b) Determine the $x-\lambda$ coordinates of the stationary points of f(x).

(c) Given that $\int^{"}[x]=e^x(x^2+4x-1)$, use the second derivative to justify that one of the stationary points is a local minimum and that the other is a local maximum. (3 marks)

See next page

T-960-22TNS

Additional working space

Question number:

Question 4

(8 marks)

(3 marks)

(a) Determine $\frac{d}{dx} \left(\frac{1 + e^{2x}}{1 + \sqrt{x}} \right)$. (3 marks)

6

(b) Determine $\frac{d}{dx}(2x\sin(3x))$. (2 marks)

(c) Use your answer from (b) to determine $\int 6x \cos(3x) dx$.

SN177-095-1 See next page

SN177-095-1

See next page

 Question 5
 A METHODS UNIT 3

 Question 5
 (6 marks)

The table below shows the probability distribution for a random variable \boldsymbol{X} .

It is known that E(X)=1.7 and Var(X)=1.41.

70	q	q+p	מ	(x=X)d
3	7	Ţ	0	x

Determine the values of the constants a and b. (4 marks)

(i) E(3-2X).


(ii) Var(3-2X).

aged frances re-280-771INS

 METHODS UNIT 3
 10
 CALCULATOR-FREE


 Question 8
 (6 marks)

The graph of y = f(t) is shown below over the interval $0 \le t \le 10$.



(a) Use the graph to determine an estimate for $\int\limits_0^2 f(t) dt$.

(b) On the axes below, sketch the graph of y=F(x) for $0 \le x \le 10$, where $F(x)=\int\limits_0^x \int\limits_0^x f(t)\,dt$.



End of questions anoitseup to bn3

CALCULATOR-FREE	8	METHODS UNIT 3

Question 6 (7 marks)

(a) The function f is such that f(1) = -2 and $f'(x) = \sqrt{3 + x^2}$. Use the increments formula to determine an approximate value for f(1.05). (3 marks)


- (b) The function C is such that C[1]=10 and $C'[x]=3\sqrt{x+3}$.
 - (i) Explain why the increments formula would not yield an approximate value for C(6). (1 mark)
 - (ii) Determine C(6). (3 marks)

CALCULATOR-FREE

METHODS UNIT 3

Question 7 (6 marks)

A rectangle has its base on the $x-\dot{\epsilon}$ axis, its lower left corner at (0,0) and its upper right corner on the curve shown below, $y=\cos 2x$, $0 \le x \le \frac{\pi}{4}$.



(a) Sketch a possible rectangle on the graph above and explain why the perimeter of the rectangle is given by the function $p[x]=2x+2\cos 2x$. (2 marks)

(b) Determine the largest perimeter of the rectangle. (4 marks)