



**Hale School**  
**Semester 1, 2012**

**Question/Answer Booklet**

**MATHEMATICS**

Circle your teacher's initials

STL      MAV

**SPECIALIST 3CD**

**Section One**  
**(Calculator Free)**

Your name \_\_\_\_\_

**Time allowed for this section**

Reading time before commencing work: 5 minutes  
Working time for paper: 50 minutes

**Material required/recommended for this section**

**To be provided by the supervisor**

Question/answer booklet for Section One.  
Formula sheet.

**To be provided by the candidate**

Standard items: pens, pencils, pencil sharpener, highlighter, eraser, ruler.

**Important note to candidates**

No other items may be taken into the examination room. It is your responsibility to ensure that you do not have any unauthorised notes or other items of a non-personal nature in the examination room. If you have any unauthorised material with you, hand it to the supervisor before reading any further.

## Structure of this examination

	Number of questions	Working time (minutes)	Marks available
<b>This Section (Section 1) Calculator Free</b>	<b>8</b>	<b>50</b>	<b>50</b>
Section Two Calculator Assumed	12	100	100
Total marks			150

## Instructions to candidates

1. The rules for the conduct of WACE external examinations are detailed in the booklet *WACE Examinations Handbook*. Sitting this examination implies that you agree to abide by these rules.
2. Answer the questions in the spaces provided.
3. Spare answer pages are provided at the end of this booklet. If you need to use them, indicate in the original answer space where the answer is continued i.e. give the page number.
4. **Show all working clearly.** Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. Any question, or part question, worth more than 2 marks requires valid working or justification to receive full marks. If you repeat an answer to any question, ensure that you cancel the answer you do not wish to have marked.

It is recommended that you **do not use pencil** except in diagrams.

**1. [6 marks]**

(a) Given the following matrix equation:

$$\begin{bmatrix} 2 & 4 \\ 3 & n \end{bmatrix} \begin{bmatrix} m \\ 2 \end{bmatrix} = \begin{bmatrix} -2 \\ -13 \end{bmatrix},$$

determine the value of  $m$  and  $n$ .

[3]

(b) If  $\mathbf{P}$  and  $\mathbf{Q}$  are square matrices and  $\mathbf{PQ} = \mathbf{P} + \mathbf{Q}$ , then determine  $\mathbf{P}$  in terms of  $\mathbf{Q}$ .

[3]

**2. [4 marks]**

Simplify  $\left[ \sqrt{3} \operatorname{cis} \left( \frac{5\pi}{6} \right) \right]^3 \times \sqrt{3 \operatorname{cis} \left( \frac{\pi}{4} \right)}$

**3. [7 marks]**

For each of the following functions, find  $\frac{dy}{dx}$ .

(a)  $y = x^3 \ln(\cos 2x)$  [in terms of  $x$ ]

[3]

(b)  $x = \frac{1-t}{1+t}$  and  $y = 1+t$  [in terms of  $y$ ]

[4]


**4. [6 marks]**

- (a) The locus of the complex number  $z$  satisfies the equation  $|z + 1| = |\overline{z}|$ .  
Determine the Cartesian equation of this locus.

[4]

- (b) Given that  $0 \leq \text{Arg}(z) \leq 2\pi$ , sketch, on the Argand plane below, the region defined by  $\{z \mid \text{Arg}(z^2) \geq \pi\}$ .

[2]



**5. [7 marks]**


The function  $f(x)$  is defined by  $f(x) = |x - 3| - |2x + 1|$ .

(a) Rewrite  $f(x)$  in piecewise defined form.

[3]

(b) On the grid below, sketch the graph of  $y = f(x)$ .

[2]



(c) For what values of  $x$  is  $|x - 3| - |2x + 1| \geq 1$  ?

[2]

**6. [8 marks]**

Using the method of proof by exhaustion, prove that  $x^5 - x$  is divisible by 5 for integers  $x \geq 1$ .



**7. [4 marks]**

Determine  $\lim_{x \rightarrow \frac{\pi}{2}} \frac{2 \cos x}{x - \frac{\pi}{2}}$  showing your full reasoning.

**8. [8 marks]**

Given that  $\mathbf{a} = \begin{pmatrix} -2 \\ 1 \\ 1 \end{pmatrix}$ ,  $\mathbf{b} = \begin{pmatrix} -2 \\ 3 \\ 3 \end{pmatrix}$  and  $\mathbf{c} = \begin{pmatrix} 3 \\ m \\ 0 \end{pmatrix}$ ,

- (a) determine the value of  $m$  such that  $\mathbf{b}$  is perpendicular to  $\mathbf{c}$ .

[2]

- (b) show that the cosine of the angle between  $\mathbf{a}$  and  $\mathbf{c}$ , in terms of  $m$ , is  $\frac{m - 6}{\sqrt{6m^2 + 54}}$ .

[3]

- (c) determine vector  $\mathbf{d}$  such that the magnitude of  $\mathbf{d}$  is 3 times the magnitude of  $\mathbf{b}$  and in the same direction as  $\mathbf{a}$ .

[3]

**SPARE PAGE FOR WORKING**