



3. Explain how you could determine experimentally whether the value of  $K_b$  is greater for the ethanoate ion or the nitrite ion. Write appropriate hydrolysis reaction/s to illustrate your answer.

(6 marks)

4. Explain how you could determine experimentally whether the value of  $K_a$  or  $K_b$  is greater for the hydrogen sulfide ion. Write appropriate hydrolysis reaction/s to illustrate your answer.

(6 marks)

5. A student made the generalisation "The conjugate bases of weak acids are basic ions".

- a. Choose one conjugate base of a weak acid and write a hydrolysis reaction to show that the generalisation is true in this case.

(1 mark)

- b. Choose one conjugate base of a weak acid where this generalisation is not true. Write appropriate hydrolysis reaction/s to illustrate this and also explain why the generalisation is not true in this case.

(4 marks)

6. After completing the practical part of this assessment, you discover that the label has fallen off some of the reagent bottles used in the practical. In one particular bottle is a colourless liquid. You test it with universal indicator and the result is a strong purple colour, indicating it is a basic salt. Suspecting that it is sodium carbonate, you seek to confirm your suspicion by adding hydrochloric acid to the liquid. Upon adding the acid you notice bubbles of a colourless odourless gas. You then conclude that the liquid in the reagent bottle is indeed sodium carbonate.

Is your reasoning correct? Explain. Also illustrate your answer with appropriate ionic equation/s showing the reaction/s between the contents of the bottle/s and the hydrochloric acid.

Note: The reagents you used in the practical were the following.

Sodium chloride, Sodium ethanoate, Ammonium chloride, Ammonium sulfate, Calcium nitrate, Iron(III) sulfate, Sodium carbonate, Sodium sulfate, Potassium bromide, Ammonium oxalate, Ammonium ethanoate, Sodium hydrogen carbonate, Sodium dihydrogen phosphate, Sodium monohydrogen phosphate.

(3 marks)

**End of Test**