

**PERTH MODERN SCHOOL**Exceptional schooling. Exceptional students.
Independent Public School


Year 12 Specialist
TEST 2
Monday 11 March 2019
TIME: 45 minutes working
Classpads allowed
One page of notes
45 marks 7 Questions

Name: _____

Teacher: _____

Note: All part questions worth more than 2 marks require working to obtain full marks.

Q1 (2 & 3 = 5 marks)

From the diagram, z_1 is a solution to $z^4 = k$ for complex k .i) Determine k .ii) Determine the other three roots and express in the form $a + bi$.

Q2 (2, 3 & 1 = 6 marks)

Let $f(x) = \sqrt{2x-1}$ and $g(x) = \frac{1}{x+5}$.

a) State the natural domain and range of $g(x)$.

b) Does $f \circ g(x)$ exist over the natural domain of g ? If it does not, determine the largest possible domain for the composite to exist.


c) Determine $f \circ f^{-1}(x)$

Q3 (2, 3 & 2 = 7 marks)

Given that $f(x) = 2x^2 - 12x + 19$, $x \leq 3$, determine the following.

a) $f^{-1}(x)$ and its domain.


b) Sketch on the axes below, $f(x)$ & $f^{-1}(x)$




c) On the sketch above show the precise points where $f(x) = f^{-1}(x)$

Q4 (2 & 3 = 5 marks)


Consider the function $y = f(x)$ for the questions below.



a) Sketch the function $y = |f(x)|$ on the axes below.



b) Sketch the function $y = |f(-|x|)|$ on the axes below.



Q5 (3 & 4 = 7 marks)

$$r = \begin{pmatrix} 5 \\ 0 \\ -4 \end{pmatrix} + \mu \begin{pmatrix} 1 \\ -3 \\ 7 \end{pmatrix} + \lambda \begin{pmatrix} 2 \\ 1 \\ -5 \end{pmatrix}.$$

Let Π be the plane defined by


- a) Show that the cartesian equation of this plane is $8x + 19y + 7z = 12$.

- b) Let the sphere S have a centre $(1, \beta, -2)$, where β is a constant, and it is known that the plane Π is tangential to this sphere. Determine the value of β and the vector equation of the sphere S .

c)

Q6 (1, 1, 1, 3, 1 & 3 =10 marks)

The diagram below shows a triangle with vertices with O, A & B . Let O be the origin, with vectors $OA = a$ and $OB = b$.



a) Determine the following vectors in terms of a & b .

i) MA , where M is the midpoint of the line segment OA .

ii) BA

iii) AQ , where Q is the midpoint of the line segment AB .

Let N be the midpoint of the line segment OB .

b) Use a vector method to prove that the quadrilateral $MNQA$ is a parallelogram.

Q6 continued

$$OA = \begin{pmatrix} 3 \\ 2 \\ \sqrt{3} \end{pmatrix} \quad \text{and} \quad OB = \begin{pmatrix} \alpha \\ 0 \\ 0 \end{pmatrix}$$

Now consider the particular triangle OAB with $OA = \begin{pmatrix} 3 \\ 2 \\ \sqrt{3} \end{pmatrix}$ and $OB = \begin{pmatrix} \alpha \\ 0 \\ 0 \end{pmatrix}$ where α is a positive constant, chosen so that triangle OAB is isosceles, with $|OB| = |OA|$.

c) Show that $\alpha = 4$.

d) Use a vector method to show that OQ is perpendicular to AB .

Q7 (5 marks)

Let $w = 1 + qi$ where q is a real constant. Let $p(z) = z^3 + bz^2 + cz + d$, where b, c & d are real constants. If $p(z) = 0$ for $z = w$ and all roots of $p(z) = 0$ satisfy $|z^3| = 8$, determine all possible values of q, b, c & d .