


Adding Action Areas and Transitions

Action areas can act as clickable areas that initiate transitions between flow items or they can [create connections](#) to any signal from any component in a [flow item](#). For example, you could connect an action to the `onPressed` signal of a button in your flow item to determine what should happen when users press the button.



Note: To connect components to [signals](#), you must first export the components as [aliases](#) in [Navigator](#). To create and release connections, select **Open Signal Dialog** in the context menu.

You can select the type of the mouse or touch input to use for triggering events, such as click, double-click, flick, pinch, or press.

Typically, a flow item can be connected to several other flow items in the flow with two-way connections. To avoid clutter, you can set an action area as *go back* instead of adding explicit transition lines to and from every potentially connected flow item. When the **Go back** option is enabled, the transition will always take the user back to the previous flow item.

You can specify the appearance of each action area or transition line, including the color, line thickness, dotted or solid lines, and even the curve of the transition lines. You can change some of these properties globally, as instructed in [Flow View Properties](#).

To create action areas:

1. Right-click the flow item in the [2D view](#) and select **Flow > Create Flow Action** in the context menu.
2. Drag the action area to the UI control that you want to connect to the other flow item. For example, to a

4. In **Properties**, modify the properties of the action area and transition line.

To preview the flow, select the  (**Show Live Preview**) button on the Design mode **toolbar** or press **Alt+P**.

Common Properties


You can specify basic properties for **Flow Action Area** and **Flow Transition** components in the **Component**, **Geometry - 2D**, and **Visibility** sections in the **Properties** view.

In the **Layout** tab, you can use **anchors** to position the component.



In the **Advanced** section, you can manage the more **advanced properties** of components.

Flow Action Area Properties

In the **Flow Action Area** section, you can use the **color picker** to set line and fill color.



The screenshot shows the Properties view for a Flow Action Area component. It is divided into three sections: FLOW ACTION AREA, FLOW ACTION, and ACTION AREA. The FLOW ACTION AREA section has two rows: Outline color (red color picker, hex #ff0000) and Fill color (checkerboard icon, hex #00000000). The FLOW ACTION section has three rows: Go back (checkbox, false), Event IDs (text field, tr), and Action type (dropdown, Left Click). The ACTION AREA section has three rows: Line width (text field, 4), Dashed line (checkbox, false), and Enabled (checkbox, false).

FLOW ACTION AREA	
Outline color	 #ff0000 Hex
Fill color	 #00000000 Hex

FLOW ACTION	
Go back	<input type="checkbox"/> false
Event IDs	<input type="text" value="tr"/>
Action type	<input type="button" value="Left Click"/>

ACTION AREA	
Line width	<input type="text" value="4"/>
Dashed line	<input type="checkbox"/> false
Enabled	<input type="checkbox"/> false

In the **Flow Action** and **Action Area** sections, specify additional properties for action areas:

- › Select the **Go back** check box to specify that the transition will always take the user back to the previous flow item.
- › In the **Event IDs** field, specify the IDs of the events to connect to, such as mouse, touch or keyboard events.
- › In the **Action type** field, select the type of the mouse or touch input to use for triggering events.
- › In the **Line width** field, set the width of the action area outline.
- › Select the **Dashed line** check box to draw a dashed action area outline.
- › Select the **Enabled** check box to enable interaction with the action area during preview.

Flow Transition Properties

TRANSITION

Condition

☒ Transition active

Transition Color

#ff0000 Hex

Question

tr

Event IDs

tr

From

loginPage

×


+

To

registerPage

×

+

- › Select the **Condition** checkbox to activate the transition. You can select  to **bind** a condition to the transition.
- › In the **Question** field, enter the text that will appear next to the transition line. If the transition represents the connection to a **Flow Decision** component, the text will also be visible in the selection dialog that opens when the **condition** is triggered.
- › In the **Event IDs** field, specify the IDs of the events to connect to, such as mouse, touch or keyboard events.
- › In the **From** and **To** fields, select the flow item where the transition starts and the one where it ends.

You can specify the following properties to change the appearance of transition lines in the **2D** view:

TRANSITION LINE

Line width

4

Offset

0

 In

0

 Out

Break offset

50

Dashed line

☐ false

Type

Default

⌵

Radius

8

Bezier factor

50

Label position

50.00

Label flip side

☐ false

- › In the **Line width** field, set the width of the transition line.
- › In the **Offset** and **Break offset** fields, set the start point (**Out**) or end point (**In**) of a transition line or a break to the specified offset. This enables you to move them up and down or left and right.
- › Select the **Dashed line** check box to draw a dashed line.

- › In the **Bezier factor** field, specify the factor that modifies the positions of the control points used for a bezier curve.
- › In the **Label position** field, set the position of the value of the **Question** field in respect to the transition start point.
- › Select the **Label flip side** check box to move the **Question** value to the opposite side of the transition line.

Connecting and Releasing Signals

To connect a component to a [signal](#), select **Open Signal Dialog** in the context menu. The **Signal List** dialog displays the signals for all components that you export as [aliases](#) in [Navigator](#).

Signal List for flowActionArea - Qt Design Studio

Filter

Item ID	Signal	
eventDrivenLoginScreen.LoginScreen.textFiel...	pressAndHold	Connect
eventDrivenLoginScreen.LoginScreen.textFiel...	released	Connect
eventDrivenLoginScreen.LoginScreen.textFiel...	pressed	Connect
eventDrivenLoginScreen.LoginScreen.textField	pressAndHold	Connect
eventDrivenLoginScreen.LoginScreen.textField	released	Connect
eventDrivenLoginScreen.LoginScreen.textField	pressed	Connect
eventDrivenLoginScreen.LoginScreen.button	pressAndHold	Connect
eventDrivenLoginScreen.LoginScreen.button	released	Connect
eventDrivenLoginScreen.LoginScreen.button	pressed	Connect
eventDrivenLoginScreen.LoginScreen.button	doubleClicked	Connect
eventDrivenLoginScreen.LoginScreen.button	clicked	Release

To connect a component to a signal, select **Connect** next to one in the list. To release a connected signal, select **Release**.



Contact Us

Company

- About Us
- Investors
- Newsroom
- Careers
- Office Locations

Licensing

- Terms & Conditions
- Open Source
- FAQ

Support

- Support Services
- Professional Services
- Partners
- Training

For Customers

- Support Center
- Downloads
- Qt Login
- Contact Us
- Customer Success

Community

- Contribute to Qt
- Forum
- Wiki
- Downloads
- Marketplace