


Translations

The **Translations** view is included in the [Qt Design Studio Enterprise license](#).

You handle translations and multi-language support in the **Translations** view.



Summary of Translations View Buttons

The **Translations** view contains the following buttons.

Button	Function	Read More
	Select which languages you want your project to support.	
	Export all your translations to a JSON file.	Importing and Exporting Translations
	Import translations from a JSON file.	Importing and Exporting Translations
	Generate Qt compiled translation source files (.qm) and Qt translation source files (.ts).	Generating Qt Translation Source Files
	Run translation test for several documents and create a test report.	Running Translation Test for Several Documents
	Run translation test for the current document. This test shows	Running Translation Test

Importing and Exporting Translations

You can import and export translations using JSON files.

Below is an example of a JSON translation file:

```
{
  "translatables": [
    {
      "trId": "translation_password",
      "translations": [
        {
          "language": "en",
          "translation": "Password"
        },
        {
          "language": "fi",
          "translation": "Salasana"
        }
      ]
    }
  ]
}
```

Importing Translations

To import a JSON translation file to your Qt Design Studio project:

- In the **Translation** view in Qt Design Studio, select  and open the JSON file.

Matching `qsTr` ID text strings are translated. For example, if you have specified the following translation ID in the JSON file:

```
"trId": "translation_password",
"translations": [
  {
    "language": "en",
    "translation": "Password"
  },
  {
    "language": "fi",
    "translation": "Salasana"
  }
]
```

the translation applies to all `qsTr` ID strings with that translation ID in your project.

Generating Qt translation source files


You need to generate Qt compiled translation source files (*.qm*) and Qt translation source files (*.ts*) for your project to have the translations working in the actual application and **Live Preview**.


To generate these files, select  in the **Translations** view. The files are generated in `<project-folder>/i18n`.

Running Translation Test for a Single Document

You can run the translation test to find missing translations and translations where the text exceeds the text element boundaries. Running the test is a quick way to check the translations in the document you have open in the **2D** view as it highlights errors in the UI.


To run the test for the currently open document:

1. In the **Translations** view, select .
2. Select the tests to run and the highlight color for each test:
 - › **Success** highlights translations without any warnings.
 - › **Missing translation** highlights translations that are missing for one or more languages.
 - › **Exceeds boundaries** highlights translations where the text is too long to fit in the text object.



3. Select **Run Tests**.

When the test has completed, you can see the test result highlights in the **2D** view.



If the test finds an error, it is highlighted for all languages. For example, if a translation is missing for Swedish, it is also highlighted as missing when you view any other language.

Running the QML language test generates a report in JSON format. This report is generated in the project root folder with the name *translation_report_<ui-file-name>.json*.

Example of QML language test report:


```
{
  "components": [
    {
      "componentPath": "C:/project-directory/content/Screen01.ui.qml",
      "errors": [
        {
          "column": 15,
          "errorType": "Exceeds",
          "line": 45
        },
        {
          "column": 15,
          "errorType": "Missing translation",
          "line": 59
        }
      ]
    }
  ]
}
```

The report shows the type of error as well as line and column of the affected text element in the *ui.qml* file.

Running Translation Test for Several Documents

You can run the project translation test on several *.ui.qml* files at the same time. Qt Design Studio runs the same tests as during the **Translation Test** and generates the same test reports but does not highlight errors in the UI.

To run the translation test for several documents:

1. Select  in the **Translations** view.
2. Select the files that you want to include in the test.
3. Select **Run Tests**.

Exporting Translations in Other Ways

Select  in the **Translations** view, for alternative ways to export translations:

- **Export used translations to JSON** exports all translations from the translation database that are currently in use in your project.



Contact Us

Company

- About Us
- Investors
- Newsroom
- Careers
- Office Locations

Support

- Support Services
- Professional Services
- Partners
- Training

Community

- Contribute to Qt
- Forum
- Wiki
- Downloads
- Marketplace

Licensing

- Terms & Conditions
- Open Source
- FAQ

For Customers

- Support Center
- Downloads
- Qt Login
- Contact Us
- Customer Success

