THE UNIVERSITY OF AUCKLAND

SEMESTER TWO 2018
Campus: City

COMPUTER SCIENCE

(Time Allowed: TWO hours)

NOTE: Attempt ALL questions.

Question 1

(a) Total order and causal order are two properties that multicast messages can satisfy.

    I.   Explain the meaning of these two properties.

    II.   Use an example to show why total order is important for some applications.

(b) Assume that a discussion forum has been replicated on multiple sites. Each user connects to one of the sites to read/submit messages. A submitted message needs to be multicast to all the sites. It is required that a message, say *m*, can only be made available to a user if all the messages that *m* casually depends on have been made available to the user.

    I.   Outline nts.

    II.   You sho thm and how your alg

(14 marks)

Question 2

Page-level caching and value-based caching are two cachin be used to reduce the response time for dynamically generated pages

(a) Describe how each of the techniques works.

(b) Compare and c eness in reducing the response time, the implicity of adopting the techniques and their demand on system resources. You must provide sufficient j er.

(8 marks)

Question 3

Paxos is a consensus protocol that has been used by many cloud computing platforms.

(a) Paxos uses version numbers to help the acceptors to decide whether they should respond to a received prepare request message. Use an example to explain why version numbers are important.

(b) According to the FLP impossibility theory, Paxos cannot guarantee termination. Describe a scenario in which Paxos does not terminate.

(c) Assume that a membership service that implements virtual synchrony is available and no process crash while the group membership changes. Explain how the implementation of the Paxos protocol can use the membership service to ensure the termination of the consensus protocol.

(8 marks)

Question 4

(a) Discuss the typical definition of the **normalised time complexity** for **asynchronous** distributed algorithms, and its specifics in the **FIFO** scenario.

(b) Discuss the **exponential message complexity** of the **asynchronous Bellman-Ford** algorithm. Base your discussion on a sample diagram as used in the lectures (see also the figure below).

(c) Based on (b), discuss why this algorithm has an **exponential time complexity**, in the **FIFO** scenario.

(d) Discuss why the arguments used in (c) fail, in the **NON-FIFO** scenario.

(10 marks)

Question 5

(a) Demonstrate y_____ _____ _____ _____ _____ _____ scenario where the EIG _____ _____ =3, with one failure, F=1, even if the EIG tree is expanded to two lev_____

(b) Which of the three correctness conditions (**term** _____ **validity**) will be violated in this case and why?

Hint: Consider the case when process P_1 is faulty, process P_2 is non-faulty and starts with $v_2=1$, process P_3 is non-faulty and starts with $v_3=1$ and the default (tie-breaking) value is $v_0=0$. To support your arguments, you can use EIG diagrams such as the one given below.

(10 marks)

Question 6

Contrast synchronous **2PC** and synchronous **3PC** by designing a sample scenario with N=4 where **2PC** blocks while **3PC** succeeds in the **maximum** possible number of **rounds**. How many 3PC rounds are maximum possible? Justify your answer. Your scenario can be based on commented diagrams as used in the lectures.

(**10 marks**)

https://eduassistpro.github.io/

Assignment Project Exam Help

Assignment Project Add WeChat edu_assist_pro

https://eduassistpro.github.io/

Add WeChat edu_assist_pro