

RMIT University  
**COSC2406/2407 Database Systems**  
**Tutorial Exercises**

Note: Numbered homework exercises, and exercises marked “\*”, are from Ramakrishnan and Gehrke.

**Disks and files: Week 3**

1. Every storage device has different characteristics. Consider an enterprise SSD (Solid State Drive) with the following characteristics (based on an actual drive available in 2014):

- read bandwidth (sequential): 0.75 GB/s
- write bandwidth (sequential): 0.5 GB/s
- capacity: 800 GB
- power: 3 W
- price \$3,100

and compare it with an enterprise HDD (Hard Disk Drive) from the same manufacturer with the following characteristics (based on actual drive available in 2014):

- read bandwidth (sequential): 0.2 GB/s
- write bandwidth (sequential): 0.1 GB/s
- capacity: 800 GB
- power: 1 W
- price \$200

based on the following criteria:

- (a) \$/GB
  - (b) \$/GB/s (based on sequential read bandwidth)
  - (c) power usage (W/GB)
  - (d) power usage (W/GB/s)
2. The *Washing Machine 999* disk drive has the following characteristics:
- 8 platters that provide 16 surfaces
  - 32,768 tracks per surface
  - An average of 256 sectors per track
  - 4,096 bytes per sector
  - Rotation speed of 7,200 RPM
  - To start moving the head assembly takes 1 ms
  - To stop moving the head assembly takes 1 ms
  - Moving the head requires 1 ms per 800 cylinders
- (a) What is the approximate unformatted capacity of the *Washing Machine 999*?
  - (b) Give examples of valid block sizes. Is 2,048 a valid block size?
  - (c) What is the best-case retrieval time to read five sectors?
  - (d) What is the worst-case retrieval time to read five-sectors?

- (e) The disk head is currently stopped and resting at cylinder 800. Consider the following stream of requests that arrive at the following times:

Cylinder	Arrival time (ms from now)
600	0
12,000	0
400	0
300	4
500	4
13,000	12

Using the elevator algorithm, show the the order in which requests are serviced. Assume that reading requires 4 ms, including rotational latency and reading time.

- (f) Repeat the last question, but assume a first-come-first-served algorithm. Which algorithm is faster? Why?
3. \* When does the DBMS buffer manager write pages to disk?
4. \* What does it mean to say that a page is *pinned* in the buffer pool? Who is responsible for pinning pages? Who is responsible for unpinning pages?
5. Homework: 8.1, 9.1, 9.3, 9.13, 9.14

# Assignment Project Exam Help

<https://eduassistpro.github.io/>

Add WeChat edu\_assist\_pro