ICPSR 36095

National Center for Teacher Effectiveness Main Study

Thomas Kane
Harvard Graduate School of Education

Heather Hill
Harvard Graduate School of Education

Douglas Staiger
Dartmouth College

ICPSR Codebook for Student Administrative Data

Terms of Use

Information about Copyrighted Content

<div align="center">

ICPSR PROCESSING NOTES FOR #36095
National Center for Teacher Effectiveness Main Study
DS 5: Student Administrative Data

</div>

1. **SAS Limitations**: Several variables were renamed because they contained illegal characters for SAS.

2. **Additional Information**: For additional information on the National Center for Teacher Effectiveness Main Study, please visit the [National Center for Teacher Effectiveness](#) website.

ICPSR 36095

National Center for Teacher Effectiveness Main Study

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Student Administrative Data

DISTRICT: District ID

District ID

Value	Label	Unweighted Frequency	%
11	-	2327	18.4 %
12	-	2867	22.6 %
13	-	1675	13.2 %
14	-	5792	45.7 %
	Total	**12,661**	**100%**

Based upon 12,661 valid cases out of 12,661 total cases.

- Mean: 12.86
- Median: 13.00
- Mode: 14.00
- Minimum: 11.00
- Maximum: 14.00
- Standard Deviation: 1.18

Location: 1-2 (width: 2; decimal: 0)
Variable Type: numeric

SCHOOLID: School ID

School ID

Value	Label	Unweighted Frequency	%
1101	-	57	0.5 %
1102	-	136	1.1 %
1103	-	83	0.7 %
1104	-	98	0.8 %
1105	-	213	1.7 %
1106	-	265	2.1 %
1107	-	177	1.4 %
1108	-	195	1.5 %
1109	-	150	1.2 %
1110	-	19	0.2 %
1111	-	247	2.0 %
1112	-	143	1.1 %
1113	-	274	2.2 %
1114	-	113	0.9 %
1115	-	106	0.8 %

Value	Label	Unweighted Frequency	%
1116	-	51	0.4 %
1201	-	229	1.8 %
1202	-	299	2.4 %
1203	-	231	1.8 %
1204	-	166	1.3 %
1205	-	101	0.8 %
1206	-	467	3.7 %
1207	-	500	3.9 %
1208	-	477	3.8 %
1209	-	397	3.1 %
1301	-	31	0.2 %
1302	-	23	0.2 %
1304	-	30	0.2 %
1305	-	86	0.7 %
1306	-	298	2.4 %
1307	-	48	0.4 %
1308	-	208	1.6 %
1309	-	104	0.8 %
1310	-	51	0.4 %
1311	-	39	0.3 %
1314	-	145	1.1 %
1316	-	142	1.1 %
1318	-	60	0.5 %
1319	-	133	1.1 %
1320	-	252	2.0 %
1321	-	25	0.2 %
1401	-	367	2.9 %
1402	-	544	4.3 %
1403	-	210	1.7 %
1404	-	522	4.1 %
1405	-	1001	7.9 %
1406	-	303	2.4 %
1407	-	564	4.5 %
1408	-	426	3.4 %
1409	-	238	1.9 %
	Total	**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,661 valid cases out of 12,661 total cases.

- Mean: 1293.89
- Median: 1316.00
- Mode: 1405.00
- Minimum: 1101.00
- Maximum: 1413.00
- Standard Deviation: 118.17

Location: 3-6 (width: 4; decimal: 0)
Variable Type: numeric

NCTETID: Teacher ID

Teacher ID

Value	Label	Unweighted Frequency	%
11001	-	17	0.1 %
11002	-	41	0.3 %
11003	-	49	0.4 %
11004	-	37	0.3 %
11005	-	35	0.3 %
11006	-	36	0.3 %
11007	-	52	0.4 %
11009	-	46	0.4 %
11010	-	12	0.1 %
11011	-	46	0.4 %
11012	-	32	0.3 %
11013	-	5	0.0 %
11014	-	30	0.2 %
11015	-	14	0.1 %
11016	-	15	0.1 %
11017	-	15	0.1 %
11018	-	22	0.2 %
11019	-	18	0.1 %
11020	-	38	0.3 %
11021	-	65	0.5 %
11022	-	59	0.5 %
11023	-	33	0.3 %
11024	-	33	0.3 %
11025	-	45	0.4 %
11026	-	22	0.2 %
11027	-	29	0.2 %
11028	-	7	0.1 %

Value	Label	Unweighted Frequency	%
11029	-	12	0.1 %
11030	-	38	0.3 %
11031	-	41	0.3 %
11032	-	35	0.3 %
11033	-	37	0.3 %
11034	-	16	0.1 %
11035	-	19	0.2 %
11037	-	40	0.3 %
11038	-	25	0.2 %
11039	-	21	0.2 %
11040	-	64	0.5 %
11042	-	34	0.3 %
11043	-	41	0.3 %
11044	-	17	0.1 %
11045	-	28	0.2 %
11046	-	19	0.2 %
11047	-	41	0.3 %
11048	-	41	0.3 %
11049	-	46	0.4 %
11050	-	17	0.1 %
11051	-	19	0.2 %
11052	-	42	0.3 %
11053	-	28	0.2 %
	Total	**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,661 valid cases out of 12,661 total cases.

- Mean: 12913.52
- Minimum: 11001.00
- Maximum: 14141.00
- Standard Deviation: 1197.39

Location: 7-11 (width: 5; decimal: 0)
Variable Type: numeric

CLASS_ID_M: Math class ID

Math class ID

Value	Label	Unweighted Frequency	%
1173	-	16	0.1 %

Value	Label	Unweighted Frequency	%
1177	-	22	0.2 %
1183	-	19	0.2 %
1191	-	19	0.2 %
1197	-	13	0.1 %
1198	-	17	0.1 %
1203	-	20	0.2 %
1204	-	21	0.2 %
1208	-	22	0.2 %
1209	-	24	0.2 %
1215	-	18	0.1 %
1219	-	9	0.1 %
1220	-	23	0.2 %
1222	-	11	0.1 %
1223	-	22	0.2 %
1234	-	11	0.1 %
1235	-	18	0.1 %
1244	-	14	0.1 %
1245	-	20	0.2 %
1250	-	15	0.1 %
1252	-	20	0.2 %
1275	-	13	0.1 %
1276	-	21	0.2 %
1277	-	23	0.2 %
1280	-	23	0.2 %
1281	-	23	0.2 %
1285	-	15	0.1 %
1286	-	14	0.1 %
1287	-	17	0.1 %
1309	-	23	0.2 %
1313	-	17	0.1 %
1320	-	24	0.2 %
1325	-	9	0.1 %
1326	-	13	0.1 %
1327	-	13	0.1 %
1337	-	17	0.1 %
1338	-	23	0.2 %
1339	-	19	0.2 %
1346	-	22	0.2 %
1347	-	24	0.2 %

Value	Label	Unweighted Frequency	%
1348	-	18	0.1 %
1350	-	12	0.1 %
1351	-	15	0.1 %
1352	-	14	0.1 %
1354	-	12	0.1 %
1355	-	13	0.1 %
1361	-	11	0.1 %
1362	-	16	0.1 %
1363	-	14	0.1 %
1367	-	17	0.1 %
	Total	**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,661 valid cases out of 12,661 total cases.

- Mean: 5767.08
- Minimum: 1173.00
- Maximum: 10832.00
- Standard Deviation: 4048.47

Location: 12-16 (width: 5; decimal: 0)
Variable Type: numeric

NCTESID: Student ID

Student ID

Based upon 12,661 valid cases out of 12,661 total cases.

- Mean: 130952.05
- Minimum: 110002.00
- Maximum: 147229.00
- Standard Deviation: 12663.38

Location: 17-22 (width: 6; decimal: 0)
Variable Type: numeric

SCHOOLYEAR_SP: School year of data collection, spring

School year of data collection, spring

Value	Label	Unweighted Frequency	%
2011	-	5378	42.5 %
2012	-	4641	36.7 %
2013	-	2642	20.9 %

Value	Label	Unweighted Frequency	%
	Total	12,661	100%

Based upon 12,661 valid cases out of 12,661 total cases.

- Mean: 2011.78
- Median: 2012.00
- Mode: 2011.00
- Minimum: 2011.00
- Maximum: 2013.00
- Standard Deviation: 0.77

Location: 23-26 (width: 4; decimal: 0)
Variable Type: numeric

TEST_GRADE: State Math Test Grade-level

State Math Test Grade-level

Value	Label	Unweighted Frequency	%
4	-	6317	49.9 %
5	-	6018	47.5 %
	Missing Data		
.	-	326	2.6 %
	Total	**12,661**	**100%**

Based upon 12,335 valid cases out of 12,661 total cases.

- Mean: 4.49
- Median: 4.00
- Mode: 4.00
- Minimum: 4.00
- Maximum: 5.00
- Standard Deviation: 0.50

Location: 27-27 (width: 1; decimal: 0)
Variable Type: numeric

TEST_GRADE_TM1: State Math Test Grade-level, prior year

State Math Test Grade-level, prior year

Value	Label	Unweighted Frequency	%
3	-	5874	46.4 %
4	-	5603	44.3 %
5	-	28	0.2 %
	Missing Data		
.	-	1156	9.1 %

Value	Label	Unweighted Frequency	%
	Total	**12,661**	**100%**

Based upon 11,505 valid cases out of 12,661 total cases.

- Mean: 3.49
- Median: 3.00
- Mode: 3.00
- Minimum: 3.00
- Maximum: 5.00
- Standard Deviation: 0.50

Location: 28-28 (width: 1; decimal: 0)
Variable Type: numeric

ALT_TEST_GRADE: Alternative Math Test Grade-level, semester 2

Alternative Math Test Grade-level, semester 2

Value	Label	Unweighted Frequency	%
4	-	6148	48.6 %
5	-	5790	45.7 %
	Missing Data		
.	-	723	5.7 %
	Total	**12,661**	**100%**

Based upon 11,938 valid cases out of 12,661 total cases.

- Mean: 4.49
- Median: 4.00
- Mode: 4.00
- Minimum: 4.00
- Maximum: 5.00
- Standard Deviation: 0.50

Location: 29-29 (width: 1; decimal: 0)
Variable Type: numeric

ALT_TEST_GRADE_TM1: Alternative Math Test Grade-level, semester 1

Alternative Math Test Grade-level, semester 1

Value	Label	Unweighted Frequency	%
4	-	4809	38.0 %
5	-	4418	34.9 %
	Missing Data		
.	-	3434	27.1 %
	Total	**12,661**	**100%**

Based upon 9,227 valid cases out of 12,661 total cases.

- Mean: 4.48
- Median: 4.00
- Mode: 4.00
- Minimum: 4.00
- Maximum: 5.00
- Standard Deviation: 0.50

Location: 30-30 (width: 1; decimal: 0)
Variable Type: numeric

ALT_TEST_GRADE_TM2: Alternative Math Test Grade-level, prior year

Alternative Math Test Grade-level, prior year

Value	Label	Unweighted Frequency	%
4	-	1578	12.5 %
5	-	2	0.0 %
	Missing Data		
.	-	11081	87.5 %
	Total	**12,661**	**100%**

Based upon 1,580 valid cases out of 12,661 total cases.

- Mean: 4.00
- Median: 4.00
- Mode: 4.00
- Minimum: 4.00
- Maximum: 5.00
- Standard Deviation: 0.04

Location: 31-31 (width: 1; decimal: 0)
Variable Type: numeric

S_MALE: Indicates if the student is male

Indicates if the student is male

Value	Label	Unweighted Frequency	%
0	No	6277	49.6 %
1	Yes	6258	49.4 %
	Missing Data		
.	-	126	1.0 %
	Total	**12,661**	**100%**

Based upon 12,535 valid cases out of 12,661 total cases.

- Minimum: 0.00

• Maximum: 1.00

Location: 32-32 (width: 1; decimal: 0)
Variable Type: numeric

S_AFAM: Indicates if the student is African-American

Indicates if the student is African-American

Value	Label	Unweighted Frequency	%
0	No	7174	56.7 %
1	Yes	5361	42.3 %
	Missing Data		
.	-	126	1.0 %
	Total	**12,661**	**100%**

Based upon 12,535 valid cases out of 12,661 total cases.

• Minimum: 0.00
• Maximum: 1.00

Location: 33-33 (width: 1; decimal: 0)
Variable Type: numeric

S_ASIAN: Indicates if the student is Asian

Indicates if the student is Asian

Value	Label	Unweighted Frequency	%
0	No	11596	91.6 %
1	Yes	939	7.4 %
	Missing Data		
.	-	126	1.0 %
	Total	**12,661**	**100%**

Based upon 12,535 valid cases out of 12,661 total cases.

• Minimum: 0.00
• Maximum: 1.00

Location: 34-34 (width: 1; decimal: 0)
Variable Type: numeric

S_HISP: Indicates if the student is Hispanic

Indicates if the student is Hispanic

Value	Label	Unweighted Frequency	%
0	No	9670	76.4 %
1	Yes	2865	22.6 %
	Missing Data		
.	-	126	1.0 %
	Total	**12,661**	**100%**

Based upon 12,535 valid cases out of 12,661 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 35-35 (width: 1; decimal: 0)
Variable Type: numeric

S_WHITE: Indicates if the student is Caucasian

Indicates if the student is Caucasian

Value	Label	Unweighted Frequency	%
0	No	9664	76.3 %
1	Yes	2871	22.7 %
	Missing Data		
.	-	126	1.0 %
	Total	**12,661**	**100%**

Based upon 12,535 valid cases out of 12,661 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 36-36 (width: 1; decimal: 0)
Variable Type: numeric

S_RACE_OTHER: Indicates if the student has a race/ethnicity not captured in other indicators

Indicates if the student has a race/ethnicity not captured in other indicators

Value	Label	Unweighted Frequency	%
0	No	12036	95.1 %
1	Yes	499	3.9 %
	Missing Data		
.	-	126	1.0 %
	Total	**12,661**	**100%**

Based upon 12,535 valid cases out of 12,661 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 37-37 (width: 1; decimal: 0)
Variable Type: numeric

S_FRPL: Indicates if the student receives free or reduced lunch in the given school year

Indicates if the student receives free or reduced lunch in the given school year

Value	Label	Unweighted Frequency	%
0	No	4296	33.9 %
1	Yes	8218	64.9 %
	Missing Data		
.	-	147	1.2 %
	Total	**12,661**	**100%**

Based upon 12,514 valid cases out of 12,661 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 38-38 (width: 1; decimal: 0)
Variable Type: numeric

S_SPED: Indicates if the student has special education status in the given school year

Indicates if the student has special education status in the given school year

Value	Label	Unweighted Frequency	%
0	No	10952	86.5 %
1	Yes	1562	12.3 %
	Missing Data		
.	-	147	1.2 %
	Total	**12,661**	**100%**

Based upon 12,514 valid cases out of 12,661 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 39-39 (width: 1; decimal: 0)
Variable Type: numeric

S_LEP: Indicates if the student has limited English proficiency in the given school year

Indicates if the student has limited English proficiency in the given school year

Value	Label	Unweighted Frequency	%
0	No	10015	79.1 %
1	Yes	2499	19.7 %
	Missing Data		
.	-	147	1.2 %
	Total	**12,661**	**100%**

Based upon 12,514 valid cases out of 12,661 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 40-40 (width: 1; decimal: 0)
Variable Type: numeric

HAS_ATTENDANCE_DATA: Indicates if the district provided attendance data for the given school year

Indicates if the district provided attendance data for the given school year

Value	Label	Unweighted Frequency	%
0	No	2867	22.6 %
1	Yes	9794	77.4 %
	Total	**12,661**	**100%**

Based upon 12,661 valid cases out of 12,661 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 41-41 (width: 1; decimal: 0)
Variable Type: numeric

HAS_SUSPENSION_DATA: Indicates if the district provided suspension data for the given school year

Indicates if the district provided suspension data for the given school year

Value	Label	Unweighted Frequency	%
0	No	10684	84.4 %
1	Yes	1977	15.6 %
	Total	**12,661**	**100%**

Based upon 12,661 valid cases out of 12,661 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 42-42 (width: 1; decimal: 0)

DAYSENROLLED: The number of days the student was enrolled in the district for the given school

The number of days the student was enrolled in the district for the given school

Value	Label	Unweighted Frequency	%
1	-	2	0.0 %
2	-	4	0.0 %
4	-	1	0.0 %
5	-	1	0.0 %
6	-	1	0.0 %
9	-	1	0.0 %
13	-	1	0.0 %
15	-	1	0.0 %
16	-	1	0.0 %
20	-	2	0.0 %
22	-	2	0.0 %
23	-	1	0.0 %
24	-	2	0.0 %
25	-	2	0.0 %
32	-	3	0.0 %
33	-	1	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
42	-	1	0.0 %
44	-	1	0.0 %
46	-	1	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
51	-	2	0.0 %
54	-	1	0.0 %
59	-	1	0.0 %
60	-	2	0.0 %
61	-	1	0.0 %
62	-	2	0.0 %
64	-	1	0.0 %
65	-	1	0.0 %
66	-	2	0.0 %
67	-	2	0.0 %

Value	Label	Unweighted Frequency	%
68	-	1	0.0 %
71	-	2	0.0 %
72	-	3	0.0 %
73	-	4	0.0 %
74	-	2	0.0 %
75	-	1	0.0 %
77	-	2	0.0 %
78	-	5	0.0 %
79	-	1	0.0 %
80	-	1	0.0 %
81	-	1	0.0 %
82	-	2	0.0 %
83	-	3	0.0 %
85	-	6	0.0 %
86	-	2	0.0 %
87	-	1	0.0 %
Missing Data			
.	-	2986	23.6 %
Total		**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,675 valid cases out of 12,661 total cases.

- Mean: 177.99
- Median: 180.00
- Mode: 180.00
- Minimum: 1.00
- Maximum: 184.00
- Standard Deviation: 14.68

Location: 43-45 (width: 3; decimal: 0)
Variable Type: numeric

DAYSATTENDED: The number of days of school the student attended for the given school year

The number of days of school the student attended for the given school year

Value	Label	Unweighted Frequency	%
1	-	2	0.0 %
2	-	4	0.0 %
3	-	1	0.0 %

Value	Label	Unweighted Frequency	%
5	-	1	0.0 %
6	-	1	0.0 %
9	-	1	0.0 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	1	0.0 %
17	-	1	0.0 %
20	-	3	0.0 %
21	-	1	0.0 %
24	-	2	0.0 %
25	-	2	0.0 %
31	-	2	0.0 %
32	-	2	0.0 %
33	-	2	0.0 %
34	-	1	0.0 %
42	-	1	0.0 %
46	-	2	0.0 %
48	-	2	0.0 %
49	-	2	0.0 %
50	-	1	0.0 %
54	-	1	0.0 %
56	-	2	0.0 %
57	-	1	0.0 %
59	-	3	0.0 %
60	-	2	0.0 %
62	-	1	0.0 %
63	-	2	0.0 %
64	-	1	0.0 %
67	-	1	0.0 %
68	-	4	0.0 %
69	-	1	0.0 %
70	-	3	0.0 %
71	-	3	0.0 %
72	-	3	0.0 %
73	-	2	0.0 %
74	-	1	0.0 %
75	-	1	0.0 %
76	-	3	0.0 %
77	-	3	0.0 %

Value	Label	Unweighted Frequency	%
78	-	4	0.0 %
79	-	2	0.0 %
80	-	2	0.0 %
82	-	4	0.0 %
83	-	3	0.0 %
84	-	4	0.0 %
85	-	2	0.0 %
86	-	4	0.0 %
Missing Data			
.	-	2986	23.6 %
Total		**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,675 valid cases out of 12,661 total cases.

- Mean: 172.06
- Median: 176.00
- Mode: 180.00
- Minimum: 1.00
- Maximum: 184.00
- Standard Deviation: 15.78

Location: 46-48 (width: 3; decimal: 0)
Variable Type: numeric

DAYSABSENT: The number of days the student was absent from school for the given school year

The number of days the student was absent from school for the given school year

Value	Label	Unweighted Frequency	%
0	-	1255	9.9 %
1	-	1120	8.8 %
2	-	1036	8.2 %
3	-	956	7.6 %
4	-	813	6.4 %
5	-	702	5.5 %
6	-	600	4.7 %
7	-	512	4.0 %
8	-	424	3.3 %
9	-	343	2.7 %
10	-	314	2.5 %

Value	Label	Unweighted Frequency	%
11	-	222	1.8 %
12	-	198	1.6 %
13	-	158	1.2 %
14	-	154	1.2 %
15	-	131	1.0 %
16	-	98	0.8 %
17	-	84	0.7 %
18	-	77	0.6 %
19	-	85	0.7 %
20	-	50	0.4 %
21	-	37	0.3 %
22	-	37	0.3 %
23	-	35	0.3 %
24	-	24	0.2 %
25	-	28	0.2 %
26	-	15	0.1 %
27	-	17	0.1 %
28	-	23	0.2 %
29	-	23	0.2 %
30	-	11	0.1 %
31	-	16	0.1 %
32	-	10	0.1 %
33	-	6	0.0 %
34	-	6	0.0 %
35	-	9	0.1 %
36	-	2	0.0 %
37	-	1	0.0 %
38	-	1	0.0 %
39	-	10	0.1 %
40	-	3	0.0 %
41	-	1	0.0 %
42	-	3	0.0 %
43	-	3	0.0 %
44	-	2	0.0 %
45	-	2	0.0 %
46	-	2	0.0 %
47	-	2	0.0 %
48	-	3	0.0 %
49	-	2	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	2986	23.6 %
	Total	**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,675 valid cases out of 12,661 total cases.

- Mean: 5.93
- Median: 4.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 96.00
- Standard Deviation: 6.49

Location: 49-50 (width: 2; decimal: 0)
Variable Type: numeric

SUSP_IN_SCH: The student's number of days of in-school-suspension for the given school year

The student's number of days of in-school-suspension for the given school year

Value	Label	Unweighted Frequency	%
0	-	1961	15.5 %
1	-	8	0.1 %
2	-	5	0.0 %
3	-	1	0.0 %
4	-	2	0.0 %
	Missing Data		
.	-	10684	84.4 %
	Total	**12,661**	**100%**

Based upon 1,977 valid cases out of 12,661 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.19

Location: 51-51 (width: 1; decimal: 0)
Variable Type: numeric

SUSP_OUT_OF_SCH: The student's number of days of out-of-school-suspension for the given school year

The student's number of days of out-of-school-suspension for the given school year

Value	Label	Unweighted Frequency	%
0	-	1844	14.6 %
1	-	30	0.2 %
2	-	30	0.2 %
3	-	29	0.2 %
4	-	8	0.1 %
5	-	7	0.1 %
6	-	9	0.1 %
7	-	4	0.0 %
8	-	4	0.0 %
10	-	1	0.0 %
11	-	4	0.0 %
12	-	1	0.0 %
13	-	2	0.0 %
19	-	1	0.0 %
23	-	1	0.0 %
25	-	1	0.0 %
26	-	1	0.0 %
Missing Data			
.	-	10684	84.4 %
Total		**12,661**	**100%**

Based upon 1,977 valid cases out of 12,661 total cases.

- Mean: 0.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 26.00
- Standard Deviation: 1.53

Location: 52-53 (width: 2; decimal: 0)
Variable Type: numeric

S_STATE_STD_M: State Math Test Score

State Math Test Score

Value	Label	Unweighted Frequency	%
-3.287840127945	-	1	0.0 %
-3.171912431717	-	1	0.0 %
-3.139058589935	-	1	0.0 %
-3.055693626404	-	1	0.0 %

Value	Label	Unweighted Frequency	%
-3.050670385361	-	1	0.0 %
-3.020216226578	-	1	0.0 %
-2.933229684830	-	1	0.0 %
-2.918847322464	-	2	0.0 %
-2.877372503281	-	1	0.0 %
-2.837390661240	-	1	0.0 %
-2.829999923706	-	1	0.0 %
-2.816526889801	-	1	0.0 %
-2.814090967178	-	1	0.0 %
-2.741493940353	-	2	0.0 %
-2.724288940430	-	1	0.0 %
-2.688828945160	-	1	0.0 %
-2.686748266220	-	1	0.0 %
-2.686685800552	-	1	0.0 %
-2.671687126160	-	2	0.0 %
-2.661655664444	-	2	0.0 %
-2.648567676544	-	1	0.0 %
-2.644194126129	-	1	0.0 %
-2.636681079865	-	1	0.0 %
-2.622480869293	-	1	0.0 %
-2.586687564850	-	1	0.0 %
-2.578007936478	-	1	0.0 %
-2.574222087860	-	1	0.0 %
-2.564996480942	-	4	0.0 %
-2.546969175339	-	1	0.0 %
-2.527677059174	-	2	0.0 %
-2.525881290436	-	3	0.0 %
-2.516925573349	-	2	0.0 %
-2.511810779572	-	5	0.0 %
-2.486855745316	-	2	0.0 %
-2.464683771133	-	1	0.0 %
-2.444787025452	-	1	0.0 %
-2.440503835678	-	2	0.0 %
-2.430068492889	-	1	0.0 %
-2.428360700607	-	2	0.0 %
-2.392439842224	-	1	0.0 %
-2.372363567352	-	1	0.0 %
-2.364699363708	-	1	0.0 %
-2.346891164780	-	2	0.0 %

Value	Label	Unweighted Frequency	%
-2.340146303177	-	2	0.0 %
-2.319280147552	-	1	0.0 %
-2.317297220230	-	1	0.0 %
-2.315881729126	-	1	0.0 %
-2.307765722275	-	2	0.0 %
-2.296727180481	-	1	0.0 %
-2.295457363129	-	2	0.0 %
	Missing Data		
.	-	394	3.1 %
	Total	**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,267 valid cases out of 12,661 total cases.

- Mean: 0.044362284037
- Minimum: -3.287840127945
- Maximum: 3.019782304764
- Standard Deviation: 0.928076218500

Location: 54-68 (width: 15; decimal: 12)
Variable Type: numeric

S_STATE_STD_E: State ELA Test Score

State ELA Test Score

Value	Label	Unweighted Frequency	%
-3.584654808044	-	1	0.0 %
-3.447926044464	-	1	0.0 %
-3.193872451782	-	1	0.0 %
-3.119721651077	-	1	0.0 %
-3.102205753326	-	1	0.0 %
-3.088190317154	-	2	0.0 %
-3.082170486450	-	1	0.0 %
-2.995627880096	-	1	0.0 %
-2.954519748688	-	3	0.0 %
-2.954094409943	-	2	0.0 %
-2.944859027863	-	1	0.0 %
-2.873906612396	-	1	0.0 %
-2.812354087830	-	1	0.0 %
-2.718189716339	-	1	0.0 %

Value	Label	Unweighted Frequency	%
-2.700392246246	-	4	0.0 %
-2.651350736618	-	1	0.0 %
-2.648811101913	-	1	0.0 %
-2.643857240677	-	1	0.0 %
-2.622423648834	-	1	0.0 %
-2.621465444565	-	1	0.0 %
-2.610198259354	-	2	0.0 %
-2.590789318085	-	1	0.0 %
-2.587576866150	-	1	0.0 %
-2.569218635559	-	1	0.0 %
-2.568683862686	-	1	0.0 %
-2.550865650177	-	5	0.0 %
-2.530595064163	-	3	0.0 %
-2.523143291473	-	1	0.0 %
-2.516507387161	-	2	0.0 %
-2.508442163467	-	2	0.0 %
-2.504258155823	-	1	0.0 %
-2.485854625702	-	1	0.0 %
-2.484660148621	-	1	0.0 %
-2.469533205032	-	1	0.0 %
-2.462045192719	-	1	0.0 %
-2.441693305969	-	1	0.0 %
-2.440939426422	-	11	0.1 %
-2.437601566315	-	1	0.0 %
-2.425006628036	-	1	0.0 %
-2.419197797775	-	2	0.0 %
-2.405392885208	-	1	0.0 %
-2.401454448700	-	3	0.0 %
-2.376845598221	-	1	0.0 %
-2.373721122742	-	3	0.0 %
-2.365991115570	-	1	0.0 %
-2.362480401993	-	9	0.1 %
-2.358594179153	-	4	0.0 %
-2.355645656586	-	2	0.0 %
-2.350623846054	-	1	0.0 %
-2.345682382584	-	1	0.0 %
	Missing Data		
.	-	419	3.3 %

Value	Label	Unweighted Frequency	%
	Total	**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,242 valid cases out of 12,661 total cases.

- Mean: 0.028068701784
- Minimum: -3.584654808044
- Maximum: 3.465004444122
- Standard Deviation: 0.940339640299

Location: 69-83 (width: 15; decimal: 12)
Variable Type: numeric

S_STATE_STD_M_TM1: State Math Test Score, prior year

State Math Test Score, prior year

Value	Label	Unweighted Frequency	%
-3.463287591934	-	1	0.0 %
-3.249990463257	-	2	0.0 %
-3.166260242462	-	1	0.0 %
-3.165263175964	-	1	0.0 %
-3.149053573608	-	1	0.0 %
-3.132524013519	-	1	0.0 %
-3.050670385361	-	2	0.0 %
-3.034222126007	-	1	0.0 %
-2.982336521149	-	1	0.0 %
-2.963002681732	-	1	0.0 %
-2.939815998077	-	1	0.0 %
-2.923050403595	-	1	0.0 %
-2.921783685684	-	1	0.0 %
-2.869167804718	-	1	0.0 %
-2.865797996521	-	1	0.0 %
-2.840813875198	-	1	0.0 %
-2.747246265411	-	2	0.0 %
-2.741493940353	-	1	0.0 %
-2.741348743439	-	1	0.0 %
-2.731605529785	-	2	0.0 %
-2.703043699265	-	5	0.0 %
-2.656277179718	-	2	0.0 %
-2.648251056671	-	1	0.0 %
-2.607926368713	-	2	0.0 %

Value	Label	Unweighted Frequency	%
-2.564996480942	-	2	0.0 %
-2.561762809753	-	1	0.0 %
-2.536265850067	-	1	0.0 %
-2.527677059174	-	1	0.0 %
-2.525881290436	-	1	0.0 %
-2.516925573349	-	1	0.0 %
-2.486855745316	-	2	0.0 %
-2.457892417908	-	1	0.0 %
-2.451251983643	-	5	0.0 %
-2.448901653290	-	1	0.0 %
-2.442667007446	-	2	0.0 %
-2.439692974091	-	1	0.0 %
-2.428360700607	-	1	0.0 %
-2.418799877167	-	1	0.0 %
-2.407747030258	-	2	0.0 %
-2.402704000473	-	2	0.0 %
-2.399102210999	-	1	0.0 %
-2.386237859726	-	1	0.0 %
-2.383896827698	-	1	0.0 %
-2.372359752655	-	2	0.0 %
-2.352403879166	-	4	0.0 %
-2.342478275299	-	2	0.0 %
-2.333904743195	-	1	0.0 %
-2.307765722275	-	1	0.0 %
-2.304717063904	-	2	0.0 %
-2.280824184418	-	2	0.0 %
	Missing Data		
.	-	1187	9.4 %
	Total	**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 11,474 valid cases out of 12,661 total cases.

- Mean: 0.055804701648
- Minimum: -3.463287591934
- Maximum: 3.046349048615
- Standard Deviation: 0.915429622239

Location: 84-98 (width: 15; decimal: 12)
Variable Type: numeric

S_SQR_STATE_STD_M_TM1: State Math Test Score, prior year, squared

State Math Test Score, prior year, squared

Value	Label	Unweighted Frequency	%
0.000000000000	-	18	0.1 %
0.000000156753	-	4	0.0 %
0.000001049059	-	10	0.1 %
0.000038535461	-	2	0.0 %
0.000047967831	-	25	0.2 %
0.000048520749	-	31	0.2 %
0.000050637049	-	6	0.0 %
0.000128203421	-	17	0.1 %
0.000247151038	-	6	0.0 %
0.000256798870	-	1	0.0 %
0.000269783137	-	10	0.1 %
0.000286802242	-	8	0.1 %
0.000304747024	-	21	0.2 %
0.000379256555	-	9	0.1 %
0.000446040183	-	46	0.4 %
0.000457307440	-	16	0.1 %
0.000536489475	-	17	0.1 %
0.000675401767	-	25	0.2 %
0.000829847413	-	59	0.5 %
0.000850038428	-	1	0.0 %
0.000866660033	-	14	0.1 %
0.001432761550	-	8	0.1 %
0.001667115721	-	20	0.2 %
0.001764958841	-	10	0.1 %
0.001907957834	-	5	0.0 %
0.002090656897	-	45	0.4 %
0.002212353749	-	33	0.3 %
0.002257443033	-	13	0.1 %
0.002300593536	-	13	0.1 %
0.002490218496	-	38	0.3 %
0.002634297358	-	9	0.1 %
0.002683595289	-	8	0.1 %
0.002823953750	-	18	0.1 %
0.002883438021	-	28	0.2 %
0.003402897390	-	1	0.0 %
0.003444300964	-	18	0.1 %

Value	Label	Unweighted Frequency	%
0.003533814801	-	9	0.1 %
0.003578559496	-	4	0.0 %
0.003763955785	-	13	0.1 %
0.003838376375	-	22	0.2 %
0.004222733434	-	3	0.0 %
0.004884900525	-	21	0.2 %
0.005150609650	-	3	0.0 %
0.005361729302	-	52	0.4 %
0.005447234958	-	4	0.0 %
0.005617376417	-	7	0.1 %
0.005707487930	-	4	0.0 %
0.005821707658	-	5	0.0 %
0.005855503492	-	4	0.0 %
0.005943050142	-	31	0.2 %
	Missing Data		
.	-	1187	9.4 %
	Total	**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 11,474 valid cases out of 12,661 total cases.

- Mean: 0.841052522238
- Minimum: 0.000000000000
- Maximum: 11.994360923767
- Standard Deviation: 1.235407855310

Location: 99-113 (width: 15; decimal: 12)
Variable Type: numeric

S_CUB_STATE_STD_M_TM1: State Math Test Score, prior year, cubed

State Math Test Score, prior year, cubed

Value	Label	Unweighted Frequency	%
-41.53992080689	-	1	0.0 %
-34.32782363892	-	2	0.0 %
-31.74240493775	-	1	0.0 %
-31.71242713929	-	1	0.0 %
-31.22771072388	-	1	0.0 %
-30.73853874207	-	1	0.0 %
-28.39133834839	-	2	0.0 %

Value	Label	Unweighted Frequency	%
-27.93457794190	-	1	0.0 %
-26.52588844300	-	1	0.0 %
-26.01334190369	-	1	0.0 %
-25.40741348267	-	1	0.0 %
-24.97519683838	-	1	0.0 %
-24.94274139405	-	1	0.0 %
-23.61934471131	-	1	0.0 %
-23.53622055054	-	1	0.0 %
-22.92600250245	-	1	0.0 %
-20.73446273804	-	2	0.0 %
-20.60449028016	-	1	0.0 %
-20.60121726990	-	1	0.0 %
-20.38233566285	-	2	0.0 %
-19.74964141846	-	5	0.0 %
-18.74218368531	-	2	0.0 %
-18.57280349732	-	1	0.0 %
-17.73723793030	-	2	0.0 %
-16.87564277649	-	2	0.0 %
-16.81189727784	-	1	0.0 %
-16.31489562989	-	1	0.0 %
-16.14971160889	-	1	0.0 %
-16.11531448365	-	1	0.0 %
-15.94450759888	-	1	0.0 %
-15.37983894349	-	2	0.0 %
-14.84870624543	-	1	0.0 %
-14.72868156434	-	5	0.0 %
-14.68635559083	-	1	0.0 %
-14.57447052002	-	2	0.0 %
-14.52130126954	-	1	0.0 %
-14.31988716126	-	1	0.0 %
-14.15141296387	-	1	0.0 %
-13.95830154419	-	2	0.0 %
-13.87077808381	-	2	0.0 %
-13.80849170685	-	1	0.0 %
-13.58755111695	-	1	0.0 %
-13.54759979249	-	1	0.0 %
-13.35185623169	-	2	0.0 %
-13.01774215699	-	4	0.0 %
-12.85365772248	-	2	0.0 %

Value	Label	Unweighted Frequency	%
-12.71303939820	-	1	0.0 %
-12.29065895081	-	1	0.0 %
-12.24201297761	-	2	0.0 %
-11.86520957947	-	2	0.0 %
	Missing Data		
.	-	1187	9.4 %
	Total	**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 11,474 valid cases out of 12,661 total cases.

- Mean: 0.13769189036
- Minimum: -41.53992080689
- Maximum: 28.27085876465
- Standard Deviation: 3.15015868256

Location: 114-128 (width: 15; decimal: 11)
Variable Type: numeric

V_MISS_STATE_STD_M_TM1: Indicates if student is missing s_state_std_m_tm1

Indicates if student is missing s_state_std_m_tm1

Value	Label	Unweighted Frequency	%
0	No	11474	90.6 %
1	Yes	1187	9.4 %
	Total	**12,661**	**100%**

Based upon 12,661 valid cases out of 12,661 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 129-129 (width: 1; decimal: 0)
Variable Type: numeric

V_IMP_STATE_STD_M_TM1: State Math Test Score, prior year, imputed to zero if missing

State Math Test Score, prior year, imputed to zero if missing

Value	Label	Unweighted Frequency	%
-3.463287591934	-	1	0.0 %
-3.249990463257	-	2	0.0 %
-3.166260242462	-	1	0.0 %

Value	Label	Unweighted Frequency	%
-3.165263175964	-	1	0.0 %
-3.149053573608	-	1	0.0 %
-3.132524013519	-	1	0.0 %
-3.050670385361	-	2	0.0 %
-3.034222126007	-	1	0.0 %
-2.982336521149	-	1	0.0 %
-2.963002681732	-	1	0.0 %
-2.939815998077	-	1	0.0 %
-2.923050403595	-	1	0.0 %
-2.921783685684	-	1	0.0 %
-2.869167804718	-	1	0.0 %
-2.865797996521	-	1	0.0 %
-2.840813875198	-	1	0.0 %
-2.747246265411	-	2	0.0 %
-2.741493940353	-	1	0.0 %
-2.741348743439	-	1	0.0 %
-2.731605529785	-	2	0.0 %
-2.703043699265	-	5	0.0 %
-2.656277179718	-	2	0.0 %
-2.648251056671	-	1	0.0 %
-2.607926368713	-	2	0.0 %
-2.564996480942	-	2	0.0 %
-2.561762809753	-	1	0.0 %
-2.536265850067	-	1	0.0 %
-2.527677059174	-	1	0.0 %
-2.525881290436	-	1	0.0 %
-2.516925573349	-	1	0.0 %
-2.486855745316	-	2	0.0 %
-2.457892417908	-	1	0.0 %
-2.451251983643	-	5	0.0 %
-2.448901653290	-	1	0.0 %
-2.442667007446	-	2	0.0 %
-2.439692974091	-	1	0.0 %
-2.428360700607	-	1	0.0 %
-2.418799877167	-	1	0.0 %
-2.407747030258	-	2	0.0 %
-2.402704000473	-	2	0.0 %
-2.399102210999	-	1	0.0 %
-2.386237859726	-	1	0.0 %

Value	Label	Unweighted Frequency	%
-2.383896827698	-	1	0.0 %
-2.372359752655	-	2	0.0 %
-2.352403879166	-	4	0.0 %
-2.342478275299	-	2	0.0 %
-2.333904743195	-	1	0.0 %
-2.307765722275	-	1	0.0 %
-2.304717063904	-	2	0.0 %
-2.280824184418	-	2	0.0 %
	Total	**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,661 valid cases out of 12,661 total cases.

- Mean: 0.050572873131
- Minimum: -3.463287591934
- Maximum: 3.046349048615
- Standard Deviation: 0.871610096573

Location: 130-144 (width: 15; decimal: 12)
Variable Type: numeric

S_STATE_STD_E_TM1: State ELA Test Score, prior year

State ELA Test Score, prior year

Value	Label	Unweighted Frequency	%
-3.584654808044	-	1	0.0 %
-3.464433431625	-	1	0.0 %
-3.373579502106	-	1	0.0 %
-3.147613763809	-	1	0.0 %
-3.131504535675	-	1	0.0 %
-3.042339563370	-	1	0.0 %
-2.954519748688	-	1	0.0 %
-2.921969175339	-	1	0.0 %
-2.875042438507	-	2	0.0 %
-2.863536834717	-	1	0.0 %
-2.793296098709	-	1	0.0 %
-2.718063354492	-	1	0.0 %
-2.712456464767	-	1	0.0 %
-2.693294525146	-	2	0.0 %
-2.686594724655	-	1	0.0 %
-2.668592691422	-	1	0.0 %

Value	Label	Unweighted Frequency	%
-2.661355972290	-	1	0.0 %
-2.635316610336	-	1	0.0 %
-2.615362167358	-	1	0.0 %
-2.575215339661	-	2	0.0 %
-2.567214488983	-	1	0.0 %
-2.561078310013	-	1	0.0 %
-2.559803962708	-	2	0.0 %
-2.554989099503	-	1	0.0 %
-2.540110111237	-	1	0.0 %
-2.530595064163	-	4	0.0 %
-2.522885322571	-	2	0.0 %
-2.508442163467	-	1	0.0 %
-2.505894422531	-	1	0.0 %
-2.504258155823	-	1	0.0 %
-2.501613140106	-	1	0.0 %
-2.496666908264	-	1	0.0 %
-2.483281612396	-	1	0.0 %
-2.466909646988	-	1	0.0 %
-2.451907157898	-	3	0.0 %
-2.436156988144	-	1	0.0 %
-2.427805185318	-	3	0.0 %
-2.425006628036	-	2	0.0 %
-2.417934656143	-	1	0.0 %
-2.405392885208	-	1	0.0 %
-2.401454448700	-	1	0.0 %
-2.397627830505	-	2	0.0 %
-2.373721122742	-	2	0.0 %
-2.369928598404	-	1	0.0 %
-2.343962669373	-	2	0.0 %
-2.341850757599	-	6	0.0 %
-2.330765485764	-	1	0.0 %
-2.329563856125	-	2	0.0 %
-2.309920549393	-	1	0.0 %
-2.308749675751	-	3	0.0 %
	Missing Data		
.	-	1262	10.0 %
	Total	12,661	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 11,399 valid cases out of 12,661 total cases.

- Mean: 0.059874844984
- Minimum: -3.584654808044
- Maximum: 3.146649599075
- Standard Deviation: 0.934282385783

Location: 145-159 (width: 15; decimal: 12)
Variable Type: numeric

S_SQR_STATE_STD_E_TM1: State ELA Test Score, prior year, squared

State ELA Test Score, prior year, squared

Value	Label	Unweighted Frequency	%
0.000000636747	-	4	0.0 %
0.000001025701	-	21	0.2 %
0.000001350004	-	8	0.1 %
0.000013176830	-	5	0.0 %
0.000017037886	-	22	0.2 %
0.000042777960	-	24	0.2 %
0.000050725328	-	41	0.3 %
0.000059074158	-	9	0.1 %
0.000149773245	-	16	0.1 %
0.000153261921	-	5	0.0 %
0.000224186704	-	11	0.1 %
0.000244014329	-	3	0.0 %
0.000311620621	-	18	0.1 %
0.000383110688	-	25	0.2 %
0.000639198581	-	77	0.6 %
0.000642556231	-	5	0.0 %
0.000672868686	-	51	0.4 %
0.000894844474	-	17	0.1 %
0.000960181584	-	6	0.0 %
0.001015114714	-	9	0.1 %
0.001168339630	-	30	0.2 %
0.001868351479	-	3	0.0 %
0.002466214122	-	42	0.3 %
0.002600975102	-	47	0.4 %
0.002687208587	-	53	0.4 %
0.003198250430	-	10	0.1 %
0.003386332653	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.003497752827	-	6	0.0 %
0.003843820188	-	9	0.1 %
0.003913259599	-	4	0.0 %
0.003927977290	-	30	0.2 %
0.003958967049	-	4	0.0 %
0.004001487046	-	9	0.1 %
0.004052714445	-	18	0.1 %
0.004259336274	-	19	0.2 %
0.004426984116	-	16	0.1 %
0.004428166896	-	21	0.2 %
0.004445465282	-	7	0.1 %
0.004492592998	-	5	0.0 %
0.004598060623	-	4	0.0 %
0.004801434930	-	23	0.2 %
0.005073187873	-	47	0.4 %
0.005517258309	-	7	0.1 %
0.005596594885	-	15	0.1 %
0.006316037849	-	11	0.1 %
0.006392957643	-	3	0.0 %
0.006727072410	-	32	0.3 %
0.006907099392	-	10	0.1 %
0.007426878437	-	15	0.1 %
0.007895988412	-	28	0.2 %
	Missing Data		
.	-	1262	10.0 %
	Total	**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 11,399 valid cases out of 12,661 total cases.

- Mean: 0.876391998079
- Minimum: 0.000000636747
- Maximum: 12.849750518799
- Standard Deviation: 1.240190236350

Location: 160-174 (width: 15; decimal: 12)
Variable Type: numeric

S_CUB_STATE_STD_E_TM1: State ELA Test Score, prior year, cubed

State ELA Test Score, prior year, cubed

Value	Label	Unweighted Frequency	%
-46.06192016602	-	1	0.0 %
-41.58116531373	-	1	0.0 %
-38.39484024048	-	1	0.0 %
-31.18489646912	-	1	0.0 %
-30.70853805542	-	1	0.0 %
-28.15937805176	-	1	0.0 %
-25.79055595398	-	1	0.0 %
-24.94749259949	-	1	0.0 %
-23.76472473145	-	2	0.0 %
-23.48055267334	-	1	0.0 %
-21.79470062256	-	1	0.0 %
-20.08069419861	-	1	0.0 %
-19.95668220521	-	1	0.0 %
-19.53671455384	-	2	0.0 %
-19.39127922059	-	1	0.0 %
-19.00408172608	-	1	0.0 %
-18.84989356995	-	1	0.0 %
-18.30199432374	-	1	0.0 %
-17.88938903809	-	1	0.0 %
-17.07814407349	-	2	0.0 %
-16.91945838929	-	1	0.0 %
-16.79842567444	-	1	0.0 %
-16.77336120606	-	2	0.0 %
-16.67889022828	-	1	0.0 %
-16.38919448853	-	1	0.0 %
-16.20570564271	-	4	0.0 %
-16.05804061890	-	2	0.0 %
-15.78382587433	-	1	0.0 %
-15.73578166962	-	1	0.0 %
-15.70497608185	-	1	0.0 %
-15.65526580811	-	1	0.0 %
-15.56258773804	-	1	0.0 %
-15.31362152100	-	1	0.0 %
-15.01273155213	-	1	0.0 %
-14.74049472809	-	3	0.0 %
-14.45825290680	-	1	0.0 %
-14.31006145478	-	3	0.0 %
-14.26063251496	-	2	0.0 %
-14.13623237610	-	1	0.0 %

Value	Label	Unweighted Frequency	%
-13.91739845276	-	1	0.0 %
-13.84914779664	-	1	0.0 %
-13.78304958344	-	2	0.0 %
-13.37485504151	-	2	0.0 %
-13.31085014344	-	1	0.0 %
-12.87810802460	-	2	0.0 %
-12.84333038331	-	6	0.0 %
-12.66180801392	-	1	0.0 %
-12.64223480225	-	2	0.0 %
-12.32511901856	-	1	0.0 %
-12.30638599396	-	3	0.0 %
	Missing Data		
.	-	1262	10.0 %
	Total	**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 11,399 valid cases out of 12,661 total cases.

- Mean: 0.16468800663
- Minimum: -46.06192016602
- Maximum: 31.15624809266
- Standard Deviation: 3.12631592489

Location: 175-189 (width: 15; decimal: 11)
Variable Type: numeric

V_MISS_STATE_STD_E_TM1: Indicates if student is missing s_state_std_e_tm1

Indicates if student is missing s_state_std_e_tm1

Value	Label	Unweighted Frequency	%
0	No	11399	90.0 %
1	Yes	1262	10.0 %
	Total	**12,661**	**100%**

Based upon 12,661 valid cases out of 12,661 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 190-190 (width: 1; decimal: 0)
Variable Type: numeric

V_IMP_STATE_STD_E_TM1: State ELA Test Score, prior year, imputed to zero if missing

State ELA Test Score, prior year, imputed to zero if missing

Value	Label	Unweighted Frequency	%
-3.584654808044	-	1	0.0 %
-3.464433431625	-	1	0.0 %
-3.373579502106	-	1	0.0 %
-3.147613763809	-	1	0.0 %
-3.131504535675	-	1	0.0 %
-3.042339563370	-	1	0.0 %
-2.954519748688	-	1	0.0 %
-2.921969175339	-	1	0.0 %
-2.875042438507	-	2	0.0 %
-2.863536834717	-	1	0.0 %
-2.793296098709	-	1	0.0 %
-2.718063354492	-	1	0.0 %
-2.712456464767	-	1	0.0 %
-2.693294525146	-	2	0.0 %
-2.686594724655	-	1	0.0 %
-2.668592691422	-	1	0.0 %
-2.661355972290	-	1	0.0 %
-2.635316610336	-	1	0.0 %
-2.615362167358	-	1	0.0 %
-2.575215339661	-	2	0.0 %
-2.567214488983	-	1	0.0 %
-2.561078310013	-	1	0.0 %
-2.559803962708	-	2	0.0 %
-2.554989099503	-	1	0.0 %
-2.540110111237	-	1	0.0 %
-2.530595064163	-	4	0.0 %
-2.522885322571	-	2	0.0 %
-2.508442163467	-	1	0.0 %
-2.505894422531	-	1	0.0 %
-2.504258155823	-	1	0.0 %
-2.501613140106	-	1	0.0 %
-2.496666908264	-	1	0.0 %
-2.483281612396	-	1	0.0 %
-2.466909646988	-	1	0.0 %
-2.451907157898	-	3	0.0 %
-2.436156988144	-	1	0.0 %

Value	Label	Unweighted Frequency	%
-2.427805185318	-	3	0.0 %
-2.425006628036	-	2	0.0 %
-2.417934656143	-	1	0.0 %
-2.405392885208	-	1	0.0 %
-2.401454448700	-	1	0.0 %
-2.397627830505	-	2	0.0 %
-2.373721122742	-	2	0.0 %
-2.369928598404	-	1	0.0 %
-2.343962669373	-	2	0.0 %
-2.341850757599	-	6	0.0 %
-2.330765485764	-	1	0.0 %
-2.329563856125	-	2	0.0 %
-2.309920549393	-	1	0.0 %
-2.308749675751	-	3	0.0 %
	Total	**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,661 valid cases out of 12,661 total cases.

- Mean: 0.053906749702
- Minimum: -3.584654808044
- Maximum: 3.146649599075
- Standard Deviation: 0.886675113769

Location: 191-205 (width: 15; decimal: 12)
Variable Type: numeric

V_GRADE4XSTATE_STD_M_TM1: Interaction of test_grade == 4 and s_state_std_m_tm1

Interaction of test_grade == 4 and s_state_std_m_tm1

Value	Label	Unweighted Frequency	%
-3.165263175964	-	1	0.0 %
-3.149053573608	-	1	0.0 %
-3.034222126007	-	1	0.0 %
-2.963002681732	-	1	0.0 %
-2.939815998077	-	1	0.0 %
-2.921783685684	-	1	0.0 %
-2.840813875198	-	1	0.0 %
-2.703043699265	-	4	0.0 %
-2.656277179718	-	2	0.0 %
-2.648251056671	-	1	0.0 %

Value	Label	Unweighted Frequency	%
-2.457892417908	-	1	0.0 %
-2.442667007446	-	2	0.0 %
-2.439692974091	-	1	0.0 %
-2.407747030258	-	2	0.0 %
-2.402704000473	-	2	0.0 %
-2.386237859726	-	1	0.0 %
-2.383896827698	-	1	0.0 %
-2.352403879166	-	4	0.0 %
-2.333904743195	-	1	0.0 %
-2.304717063904	-	2	0.0 %
-2.280824184418	-	2	0.0 %
-2.267883777618	-	1	0.0 %
-2.261183261871	-	3	0.0 %
-2.255458831787	-	1	0.0 %
-2.247875452042	-	1	0.0 %
-2.239158630371	-	6	0.0 %
-2.208611726761	-	1	0.0 %
-2.205558061600	-	1	0.0 %
-2.174213409424	-	1	0.0 %
-2.170827388763	-	1	0.0 %
-2.169775485992	-	3	0.0 %
-2.160155773163	-	1	0.0 %
-2.126273632050	-	5	0.0 %
-2.094083786011	-	1	0.0 %
-2.073113918304	-	1	0.0 %
-2.043111801147	-	2	0.0 %
-2.031648159027	-	4	0.0 %
-2.031443595886	-	8	0.1 %
-2.015841007233	-	2	0.0 %
-1.997076272964	-	2	0.0 %
-1.993748068810	-	2	0.0 %
-1.953504681587	-	1	0.0 %
-1.949317455292	-	2	0.0 %
-1.948776483536	-	2	0.0 %
-1.945041894913	-	2	0.0 %
-1.939019441605	-	1	0.0 %
-1.930414795876	-	3	0.0 %
-1.926143646240	-	2	0.0 %
-1.923243999481	-	12	0.1 %

Value	Label	Unweighted Frequency	%
-1.892897605896	-	1	0.0 %
Total		**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,661 valid cases out of 12,661 total cases.

- Mean: 0.035571887728
- Minimum: -3.165263175964
- Maximum: 2.947314500809
- Standard Deviation: 0.628337968314

Location: 206-220 (width: 15; decimal: 12)
Variable Type: numeric

V_GRADE5XSTATE_STD_M_TM1: Interaction of test_grade == 5 and s_state_std_m_tm1

Interaction of test_grade == 5 and s_state_std_m_tm1

Value	Label	Unweighted Frequency	%
-3.463287591934	-	1	0.0 %
-3.249990463257	-	2	0.0 %
-3.166260242462	-	1	0.0 %
-3.132524013519	-	1	0.0 %
-3.050670385361	-	2	0.0 %
-2.982336521149	-	1	0.0 %
-2.923050403595	-	1	0.0 %
-2.869167804718	-	1	0.0 %
-2.865797996521	-	1	0.0 %
-2.747246265411	-	2	0.0 %
-2.741493940353	-	1	0.0 %
-2.741348743439	-	1	0.0 %
-2.731605529785	-	2	0.0 %
-2.703043699265	-	1	0.0 %
-2.607926368713	-	2	0.0 %
-2.564996480942	-	2	0.0 %
-2.561762809753	-	1	0.0 %
-2.536265850067	-	1	0.0 %
-2.527677059174	-	1	0.0 %
-2.525881290436	-	1	0.0 %
-2.516925573349	-	1	0.0 %
-2.486855745316	-	2	0.0 %
-2.451251983643	-	5	0.0 %

Value	Label	Unweighted Frequency	%
-2.448901653290	-	1	0.0 %
-2.428360700607	-	1	0.0 %
-2.418799877167	-	1	0.0 %
-2.399102210999	-	1	0.0 %
-2.372359752655	-	2	0.0 %
-2.342478275299	-	2	0.0 %
-2.307765722275	-	1	0.0 %
-2.267883777618	-	2	0.0 %
-2.258595228195	-	2	0.0 %
-2.240397930145	-	4	0.0 %
-2.238573789597	-	3	0.0 %
-2.178544759750	-	2	0.0 %
-2.170477867126	-	2	0.0 %
-2.150087833405	-	2	0.0 %
-2.144074916840	-	1	0.0 %
-2.104466676712	-	4	0.0 %
-2.102767467499	-	1	0.0 %
-2.092223644257	-	1	0.0 %
-2.088553667068	-	5	0.0 %
-2.078296899796	-	1	0.0 %
-2.048293590546	-	2	0.0 %
-2.044291496277	-	3	0.0 %
-2.016425132751	-	1	0.0 %
-2.014645814896	-	1	0.0 %
-2.003742694855	-	2	0.0 %
-1.980356097221	-	2	0.0 %
-1.977298974991	-	2	0.0 %
	Total	12,661	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,661 valid cases out of 12,661 total cases.

- Mean: 0.015257667943
- Minimum: -3.463287591934
- Maximum: 3.046349048615
- Standard Deviation: 0.603774806416

Location: 221-235 (width: 15; decimal: 12)
Variable Type: numeric

V_GRADE4XSTATE_STD_E_TM1: Interaction of test_grade == 4 and s_state_std_e_tm1

Interaction of test_grade == 4 and s_state_std_e_tm1

Value	Label	Unweighted Frequency	%
-3.373579502106	-	1	0.0 %
-3.147613763809	-	1	0.0 %
-3.042339563370	-	1	0.0 %
-2.875042438507	-	2	0.0 %
-2.718063354492	-	1	0.0 %
-2.693294525146	-	2	0.0 %
-2.686594724655	-	1	0.0 %
-2.635316610336	-	1	0.0 %
-2.615362167358	-	1	0.0 %
-2.575215339661	-	2	0.0 %
-2.559803962708	-	1	0.0 %
-2.540110111237	-	1	0.0 %
-2.522885322571	-	2	0.0 %
-2.496666908264	-	1	0.0 %
-2.466909646988	-	1	0.0 %
-2.451907157898	-	3	0.0 %
-2.343962669373	-	2	0.0 %
-2.341850757599	-	6	0.0 %
-2.329563856125	-	2	0.0 %
-2.287338733673	-	3	0.0 %
-2.263487339020	-	6	0.0 %
-2.253384113312	-	10	0.1 %
-2.245309114456	-	1	0.0 %
-2.244975566864	-	2	0.0 %
-2.223217725754	-	4	0.0 %
-2.171875000000	-	2	0.0 %
-2.166441440582	-	1	0.0 %
-2.142424583435	-	1	0.0 %
-2.132940292358	-	2	0.0 %
-2.131979227066	-	2	0.0 %
-2.122103929520	-	2	0.0 %
-2.079671859741	-	1	0.0 %
-2.079088926315	-	1	0.0 %
-2.046003341675	-	10	0.1 %
-2.038424491882	-	4	0.0 %
-2.033823728561	-	1	0.0 %
-2.027816534042	-	2	0.0 %

Value	Label	Unweighted Frequency	%
-1.983433842659	-	3	0.0 %
-1.962493538857	-	2	0.0 %
-1.953592658043	-	4	0.0 %
-1.940884590149	-	4	0.0 %
-1.922780871391	-	3	0.0 %
-1.914944767952	-	3	0.0 %
-1.895967245102	-	1	0.0 %
-1.892701148987	-	2	0.0 %
-1.864161133766	-	6	0.0 %
-1.848348855972	-	3	0.0 %
-1.819241881371	-	1	0.0 %
-1.818821430206	-	3	0.0 %
-1.818775296211	-	1	0.0 %
	Total	12,661	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,661 valid cases out of 12,661 total cases.

- Mean: 0.033744310943
- Minimum: -3.373579502106
- Maximum: 3.146649599075
- Standard Deviation: 0.636771786848

Location: 236-250 (width: 15; decimal: 12)
Variable Type: numeric

V_GRADE5XSTATE_STD_E_TM1: Interaction of test_grade == 5 and s_state_std_e_tm1

Interaction of test_grade == 5 and s_state_std_e_tm1

Value	Label	Unweighted Frequency	%
-3.584654808044	-	1	0.0 %
-3.464433431625	-	1	0.0 %
-3.131504535675	-	1	0.0 %
-2.954519748688	-	1	0.0 %
-2.921969175339	-	1	0.0 %
-2.863536834717	-	1	0.0 %
-2.793296098709	-	1	0.0 %
-2.712456464767	-	1	0.0 %
-2.668592691422	-	1	0.0 %
-2.661355972290	-	1	0.0 %
-2.567214488983	-	1	0.0 %

Value	Label	Unweighted Frequency	%
-2.561078310013	-	1	0.0 %
-2.559803962708	-	1	0.0 %
-2.554989099503	-	1	0.0 %
-2.530595064163	-	4	0.0 %
-2.508442163467	-	1	0.0 %
-2.505894422531	-	1	0.0 %
-2.504258155823	-	1	0.0 %
-2.501613140106	-	1	0.0 %
-2.483281612396	-	1	0.0 %
-2.436156988144	-	1	0.0 %
-2.427805185318	-	3	0.0 %
-2.425006628036	-	2	0.0 %
-2.417934656143	-	1	0.0 %
-2.405392885208	-	1	0.0 %
-2.401454448700	-	1	0.0 %
-2.397627830505	-	2	0.0 %
-2.373721122742	-	2	0.0 %
-2.369928598404	-	1	0.0 %
-2.330765485764	-	1	0.0 %
-2.309920549393	-	1	0.0 %
-2.308749675751	-	3	0.0 %
-2.268256425858	-	4	0.0 %
-2.263214588165	-	1	0.0 %
-2.243850231171	-	1	0.0 %
-2.218760967255	-	1	0.0 %
-2.208046436310	-	1	0.0 %
-2.205253839493	-	1	0.0 %
-2.205044269562	-	1	0.0 %
-2.178613901138	-	1	0.0 %
-2.175866842270	-	1	0.0 %
-2.134031057358	-	2	0.0 %
-2.133216857910	-	1	0.0 %
-2.131163120270	-	2	0.0 %
-2.109209299088	-	1	0.0 %
-2.092998266220	-	1	0.0 %
-2.092776536942	-	1	0.0 %
-2.060444831848	-	1	0.0 %
-2.058470964432	-	1	0.0 %
-2.050545454025	-	3	0.0 %

Value	Label	Unweighted Frequency	%
	Total	**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,661 valid cases out of 12,661 total cases.

- Mean: 0.020606803293
- Minimum: -3.584654808044
- Maximum: 3.109082698822
- Standard Deviation: 0.616688998324

Location: 251-265 (width: 15; decimal: 12)
Variable Type: numeric

S_ALT_IRT_M: Alternative Math Test Score

Alternative Math Test Score

Based upon 11,938 valid cases out of 12,661 total cases.

- Mean: 0.548079513032
- Minimum: -2.534290075302
- Maximum: 4.335539817810
- Standard Deviation: 1.127418211478

Location: 266-280 (width: 15; decimal: 12)
Variable Type: numeric

S_ALT_IRT_M_TM1: Alternative Math Test Score, prior semester

Alternative Math Test Score, prior semester

Based upon 11,153 valid cases out of 12,661 total cases.

- Mean: -0.041870362855
- Minimum: -2.963002681732
- Maximum: 4.178309917450
- Standard Deviation: 0.971883716949

Location: 281-295 (width: 15; decimal: 12)
Variable Type: numeric

S_SQR_ALT_IRT_M_TM1: Alternative Math Test Score, prior semester, squared

Alternative Math Test Score, prior semester, squared

Based upon 11,153 valid cases out of 12,661 total cases.

- Mean: 0.946226395448
- Minimum: 0.000000032400
- Maximum: 17.458272933960
- Standard Deviation: 1.389100701476

Location: 296-310 (width: 15; decimal: 12)
Variable Type: numeric

S_CUB_ALT_IRT_M_TM1: Alternative Math Test Score, prior semester, cubed

Alternative Math Test Score, prior semester, cubed

Based upon 11,153 valid cases out of 12,661 total cases.

- Mean: 0.29026567480
- Minimum: -26.01334190369
- Maximum: 72.94607543946
- Standard Deviation: 3.93291613880

Location: 311-325 (width: 15; decimal: 11)
Variable Type: numeric

V_MISS_ALT_IRT_M_TM1: Indicates if student is missing s_alt_irt_m_tm1

Indicates if student is missing s_alt_irt_m_tm1

Value	Label	Unweighted Frequency	%
0	No	11153	88.1 %
1	Yes	856	6.8 %
	Missing Data		
.	-	652	5.1 %
	Total	**12,661**	**100%**

Based upon 12,009 valid cases out of 12,661 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 326-326 (width: 1; decimal: 0)
Variable Type: numeric

V_IMP_ALT_IRT_M_TM1: Alternative Math Test Score, prior semester, imputed to zero if missing

Alternative Math Test Score, prior semester, imputed to zero if missing

Based upon 12,009 valid cases out of 12,661 total cases.

- Mean: -0.038885848690
- Minimum: -2.963002681732
- Maximum: 4.178309917450
- Standard Deviation: 0.936664532046

Location: 327-341 (width: 15; decimal: 12)
Variable Type: numeric

V_GRADE4XALT_IRT_M_TM1: Interaction of alt_test_grade == 4 and s_alt_irt_m_tm1

Interaction of alt_test_grade == 4 and s_alt_irt_m_tm1

Based upon 12,031 valid cases out of 12,661 total cases.

- Mean: -0.143761809102
- Minimum: -2.963002681732
- Maximum: 2.871769905090
- Standard Deviation: 0.615873773134

Location: 342-356 (width: 15; decimal: 12)
Variable Type: numeric

V_GRADE5XALT_IRT_M_TM1: Interaction of alt_test_grade == 5 and s_alt_irt_m_tm1

Interaction of alt_test_grade == 5 and s_alt_irt_m_tm1

Based upon 12,031 valid cases out of 12,661 total cases.

- Mean: 0.104947067442
- Minimum: -2.696935892105
- Maximum: 4.178309917450
- Standard Deviation: 0.682833058791

Location: 357-371 (width: 15; decimal: 12)
Variable Type: numeric

V_SSCHOOL_SIZE: Number of students in cohort (School & Grade-level)

Number of students in cohort (School & Grade-level)

Value	Label	Unweighted Frequency	%
1	-	35	0.3 %
2	-	32	0.3 %
3	-	12	0.1 %
4	-	36	0.3 %
5	-	15	0.1 %
6	-	12	0.1 %
9	-	9	0.1 %
10	-	10	0.1 %
14	-	14	0.1 %
15	-	60	0.5 %
18	-	18	0.1 %
19	-	19	0.2 %
20	-	20	0.2 %
23	-	17	0.1 %
24	-	24	0.2 %
25	-	50	0.4 %
26	-	26	0.2 %

Value	Label	Unweighted Frequency	%
28	-	28	0.2 %
29	-	29	0.2 %
30	-	104	0.8 %
32	-	20	0.2 %
34	-	102	0.8 %
35	-	105	0.8 %
38	-	38	0.3 %
40	-	59	0.5 %
45	-	90	0.7 %
46	-	23	0.2 %
47	-	95	0.8 %
48	-	142	1.1 %
49	-	164	1.3 %
50	-	50	0.4 %
51	-	51	0.4 %
52	-	104	0.8 %
53	-	99	0.8 %
55	-	120	0.9 %
57	-	114	0.9 %
58	-	24	0.2 %
59	-	99	0.8 %
62	-	111	0.9 %
63	-	203	1.6 %
64	-	64	0.5 %
65	-	147	1.2 %
66	-	164	1.3 %
67	-	164	1.3 %
68	-	32	0.3 %
69	-	107	0.8 %
70	-	28	0.2 %
71	-	121	1.0 %
72	-	137	1.1 %
74	-	35	0.3 %
	Total	**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,661 valid cases out of 12,661 total cases.

• Mean: 122.73

- Median: 109.00
- Mode: 134.00
- Minimum: 1.00
- Maximum: 295.00
- Standard Deviation: 65.81

Location: 372-374 (width: 3; decimal: 0)
Variable Type: numeric

V_SS_MALE: Cohort (School & Grade-level) average of s_male

Cohort (School & Grade-level) average of s_male

Value	Label	Unweighted Frequency	%
0.0000000000000	-	72	0.6 %
0.0117647061124	-	85	0.7 %
0.0500000007451	-	15	0.1 %
0.0666666701436	-	15	0.1 %
0.2000000029802	-	25	0.2 %
0.2500000000000	-	4	0.0 %
0.2631579041481	-	20	0.2 %
0.2666666805744	-	45	0.4 %
0.3142857253551	-	17	0.1 %
0.3214285671711	-	30	0.2 %
0.3333333432674	-	18	0.1 %
0.3529411852360	-	18	0.1 %
0.3617021143436	-	47	0.4 %
0.3684210479259	-	38	0.3 %
0.3928571343422	-	28	0.2 %
0.3958333432674	-	48	0.4 %
0.4117647111416	-	34	0.3 %
0.4126984179020	-	102	0.8 %
0.4153846204281	-	50	0.4 %
0.4166666567326	-	102	0.8 %
0.4197530746460	-	14	0.1 %
0.4206349253654	-	126	1.0 %
0.4230769276619	-	14	0.1 %
0.4255319237709	-	23	0.2 %
0.4270833432674	-	14	0.1 %
0.4285714328289	-	35	0.3 %
0.4300000071526	-	43	0.3 %
0.4307692348957	-	37	0.3 %
0.4329896867275	-	25	0.2 %

Value	Label	Unweighted Frequency	%
0.4342105388641	-	76	0.6 %
0.4347825944424	-	17	0.1 %
0.4358974397182	-	36	0.3 %
0.4375000000000	-	30	0.2 %
0.4385964870453	-	57	0.5 %
0.4406779706478	-	44	0.3 %
0.4444444477558	-	57	0.5 %
0.4482758641243	-	24	0.2 %
0.4508196711540	-	99	0.8 %
0.4516128897667	-	16	0.1 %
0.4518072307110	-	74	0.6 %
0.4519230723381	-	71	0.6 %
0.4535315930843	-	226	1.8 %
0.4545454680920	-	31	0.2 %
0.4553571343422	-	98	0.8 %
0.4561403393745	-	36	0.3 %
0.4583333432674	-	35	0.3 %
0.4600000083447	-	50	0.4 %
0.4605263173580	-	19	0.2 %
0.4631578922272	-	64	0.5 %
0.4632768332958	-	49	0.4 %
	Missing Data		
.	-	58	0.5 %
	Total	**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,603 valid cases out of 12,661 total cases.

- Mean: 0.5032791615007
- Median: 0.5142857432365
- Mode: 0.5000000000000
- Minimum: 0.0000000000000
- Maximum: 1.0000000000000
- Standard Deviation: 0.0866217481028

Location: 375-389 (width: 15; decimal: 13)
Variable Type: numeric

V_SS_AFAM: Cohort (School & Grade-level) average of s_afam

Cohort (School & Grade-level) average of s_afam

Value	Label	Unweighted Frequency	%
0.0000000000000	-	30	0.2 %
0.0106382975355	-	71	0.6 %
0.0120481923223	-	80	0.6 %
0.0215053763241	-	44	0.3 %
0.0441176481545	-	51	0.4 %
0.1000000014901	-	57	0.5 %
0.1031746044755	-	26	0.2 %
0.1063829809427	-	47	0.4 %
0.1129032224417	-	16	0.1 %
0.1194029822946	-	43	0.3 %
0.1206896528602	-	55	0.4 %
0.1304347813129	-	17	0.1 %
0.1310344785452	-	20	0.2 %
0.1311475336552	-	58	0.5 %
0.1374045759439	-	103	0.8 %
0.1375661343336	-	42	0.3 %
0.1386138647795	-	51	0.4 %
0.1390374302864	-	81	0.6 %
0.1428571492434	-	90	0.7 %
0.1503759324551	-	80	0.6 %
0.1530612260103	-	75	0.6 %
0.1567164212465	-	126	1.0 %
0.1739130467176	-	115	0.9 %
0.1800000071526	-	50	0.4 %
0.1810344755650	-	24	0.2 %
0.1914893686771	-	47	0.4 %
0.1960784345865	-	51	0.4 %
0.1969697028399	-	32	0.3 %
0.2014925330877	-	115	0.9 %
0.2021276652813	-	52	0.4 %
0.2044198960066	-	64	0.5 %
0.2055335938931	-	95	0.8 %
0.2097902148962	-	116	0.9 %
0.2101694941521	-	182	1.4 %
0.2108843475580	-	141	1.1 %
0.2164179086685	-	69	0.5 %
0.2193308621645	-	226	1.8 %
0.2201834917068	-	19	0.2 %
0.2265625000000	-	22	0.2 %

Value	Label	Unweighted Frequency	%
0.2289156615734	-	48	0.4 %
0.2300000041723	-	100	0.8 %
0.2307692319155	-	108	0.9 %
0.2318840622902	-	44	0.3 %
0.2352941185236	-	52	0.4 %
0.2386363595724	-	69	0.5 %
0.2405660450459	-	73	0.6 %
0.2408759146929	-	223	1.8 %
0.2421052604914	-	64	0.5 %
0.2465753406286	-	35	0.3 %
0.2489626556635	-	124	1.0 %
	Missing Data		
.	-	58	0.5 %
	Total	**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,603 valid cases out of 12,661 total cases.

- Mean: 0.4225920544601
- Median: 0.3743589818478
- Mode: 1.0000000000000
- Minimum: 0.0000000000000
- Maximum: 1.0000000000000
- Standard Deviation: 0.2372742513000

Location: 390-404 (width: 15; decimal: 13)
Variable Type: numeric

V_SS_ASIAN: Cohort (School & Grade-level) average of s_asian

Cohort (School & Grade-level) average of s_asian

Value	Label	Unweighted Frequency	%
0.0000000000000	-	1738	13.7 %
0.0077519379556	-	130	1.0 %
0.0080000003800	-	126	1.0 %
0.0080645158887	-	124	1.0 %
0.0102040814236	-	19	0.2 %
0.0106382975355	-	71	0.6 %
0.0112359551713	-	63	0.5 %
0.0117647061124	-	128	1.0 %

Value	Label	Unweighted Frequency	%
0.0120481923223	-	80	0.6 %
0.0123456791043	-	24	0.2 %
0.0128205129877	-	36	0.3 %
0.0131578948349	-	19	0.2 %
0.0138888889924	-	71	0.6 %
0.0144927538931	-	56	0.4 %
0.0147058824077	-	51	0.4 %
0.0149253727868	-	56	0.4 %
0.0153846153989	-	60	0.5 %
0.0156250000000	-	64	0.5 %
0.0158730167896	-	303	2.4 %
0.0161290317774	-	16	0.1 %
0.0169491525739	-	53	0.4 %
0.0180722884834	-	74	0.6 %
0.0188679248095	-	144	1.1 %
0.0192307699472	-	135	1.1 %
0.0199999995530	-	100	0.8 %
0.0204081628472	-	190	1.5 %
0.0206185560673	-	25	0.2 %
0.0208333339542	-	102	0.8 %
0.0209790207446	-	116	0.9 %
0.0215053763241	-	175	1.4 %
0.0224719103426	-	83	0.7 %
0.0238095242530	-	64	0.5 %
0.0240963846445	-	48	0.4 %
0.0250000003725	-	74	0.6 %
0.0256410259753	-	129	1.0 %
0.0276497695595	-	45	0.4 %
0.0281690135598	-	71	0.6 %
0.0282485876232	-	49	0.4 %
0.0283018872142	-	53	0.4 %
0.0285714287311	-	33	0.3 %
0.0298507455736	-	67	0.5 %
0.0303030312061	-	66	0.5 %
0.0312500000000	-	60	0.5 %
0.0315789468586	-	95	0.8 %
0.0316455699503	-	44	0.3 %
0.0319148935378	-	79	0.6 %
0.0326086953282	-	90	0.7 %

Value	Label	Unweighted Frequency	%
0.0329670347273	-	42	0.3 %
0.0333333350718	-	74	0.6 %
0.0357142873108	-	28	0.2 %
	Missing Data		
.	-	58	0.5 %
	Total	**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,603 valid cases out of 12,661 total cases.

- Mean: 0.0794969626662
- Median: 0.0390243902802
- Mode: 0.0000000000000
- Minimum: 0.0000000000000
- Maximum: 1.0000000000000
- Standard Deviation: 0.1076908148274

Location: 405-419 (width: 15; decimal: 13)
Variable Type: numeric

V_SS_HISP: Cohort (School & Grade-level) average of s_hisp

Cohort (School & Grade-level) average of s_hisp

Value	Label	Unweighted Frequency	%
0.0000000000000	-	596	4.7 %
0.0117647061124	-	85	0.7 %
0.0138888889924	-	102	0.8 %
0.0169491525739	-	44	0.3 %
0.0222222227603	-	45	0.4 %
0.0250000003725	-	48	0.4 %
0.0256410259753	-	36	0.3 %
0.0285714287311	-	17	0.1 %
0.0294117648154	-	34	0.3 %
0.0333333350718	-	14	0.1 %
0.0394736826420	-	76	0.6 %
0.0399999991059	-	75	0.6 %
0.0425531901419	-	25	0.2 %
0.0476190485060	-	44	0.3 %
0.0500000007451	-	41	0.3 %
0.0526315793395	-	39	0.3 %

Value	Label	Unweighted Frequency	%
0.0555555559695	-	18	0.1 %
0.0588235296309	-	103	0.8 %
0.0612244904041	-	49	0.4 %
0.0617283955216	-	44	0.3 %
0.0625000000000	-	135	1.1 %
0.0638297870755	-	47	0.4 %
0.0666666701436	-	15	0.1 %
0.0683760717511	-	54	0.4 %
0.0694444477558	-	66	0.5 %
0.0697674453259	-	130	1.0 %
0.0704225376248	-	71	0.6 %
0.0737327188253	-	45	0.4 %
0.0737704932690	-	99	0.8 %
0.0742857158184	-	69	0.5 %
0.0746268630028	-	67	0.5 %
0.0760869532824	-	90	0.7 %
0.0769230797887	-	14	0.1 %
0.0783132538199	-	74	0.6 %
0.0793650820851	-	126	1.0 %
0.0827586203814	-	20	0.2 %
0.0833333358169	-	155	1.2 %
0.0862068980932	-	24	0.2 %
0.0873015895486	-	126	1.0 %
0.0877192988992	-	57	0.5 %
0.0884353742003	-	141	1.1 %
0.0916030555964	-	103	0.8 %
0.0921052619815	-	68	0.5 %
0.0926829278469	-	97	0.8 %
0.0927835032344	-	94	0.7 %
0.0943396240473	-	73	0.6 %
0.0944881886244	-	78	0.6 %
0.0961538478732	-	117	0.9 %
0.0977443605661	-	80	0.6 %
0.0979020968080	-	116	0.9 %
	Missing Data		
.	-	58	0.5 %
	Total	12,661	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,603 valid cases out of 12,661 total cases.

- Mean: 0.2300551208871
- Median: 0.1641791015863
- Mode: 0.0000000000000
- Minimum: 0.0000000000000
- Maximum: 1.0000000000000
- Standard Deviation: 0.1966531177022

Location: 420-434 (width: 15; decimal: 13)
Variable Type: numeric

V_SS_WHITE: Cohort (School & Grade-level) average of s_white

Cohort (School & Grade-level) average of s_white

Value	Label	Unweighted Frequency	%
0.0000000000000	-	1571	12.4 %
0.0088495574892	-	69	0.5 %
0.0097087379545	-	52	0.4 %
0.0099999997765	-	43	0.3 %
0.0102040814236	-	19	0.2 %
0.0104166669771	-	14	0.1 %
0.0123456791043	-	14	0.1 %
0.0129870129749	-	41	0.3 %
0.0133333336562	-	21	0.2 %
0.0158730167896	-	44	0.3 %
0.0161290317774	-	16	0.1 %
0.0175438597798	-	24	0.2 %
0.0210526324809	-	57	0.5 %
0.0212765950710	-	70	0.6 %
0.0219780225307	-	15	0.1 %
0.0256410259753	-	50	0.4 %
0.0273224040866	-	33	0.3 %
0.0312500000000	-	80	0.6 %
0.0319148935378	-	81	0.6 %
0.0333333350718	-	14	0.1 %
0.0344827584922	-	55	0.4 %
0.0346820801497	-	33	0.3 %
0.0348837226629	-	58	0.5 %
0.0372340418398	-	52	0.4 %
0.0373134315014	-	43	0.3 %

Value	Label	Unweighted Frequency	%
0.0394736826420	-	68	0.5 %
0.0396039597690	-	51	0.4 %
0.0434782616794	-	23	0.2 %
0.0444444455206	-	30	0.2 %
0.0472972989082	-	90	0.7 %
0.0506329126656	-	44	0.3 %
0.0507246367633	-	44	0.3 %
0.0514285713434	-	69	0.5 %
0.0529100522399	-	42	0.3 %
0.0532544367015	-	98	0.8 %
0.0549450553954	-	42	0.3 %
0.0561224482954	-	75	0.6 %
0.0575916245580	-	79	0.6 %
0.0588235296309	-	51	0.4 %
0.0621468909085	-	49	0.4 %
0.0652173906565	-	94	0.7 %
0.0655737668276	-	104	0.8 %
0.0695187151432	-	81	0.6 %
0.0722891539335	-	68	0.5 %
0.0727272704244	-	31	0.2 %
0.0744680836797	-	71	0.6 %
0.0758620724082	-	20	0.2 %
0.0769230797887	-	87	0.7 %
0.0786516889930	-	63	0.5 %
0.0860215052962	-	127	1.0 %
	Missing Data		
.	-	58	0.5 %
	Total	**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,603 valid cases out of 12,661 total cases.

- Mean: 0.2289552583998
- Median: 0.2017543911934
- Mode: 0.0000000000000
- Minimum: 0.0000000000000
- Maximum: 1.0000000000000
- Standard Deviation: 0.1977255839140

Location: 435-449 (width: 15; decimal: 13)
Variable Type: numeric

V_SS_LEP: Cohort (School & Grade-level) average of s_lep

Cohort (School & Grade-level) average of s_lep

Value	Label	Unweighted Frequency	%
0.0000000000000	-	907	7.2 %
0.0069444444962	-	102	0.8 %
0.0138248847798	-	45	0.4 %
0.0196078438312	-	103	0.8 %
0.0204081628472	-	190	1.5 %
0.0250000003725	-	15	0.1 %
0.0294117648154	-	34	0.3 %
0.0312500000000	-	64	0.5 %
0.0333333350718	-	14	0.1 %
0.0338983051479	-	44	0.3 %
0.0344827584922	-	29	0.2 %
0.0384615398943	-	161	1.3 %
0.0388349518180	-	51	0.4 %
0.0444444455206	-	45	0.4 %
0.0451977401972	-	49	0.4 %
0.0515463910997	-	79	0.6 %
0.0526315793395	-	140	1.1 %
0.0528846159577	-	94	0.7 %
0.0542168691754	-	74	0.6 %
0.0547263696790	-	56	0.4 %
0.0591397844255	-	92	0.7 %
0.0597014911473	-	69	0.5 %
0.0602409653366	-	48	0.4 %
0.0606060624123	-	132	1.0 %
0.0666666701436	-	15	0.1 %
0.0671641826630	-	126	1.0 %
0.0684210509062	-	51	0.4 %
0.0699300691485	-	116	0.9 %
0.0706521719694	-	90	0.7 %
0.0714285746217	-	64	0.5 %
0.0746268630028	-	115	0.9 %
0.0769230797887	-	135	1.1 %
0.0793650820851	-	107	0.8 %
0.0797101482749	-	115	0.9 %
0.0799999982119	-	100	0.8 %
0.0833333358169	-	95	0.8 %

Value	Label	Unweighted Frequency	%
0.0878048762679	-	97	0.8 %
0.0882352963090	-	34	0.3 %
0.0901639312506	-	99	0.8 %
0.0917431190610	-	19	0.2 %
0.0939226523042	-	64	0.5 %
0.0971428602934	-	69	0.5 %
0.0987654328346	-	24	0.2 %
0.1005290970206	-	92	0.7 %
0.1022727265954	-	69	0.5 %
0.1037735864520	-	41	0.3 %
0.1052631586790	-	92	0.7 %
0.1057692319155	-	71	0.6 %
0.1084905639291	-	73	0.6 %
0.1090909093618	-	31	0.2 %
	Missing Data		
.	-	80	0.6 %
	Total	**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,581 valid cases out of 12,661 total cases.

- Mean: 0.2122434858227
- Median: 0.1923076957464
- Mode: 0.0000000000000
- Minimum: 0.0000000000000
- Maximum: 1.0000000000000
- Standard Deviation: 0.1636063498803

Location: 450-464 (width: 15; decimal: 13)
Variable Type: numeric

V_SS_FRPL: Cohort (School & Grade-level) average of s_frpl

Cohort (School & Grade-level) average of s_frpl

Value	Label	Unweighted Frequency	%
0.0000000000000	-	5	0.0 %
0.0196078438312	-	52	0.4 %
0.0399999991059	-	50	0.4 %
0.0425531901419	-	47	0.4 %
0.0750000029802	-	48	0.4 %

Value	Label	Unweighted Frequency	%
0.0816326513886	-	49	0.4 %
0.0980392172933	-	51	0.4 %
0.2641509473324	-	73	0.6 %
0.2761194109917	-	126	1.0 %
0.3012820482254	-	117	0.9 %
0.3095238208771	-	50	0.4 %
0.3152174055576	-	90	0.7 %
0.3157894611359	-	64	0.5 %
0.3188405930996	-	115	0.9 %
0.3195876181126	-	79	0.6 %
0.3214285671711	-	64	0.5 %
0.3259668648243	-	64	0.5 %
0.3283582031727	-	39	0.3 %
0.3333333432674	-	3	0.0 %
0.3365384638309	-	135	1.1 %
0.3414634168148	-	97	0.8 %
0.3499999940395	-	100	0.8 %
0.3507462739944	-	69	0.5 %
0.3522727191448	-	69	0.5 %
0.3541666567326	-	102	0.8 %
0.3640553057194	-	45	0.4 %
0.3674698770046	-	74	0.6 %
0.3734939694405	-	48	0.4 %
0.3741496503353	-	141	1.1 %
0.3846153914928	-	71	0.6 %
0.3894230723381	-	94	0.7 %
0.3916083872318	-	116	0.9 %
0.3955223858356	-	115	0.9 %
0.4062500000000	-	64	0.5 %
0.4077669978142	-	51	0.4 %
0.4245283007622	-	41	0.3 %
0.4333333373070	-	14	0.1 %
0.4574468135834	-	71	0.6 %
0.4813559353352	-	182	1.4 %
0.4941176474094	-	85	0.7 %
0.5000000000000	-	75	0.6 %
0.5055761933327	-	226	1.8 %
0.5079365372658	-	57	0.5 %
0.5291970968246	-	223	1.8 %

Value	Label	Unweighted Frequency	%
0.5303030014038	-	66	0.5 %
0.5378485918045	-	148	1.2 %
0.5494505763054	-	146	1.2 %
0.5517241358757	-	24	0.2 %
0.5560166239738	-	124	1.0 %
0.5573770403862	-	99	0.8 %
	Missing Data		
.	-	80	0.6 %
	Total	**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,581 valid cases out of 12,661 total cases.

- Mean: 0.6652598603633
- Median: 0.7314285635948
- Mode: 1.0000000000000
- Minimum: 0.0000000000000
- Maximum: 1.0000000000000
- Standard Deviation: 0.2267688080668

Location: 465-479 (width: 15; decimal: 13)
Variable Type: numeric

V_SS_SPED: Cohort (School & Grade-level) average of s_sped

Cohort (School & Grade-level) average of s_sped

Value	Label	Unweighted Frequency	%
0.0000000000000	-	118	0.9 %
0.0144927538931	-	56	0.4 %
0.0222222227603	-	45	0.4 %
0.0350877195597	-	57	0.5 %
0.0384615398943	-	26	0.2 %
0.0408163256943	-	49	0.4 %
0.0409836061299	-	99	0.8 %
0.0425531901419	-	23	0.2 %
0.0500000007451	-	15	0.1 %
0.0520231202245	-	33	0.3 %
0.0526315793395	-	76	0.6 %
0.0547263696790	-	56	0.4 %
0.0566037744284	-	40	0.3 %

Value	Label	Unweighted Frequency	%
0.0571428574622	-	17	0.1 %
0.0588235296309	-	171	1.4 %
0.0599078349769	-	45	0.4 %
0.0599999986589	-	50	0.4 %
0.0615384615958	-	108	0.9 %
0.0620437972248	-	223	1.8 %
0.0666666701436	-	30	0.2 %
0.0680628269911	-	79	0.6 %
0.0693069323897	-	101	0.8 %
0.0714285746217	-	26	0.2 %
0.0721153840423	-	135	1.1 %
0.0736842080951	-	95	0.8 %
0.0757575780153	-	66	0.5 %
0.0769230797887	-	12	0.1 %
0.0784313753247	-	51	0.4 %
0.0797872319818	-	52	0.4 %
0.0818713456392	-	36	0.3 %
0.0828402340412	-	98	0.8 %
0.0843373462558	-	74	0.6 %
0.0849056616426	-	104	0.8 %
0.0857142880559	-	35	0.3 %
0.0874999985099	-	60	0.5 %
0.0902255624533	-	80	0.6 %
0.0909090936184	-	95	0.8 %
0.0921052619815	-	19	0.2 %
0.0927835032344	-	25	0.2 %
0.0928961783648	-	33	0.3 %
0.0940594077110	-	51	0.4 %
0.0943396240473	-	53	0.4 %
0.0947368443012	-	51	0.4 %
0.0949367061257	-	44	0.3 %
0.0952380970120	-	44	0.3 %
0.0972222238779	-	102	0.8 %
0.0982142835855	-	98	0.8 %
0.0989011004567	-	68	0.5 %
0.0995850637555	-	124	1.0 %
0.1014492735267	-	44	0.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	80	0.6 %
	Total	**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,581 valid cases out of 12,661 total cases.

- Mean: 0.1471563346739
- Median: 0.1272727251053
- Mode: 0.1250000000000
- Minimum: 0.0000000000000
- Maximum: 1.0000000000000
- Standard Deviation: 0.0807492805718

Location: 480-494 (width: 15; decimal: 13)
Variable Type: numeric

V_SS_STATE_STD_M_TM1: Cohort (School & Grade-level) average of s_state_std_m_tm1

Cohort (School & Grade-level) average of s_state_std_m_tm1

Value	Label	Unweighted Frequency	%
-1.561804294586	-	4	0.0 %
-1.399688005447	-	35	0.3 %
-1.146743655205	-	2	0.0 %
-0.837710261345	-	2	0.0 %
-0.760789930820	-	24	0.2 %
-0.758788526058	-	25	0.2 %
-0.711085557938	-	1	0.0 %
-0.670509934425	-	14	0.1 %
-0.594797611237	-	57	0.5 %
-0.580015361309	-	2	0.0 %
-0.558152556419	-	50	0.4 %
-0.542860269547	-	60	0.5 %
-0.529100239277	-	14	0.1 %
-0.502769649029	-	44	0.3 %
-0.499077409506	-	69	0.5 %
-0.483496606350	-	49	0.4 %
-0.464460223913	-	71	0.6 %
-0.454945325851	-	15	0.1 %
-0.451669007540	-	51	0.4 %
-0.442182391882	-	29	0.2 %
-0.436597734690	-	30	0.2 %

Value	Label	Unweighted Frequency	%
-0.433053374290	-	60	0.5 %
-0.423699229956	-	19	0.2 %
-0.421407759190	-	21	0.2 %
-0.419048964977	-	18	0.1 %
-0.417704343796	-	81	0.6 %
-0.417122513056	-	43	0.3 %
-0.385450750589	-	17	0.1 %
-0.384271740913	-	16	0.1 %
-0.382155150175	-	44	0.3 %
-0.378572165966	-	1	0.0 %
-0.377246916294	-	34	0.3 %
-0.375399559736	-	32	0.3 %
-0.372558772564	-	19	0.2 %
-0.357434034348	-	52	0.4 %
-0.351700335741	-	17	0.1 %
-0.340109825134	-	45	0.4 %
-0.338348388672	-	15	0.1 %
-0.337956815958	-	14	0.1 %
-0.336006700993	-	74	0.6 %
-0.335000425577	-	54	0.4 %
-0.331884175539	-	126	1.0 %
-0.329510688782	-	42	0.3 %
-0.328365832567	-	33	0.3 %
-0.325658112764	-	33	0.3 %
-0.323938429356	-	15	0.1 %
-0.322573691607	-	30	0.2 %
-0.316433697939	-	19	0.2 %
-0.307595491409	-	35	0.3 %
-0.303706914186	-	44	0.3 %
	Missing Data		
.	-	127	1.0 %
	Total	**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,534 valid cases out of 12,661 total cases.

- Mean: 0.025783381927
- Median: 0.015991704538
- Mode: 0.105065360665

- Minimum: -1.561804294586
- Maximum: 1.182835698128
- Standard Deviation: 0.319277817395

Location: 495-509 (width: 15; decimal: 12)
Variable Type: numeric

V_SS_STATE_STD_E_TM1: Cohort (School & Grade-level) average of s_state_std_e_tm1

Cohort (School & Grade-level) average of s_state_std_e_tm1

Value	Label	Unweighted Frequency	%
-2.253384113312	-	2	0.0 %
-1.710556268692	-	4	0.0 %
-1.159991025925	-	35	0.3 %
-1.024621963501	-	18	0.1 %
-0.842824757099	-	4	0.0 %
-0.722994446754	-	20	0.2 %
-0.691872358322	-	15	0.1 %
-0.653762578964	-	49	0.4 %
-0.635441184044	-	3	0.0 %
-0.633259415627	-	14	0.1 %
-0.618662714958	-	14	0.1 %
-0.606803655624	-	44	0.3 %
-0.603172242641	-	54	0.4 %
-0.593598484993	-	25	0.2 %
-0.591004192829	-	60	0.5 %
-0.573370635509	-	69	0.5 %
-0.560751736164	-	32	0.3 %
-0.548208892345	-	21	0.2 %
-0.495606124401	-	6	0.0 %
-0.486639678478	-	14	0.1 %
-0.484146028757	-	1	0.0 %
-0.478885620832	-	57	0.5 %
-0.474909454584	-	43	0.3 %
-0.474520325661	-	29	0.2 %
-0.472037881613	-	24	0.2 %
-0.467609733343	-	44	0.3 %
-0.464784681797	-	14	0.1 %
-0.460049539804	-	17	0.1 %
-0.457320243120	-	33	0.3 %
-0.420607060194	-	83	0.7 %
-0.413362354040	-	52	0.4 %

Value	Label	Unweighted Frequency	%
-0.383924126625	-	44	0.3 %
-0.379904866219	-	104	0.8 %
-0.379601120949	-	60	0.5 %
-0.373683631420	-	34	0.3 %
-0.365652829409	-	26	0.2 %
-0.360646396875	-	18	0.1 %
-0.356202721596	-	1	0.0 %
-0.354315847158	-	130	1.0 %
-0.346185177565	-	51	0.4 %
-0.341776639223	-	81	0.6 %
-0.337615817785	-	71	0.6 %
-0.332245558500	-	54	0.4 %
-0.332124501467	-	50	0.4 %
-0.331766486168	-	30	0.2 %
-0.317574143410	-	25	0.2 %
-0.306095123291	-	135	1.1 %
-0.299050778151	-	52	0.4 %
-0.298982322216	-	19	0.2 %
-0.295832067728	-	17	0.1 %
	Missing Data		
.	-	127	1.0 %
	Total	**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,534 valid cases out of 12,661 total cases.

- Mean: 0.017575629061
- Median: 0.019963938743
- Mode: 0.225142836571
- Minimum: -2.253384113312
- Maximum: 1.225541234016
- Standard Deviation: 0.326603783885

Location: 510-524 (width: 15; decimal: 12)
Variable Type: numeric

V_S_MISS_STATE_STD_M_TM1: Cohort (School & Grade-level) average of _miss_state_std_m_tm1

Cohort (School & Grade-level) average of _miss_state_std_m_tm1

Value	Label	Unweighted Frequency	%
0.0000000000000	-	262	2.1 %
0.0091743115336	-	19	0.2 %
0.0116279069334	-	58	0.5 %
0.0169491525739	-	44	0.3 %
0.0175438597798	-	57	0.5 %
0.0192307699472	-	40	0.3 %
0.0199999995530	-	50	0.4 %
0.0212765950710	-	47	0.4 %
0.0235849060118	-	73	0.6 %
0.0263157896698	-	76	0.6 %
0.0270270276815	-	35	0.3 %
0.0276679843664	-	95	0.8 %
0.0283018872142	-	27	0.2 %
0.0294117648154	-	34	0.3 %
0.0368421040475	-	51	0.4 %
0.0372881367803	-	182	1.4 %
0.0384615398943	-	140	1.1 %
0.0392156876624	-	51	0.4 %
0.0416666679084	-	71	0.6 %
0.0421052649617	-	71	0.6 %
0.0425531901419	-	2	0.0 %
0.0434782616794	-	141	1.1 %
0.0444444455206	-	43	0.3 %
0.0447761192918	-	126	1.0 %
0.0454545468092	-	66	0.5 %
0.0459183678031	-	75	0.6 %
0.0465116277337	-	78	0.6 %
0.0468750000000	-	64	0.5 %
0.0476190485060	-	44	0.3 %
0.0487804859877	-	97	0.8 %
0.0497237555683	-	64	0.5 %
0.0506329126656	-	14	0.1 %
0.0512820519507	-	144	1.1 %
0.0526315793395	-	158	1.2 %
0.0535714291036	-	98	0.8 %
0.0555555559695	-	126	1.0 %
0.0564516112208	-	124	1.0 %
0.0566037744284	-	53	0.4 %
0.0584795325994	-	36	0.3 %

Value	Label	Unweighted Frequency	%
0.0588235296309	-	34	0.3 %
0.0597014911473	-	39	0.3 %
0.0606060624123	-	66	0.5 %
0.0612244904041	-	49	0.4 %
0.0615384615958	-	50	0.4 %
0.0617283955216	-	44	0.3 %
0.0618556700647	-	79	0.6 %
0.0620689652860	-	20	0.2 %
0.0622406639159	-	124	1.0 %
0.0625000000000	-	125	1.0 %
0.0628571435809	-	33	0.3 %
	Total	**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,661 valid cases out of 12,661 total cases.

- Mean: 0.1054733347783
- Median: 0.0769230797887
- Mode: 0.0000000000000
- Minimum: 0.0000000000000
- Maximum: 1.0000000000000
- Standard Deviation: 0.1213932080703

Location: 525-539 (width: 15; decimal: 13)
Variable Type: numeric

V_S_MISS_STATE_STD_E_TM1: Cohort (School & Grade-level) average of _miss_state_std_e_tm1

Cohort (School & Grade-level) average of _miss_state_std_e_tm1

Value	Label	Unweighted Frequency	%
0.0000000000000	-	258	2.0 %
0.0091743115336	-	19	0.2 %
0.0116279069334	-	58	0.5 %
0.0169491525739	-	44	0.3 %
0.0175438597798	-	57	0.5 %
0.0199999995530	-	50	0.4 %
0.0212765950710	-	47	0.4 %
0.0235849060118	-	73	0.6 %
0.0263157896698	-	76	0.6 %
0.0294117648154	-	34	0.3 %

Value	Label	Unweighted Frequency	%
0.0317460335791	-	57	0.5 %
0.0355731211603	-	95	0.8 %
0.0368421040475	-	51	0.4 %
0.0384615398943	-	111	0.9 %
0.0392156876624	-	51	0.4 %
0.0416666679084	-	71	0.6 %
0.0421052649617	-	71	0.6 %
0.0434782616794	-	141	1.1 %
0.0440677963197	-	182	1.4 %
0.0444444455206	-	43	0.3 %
0.0447761192918	-	126	1.0 %
0.0454545468092	-	66	0.5 %
0.0459183678031	-	75	0.6 %
0.0465116277337	-	78	0.6 %
0.0468750000000	-	64	0.5 %
0.0476190485060	-	141	1.1 %
0.0487804859877	-	97	0.8 %
0.0506912432611	-	45	0.4 %
0.0512820519507	-	144	1.1 %
0.0526315793395	-	122	1.0 %
0.0552486181259	-	64	0.5 %
0.0555555559695	-	126	1.0 %
0.0564516112208	-	124	1.0 %
0.0566037744284	-	53	0.4 %
0.0576923079789	-	12	0.1 %
0.0588235296309	-	34	0.3 %
0.0597014911473	-	39	0.3 %
0.0606060624123	-	66	0.5 %
0.0612244904041	-	49	0.4 %
0.0622406639159	-	124	1.0 %
0.0625000000000	-	223	1.8 %
0.0628571435809	-	33	0.3 %
0.0646766200662	-	56	0.4 %
0.0652173906565	-	115	0.9 %
0.0655737668276	-	99	0.8 %
0.0660377368331	-	27	0.2 %
0.0666666701436	-	15	0.1 %
0.0671641826630	-	115	0.9 %
0.0675675645471	-	35	0.3 %

Value	Label	Unweighted Frequency	%
0.0689655169845	-	49	0.4 %
	Total	**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,661 valid cases out of 12,661 total cases.

- Mean: 0.1116981007684
- Median: 0.0842105299234
- Mode: 0.0000000000000
- Minimum: 0.0000000000000
- Maximum: 1.0000000000000
- Standard Deviation: 0.1225136996142

Location: 540-554 (width: 15; decimal: 13)
Variable Type: numeric

V_SS_ALT_IRT_M_TM1: Cohort (School & Grade-level) average of s_alt_irt_m_tm1

Cohort (School & Grade-level) average of s_alt_irt_m_tm1

Value	Label	Unweighted Frequency	%
-1.646272063255	-	20	0.2 %
-1.305844426155	-	19	0.2 %
-1.229881644249	-	6	0.0 %
-1.188560843468	-	17	0.1 %
-1.131715059280	-	14	0.1 %
-1.107935667038	-	15	0.1 %
-1.088795185089	-	29	0.2 %
-1.077939152718	-	67	0.5 %
-1.047033667564	-	34	0.3 %
-1.036310791969	-	15	0.1 %
-1.024072885513	-	30	0.2 %
-0.982886672020	-	15	0.1 %
-0.980858385563	-	40	0.3 %
-0.968142747879	-	34	0.3 %
-0.963496506214	-	74	0.6 %
-0.938493847847	-	18	0.1 %
-0.913848578930	-	69	0.5 %
-0.913514077663	-	35	0.3 %
-0.903821825981	-	54	0.4 %
-0.877909421921	-	37	0.3 %
-0.875983357430	-	40	0.3 %

Value	Label	Unweighted Frequency	%
-0.867687404156	-	124	1.0 %
-0.859428346157	-	14	0.1 %
-0.849078118801	-	45	0.4 %
-0.845881998539	-	10	0.1 %
-0.833568394184	-	57	0.5 %
-0.821791589260	-	30	0.2 %
-0.799283504486	-	23	0.2 %
-0.785790026188	-	19	0.2 %
-0.757408261299	-	18	0.1 %
-0.717322051525	-	53	0.4 %
-0.703987717628	-	36	0.3 %
-0.702719151974	-	25	0.2 %
-0.701623499393	-	68	0.5 %
-0.699928045273	-	44	0.3 %
-0.699539065361	-	14	0.1 %
-0.696789562702	-	28	0.2 %
-0.694213688374	-	38	0.3 %
-0.693298935890	-	42	0.3 %
-0.685737729073	-	14	0.1 %
-0.685417115688	-	104	0.8 %
-0.679442524910	-	57	0.5 %
-0.652455568314	-	57	0.5 %
-0.651525139809	-	19	0.2 %
-0.645068287849	-	24	0.2 %
-0.637822329998	-	15	0.1 %
-0.624846100807	-	43	0.3 %
-0.621892869473	-	16	0.1 %
-0.615549981594	-	44	0.3 %
-0.598881006241	-	56	0.4 %
	Missing Data		
.	-	173	1.4 %
	Total	12,661	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,488 valid cases out of 12,661 total cases.

- Mean: -0.054744494557
- Median: -0.066066153347
- Mode: 0.276012301445

- Minimum: -1.646272063255
- Maximum: 1.942515015602
- Standard Deviation: 0.529412982587

Location: 555-569 (width: 15; decimal: 12)
Variable Type: numeric

V_S_MISS_ALT_IRT_M_TM1: Cohort (School & Grade-level) average of _miss_alt_irt_m_tm1

Cohort (School & Grade-level) average of _miss_alt_irt_m_tm1

Value	Label	Unweighted Frequency	%
0.0000000000000	-	1251	9.9 %
0.0082644624636	-	126	1.0 %
0.0108695654199	-	95	0.8 %
0.0126582281664	-	80	0.6 %
0.0128205129877	-	80	0.6 %
0.0156250000000	-	64	0.5 %
0.0188679248095	-	55	0.4 %
0.0192307699472	-	52	0.4 %
0.0196078438312	-	52	0.4 %
0.0199999995530	-	56	0.4 %
0.0208333339542	-	151	1.2 %
0.0212765950710	-	97	0.8 %
0.0222222227603	-	92	0.7 %
0.0232558138669	-	43	0.3 %
0.0238095242530	-	129	1.0 %
0.0240000002086	-	130	1.0 %
0.0265486724675	-	124	1.0 %
0.0273972600698	-	73	0.6 %
0.0275229364634	-	116	0.9 %
0.0277777779847	-	36	0.3 %
0.0288461539894	-	104	0.8 %
0.0303030312061	-	36	0.3 %
0.0307692307979	-	134	1.1 %
0.0309278350323	-	97	0.8 %
0.0312500000000	-	69	0.5 %
0.0322580635548	-	31	0.2 %
0.0333333350718	-	90	0.7 %
0.0344827584922	-	30	0.2 %
0.0348837226629	-	95	0.8 %
0.0357142873108	-	56	0.4 %
0.0370370373130	-	142	1.1 %

Value	Label	Unweighted Frequency	%
0.0379746817052	-	86	0.7 %
0.0384615398943	-	238	1.9 %
0.0394736826420	-	78	0.6 %
0.0396825410426	-	126	1.0 %
0.0399999991059	-	100	0.8 %
0.0409836061299	-	124	1.0 %
0.0410958901048	-	74	0.6 %
0.0416666679084	-	195	1.5 %
0.0422535203397	-	71	0.6 %
0.0434782616794	-	24	0.2 %
0.0444444455206	-	94	0.7 %
0.0451127812266	-	135	1.1 %
0.0461538471282	-	66	0.5 %
0.0476190485060	-	90	0.7 %
0.0486111119390	-	144	1.1 %
0.0500000007451	-	108	0.9 %
0.0519480518997	-	79	0.6 %
0.0526315793395	-	39	0.3 %
0.0535714291036	-	115	0.9 %
	Missing Data		
.	-	173	1.4 %
	Total	**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,488 valid cases out of 12,661 total cases.

- Mean: 0.0719207308575
- Median: 0.0577777773142
- Mode: 0.0000000000000
- Minimum: 0.0000000000000
- Maximum: 0.6315789222717
- Standard Deviation: 0.0757260562620

Location: 570-584 (width: 15; decimal: 13)
Variable Type: numeric

V_CCLASS_SIZE: Number of students in classroom

Number of students in classroom

Value	Label	Unweighted Frequency	%
4	-	8	0.1 %
5	-	10	0.1 %
6	-	6	0.0 %
7	-	21	0.2 %
8	-	16	0.1 %
9	-	18	0.1 %
10	-	20	0.2 %
11	-	44	0.3 %
12	-	96	0.8 %
13	-	260	2.1 %
14	-	266	2.1 %
15	-	405	3.2 %
16	-	384	3.0 %
17	-	527	4.2 %
18	-	432	3.4 %
19	-	760	6.0 %
20	-	780	6.2 %
21	-	840	6.6 %
22	-	1210	9.6 %
23	-	1449	11.4 %
24	-	1104	8.7 %
25	-	1325	10.5 %
26	-	910	7.2 %
27	-	512	4.0 %
28	-	588	4.6 %
29	-	377	3.0 %
30	-	150	1.2 %
31	-	31	0.2 %
32	-	64	0.5 %
48	-	48	0.4 %
	Total	**12,661**	**100%**

Based upon 12,661 valid cases out of 12,661 total cases.

- Mean: 22.15
- Median: 23.00
- Mode: 23.00
- Minimum: 4.00
- Maximum: 48.00
- Standard Deviation: 4.65

Location: 585-586 (width: 2; decimal: 0)
Variable Type: numeric

V_CS_MALE: Classroom average of s_male

Classroom average of s_male

Value	Label	Unweighted Frequency	%
0.0000000000000	-	119	0.9 %
0.0500000007451	-	20	0.2 %
0.0666666701436	-	31	0.2 %
0.1764705926180	-	17	0.1 %
0.1818181872368	-	11	0.1 %
0.1923076957464	-	26	0.2 %
0.2000000029802	-	15	0.1 %
0.2142857164145	-	14	0.1 %
0.2222222238779	-	13	0.1 %
0.2307692319155	-	29	0.2 %
0.2380952388048	-	42	0.3 %
0.2631579041481	-	38	0.3 %
0.2727272808552	-	12	0.1 %
0.2857142984867	-	29	0.2 %
0.2916666567326	-	24	0.2 %
0.2941176593304	-	52	0.4 %
0.3043478131294	-	23	0.2 %
0.3076923191547	-	52	0.4 %
0.3157894611359	-	39	0.3 %
0.3181818127632	-	66	0.5 %
0.3214285671711	-	28	0.2 %
0.3333333432674	-	148	1.2 %
0.3448275923729	-	29	0.2 %
0.3461538553238	-	26	0.2 %
0.3478260934353	-	24	0.2 %
0.3499999940395	-	62	0.5 %
0.3529411852360	-	53	0.4 %
0.3571428656578	-	15	0.1 %
0.3636363744736	-	67	0.5 %
0.3684210479259	-	134	1.1 %
0.3750000000000	-	136	1.1 %
0.3793103396893	-	59	0.5 %
0.3809523880482	-	21	0.2 %
0.3846153914928	-	105	0.8 %
0.3888888955116	-	55	0.4 %
0.3913043439388	-	116	0.9 %

Value	Label	Unweighted Frequency	%
0.3928571343422	-	28	0.2 %
0.4000000059605	-	310	2.4 %
0.4074074029922	-	80	0.6 %
0.4090909063816	-	88	0.7 %
0.4117647111416	-	51	0.4 %
0.4137931168079	-	58	0.5 %
0.4166666567326	-	108	0.9 %
0.4210526347160	-	96	0.8 %
0.4230769276619	-	26	0.2 %
0.4285714328289	-	162	1.3 %
0.4347825944424	-	163	1.3 %
0.4375000000000	-	153	1.2 %
0.4399999976158	-	150	1.2 %
0.4444444477558	-	81	0.6 %
	Total	**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,661 valid cases out of 12,661 total cases.

- Mean: 0.4990747532394
- Median: 0.5000000000000
- Mode: 0.5000000000000
- Minimum: 0.0000000000000
- Maximum: 1.0000000000000
- Standard Deviation: 0.1155549508677

Location: 587-601 (width: 15; decimal: 13)
Variable Type: numeric

V_CS_AFAM: Classroom average of s_afam

Classroom average of s_afam

Value	Label	Unweighted Frequency	%
0.0000000000000	-	386	3.0 %
0.0399999991059	-	25	0.2 %
0.0416666679084	-	48	0.4 %
0.0434782616794	-	69	0.5 %
0.0454545468092	-	44	0.3 %
0.0526315793395	-	20	0.2 %
0.0555555559695	-	18	0.1 %
0.0588235296309	-	17	0.1 %

Value	Label	Unweighted Frequency	%
0.0625000000000	-	16	0.1 %
0.0666666701436	-	45	0.4 %
0.0714285746217	-	42	0.3 %
0.0769230797887	-	13	0.1 %
0.0799999982119	-	50	0.4 %
0.0833333358169	-	24	0.2 %
0.0869565233588	-	23	0.2 %
0.0952380970120	-	42	0.3 %
0.1052631586790	-	38	0.3 %
0.1111111119390	-	19	0.2 %
0.1153846159577	-	52	0.4 %
0.1176470592618	-	17	0.1 %
0.1199999973178	-	100	0.8 %
0.1250000000000	-	168	1.3 %
0.1304347813129	-	69	0.5 %
0.1363636404276	-	111	0.9 %
0.1428571492434	-	59	0.5 %
0.1481481492519	-	54	0.4 %
0.1500000059605	-	20	0.2 %
0.1538461595774	-	91	0.7 %
0.1578947305679	-	115	0.9 %
0.1599999964237	-	100	0.8 %
0.1666666716337	-	138	1.1 %
0.1724137961864	-	29	0.2 %
0.1739130467176	-	69	0.5 %
0.1764705926180	-	35	0.3 %
0.1785714328289	-	84	0.7 %
0.1818181872368	-	78	0.6 %
0.1875000000000	-	32	0.3 %
0.1904761940241	-	42	0.3 %
0.1923076957464	-	26	0.2 %
0.2000000029802	-	196	1.5 %
0.2083333283663	-	24	0.2 %
0.2105263173580	-	59	0.5 %
0.2142857164145	-	70	0.6 %
0.2173912972212	-	116	0.9 %
0.2222222238779	-	94	0.7 %
0.2272727340460	-	88	0.7 %
0.2291666716337	-	48	0.4 %

Value	Label	Unweighted Frequency	%
0.2307692319155	-	79	0.6 %
0.2333333343267	-	30	0.2 %
0.2352941185236	-	17	0.1 %
	Total	**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,661 valid cases out of 12,661 total cases.

- Mean: 0.4282086026972
- Median: 0.3846153914928
- Mode: 1.0000000000000
- Minimum: 0.0000000000000
- Maximum: 1.0000000000000
- Standard Deviation: 0.2589676128903

Location: 602-616 (width: 15; decimal: 13)
Variable Type: numeric

V_CS_ASIAN: Classroom average of s_asian

Classroom average of s_asian

Value	Label	Unweighted Frequency	%
0.0000000000000	-	5219	41.2 %
0.0322580635548	-	31	0.2 %
0.0333333350718	-	30	0.2 %
0.0344827584922	-	117	0.9 %
0.0357142873108	-	140	1.1 %
0.0370370373130	-	134	1.1 %
0.0384615398943	-	338	2.7 %
0.0399999991059	-	402	3.2 %
0.0416666679084	-	385	3.0 %
0.0434782616794	-	276	2.2 %
0.0454545468092	-	377	3.0 %
0.0476190485060	-	147	1.2 %
0.0500000007451	-	222	1.8 %
0.0526315793395	-	120	0.9 %
0.0555555559695	-	37	0.3 %
0.0588235296309	-	136	1.1 %
0.0625000000000	-	96	0.8 %
0.0666666701436	-	76	0.6 %
0.0689655169845	-	29	0.2 %

Value	Label	Unweighted Frequency	%
0.0714285746217	-	154	1.2 %
0.0740740746260	-	135	1.1 %
0.0769230797887	-	183	1.4 %
0.0799999982119	-	200	1.6 %
0.0833333358169	-	156	1.2 %
0.0869565233588	-	138	1.1 %
0.0909090936184	-	134	1.1 %
0.0952380970120	-	147	1.2 %
0.1000000014901	-	82	0.6 %
0.1034482792020	-	58	0.5 %
0.1052631586790	-	116	0.9 %
0.1071428582072	-	57	0.5 %
0.1111111119390	-	105	0.8 %
0.1153846159577	-	78	0.6 %
0.1176470592618	-	34	0.3 %
0.1199999973178	-	175	1.4 %
0.1250000000000	-	105	0.8 %
0.1304347813129	-	92	0.7 %
0.1333333402872	-	75	0.6 %
0.1363636404276	-	176	1.4 %
0.1428571492434	-	57	0.5 %
0.1500000059605	-	60	0.5 %
0.1538461595774	-	92	0.7 %
0.1578947305679	-	39	0.3 %
0.1599999964237	-	75	0.6 %
0.1666666716337	-	66	0.5 %
0.1739130467176	-	69	0.5 %
0.1764705926180	-	34	0.3 %
0.1785714328289	-	28	0.2 %
0.1818181872368	-	67	0.5 %
0.1875000000000	-	16	0.1 %
	Total	**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,661 valid cases out of 12,661 total cases.

- Mean: 0.0750815843591
- Median: 0.0399999991059
- Mode: 0.0000000000000
- Minimum: 0.0000000000000

- Maximum: 1.0000000000000
- Standard Deviation: 0.1202549127163

Location: 617-631 (width: 15; decimal: 13)
Variable Type: numeric

V_CS_HISP: Classroom average of s_hisp

Classroom average of s_hisp

Value	Label	Unweighted Frequency	%
0.0000000000000	-	1543	12.2 %
0.0344827584922	-	58	0.5 %
0.0357142873108	-	29	0.2 %
0.0384615398943	-	234	1.8 %
0.0399999991059	-	176	1.4 %
0.0416666679084	-	121	1.0 %
0.0434782616794	-	161	1.3 %
0.0454545468092	-	90	0.7 %
0.0476190485060	-	129	1.0 %
0.0500000007451	-	40	0.3 %
0.0526315793395	-	76	0.6 %
0.0555555559695	-	72	0.6 %
0.0588235296309	-	68	0.5 %
0.0625000000000	-	80	0.6 %
0.0666666701436	-	75	0.6 %
0.0689655169845	-	58	0.5 %
0.0714285746217	-	227	1.8 %
0.0769230797887	-	170	1.3 %
0.0799999982119	-	276	2.2 %
0.0833333358169	-	228	1.8 %
0.0869565233588	-	233	1.8 %
0.0909090936184	-	121	1.0 %
0.0952380970120	-	42	0.3 %
0.1000000014901	-	60	0.5 %
0.1034482792020	-	58	0.5 %
0.1052631586790	-	57	0.5 %
0.1071428582072	-	84	0.7 %
0.1111111119390	-	98	0.8 %
0.1153846159577	-	54	0.4 %
0.1176470592618	-	69	0.5 %
0.1199999973178	-	100	0.8 %
0.1250000000000	-	224	1.8 %

Value	Label	Unweighted Frequency	%
0.1290322542191	-	31	0.2 %
0.1304347813129	-	277	2.2 %
0.1333333402872	-	61	0.5 %
0.1363636404276	-	176	1.4 %
0.1379310339689	-	58	0.5 %
0.1428571492434	-	249	2.0 %
0.1481481492519	-	135	1.1 %
0.1500000059605	-	62	0.5 %
0.1538461595774	-	143	1.1 %
0.1578947305679	-	136	1.1 %
0.1599999964237	-	175	1.4 %
0.1666666716337	-	212	1.7 %
0.1739130467176	-	92	0.7 %
0.1764705926180	-	51	0.4 %
0.1785714328289	-	28	0.2 %
0.1818181872368	-	122	1.0 %
0.1851851791143	-	54	0.4 %
0.1875000000000	-	53	0.4 %
	Total	**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,661 valid cases out of 12,661 total cases.

- Mean: 0.2290172905234
- Median: 0.1578947305679
- Mode: 0.0000000000000
- Minimum: 0.0000000000000
- Maximum: 1.0000000000000
- Standard Deviation: 0.2189923366142

Location: 632-646 (width: 15; decimal: 13)
Variable Type: numeric

V_CS_WHITE: Classroom average of s_white

Classroom average of s_white

Value	Label	Unweighted Frequency	%
0.0000000000000	-	3036	24.0 %
0.0357142873108	-	84	0.7 %
0.0370370373130	-	81	0.6 %
0.0384615398943	-	26	0.2 %

Value	Label	Unweighted Frequency	%
0.0416666679084	-	73	0.6 %
0.0434782616794	-	164	1.3 %
0.0454545468092	-	199	1.6 %
0.0476190485060	-	105	0.8 %
0.0500000007451	-	122	1.0 %
0.0526315793395	-	114	0.9 %
0.0555555559695	-	18	0.1 %
0.0588235296309	-	68	0.5 %
0.0625000000000	-	65	0.5 %
0.0666666701436	-	15	0.1 %
0.0714285746217	-	42	0.3 %
0.0740740746260	-	134	1.1 %
0.0769230797887	-	106	0.8 %
0.0799999982119	-	50	0.4 %
0.0833333358169	-	168	1.3 %
0.0869565233588	-	138	1.1 %
0.0909090936184	-	167	1.3 %
0.0952380970120	-	149	1.2 %
0.1000000014901	-	50	0.4 %
0.1034482792020	-	29	0.2 %
0.1052631586790	-	58	0.5 %
0.1071428582072	-	57	0.5 %
0.1111111119390	-	132	1.0 %
0.1153846159577	-	52	0.4 %
0.1176470592618	-	17	0.1 %
0.1199999973178	-	126	1.0 %
0.1250000000000	-	129	1.0 %
0.1304347813129	-	46	0.4 %
0.1333333402872	-	30	0.2 %
0.1363636404276	-	90	0.7 %
0.1428571492434	-	155	1.2 %
0.1481481492519	-	27	0.2 %
0.1500000059605	-	40	0.3 %
0.1538461595774	-	104	0.8 %
0.1578947305679	-	79	0.6 %
0.1599999964237	-	25	0.2 %
0.1666666716337	-	115	0.9 %
0.1739130467176	-	161	1.3 %
0.1764705926180	-	34	0.3 %

Value	Label	Unweighted Frequency	%
0.1785714328289	-	56	0.4 %
0.1818181872368	-	44	0.3 %
0.1851851791143	-	27	0.2 %
0.1875000000000	-	16	0.1 %
0.1904761940241	-	63	0.5 %
0.1923076957464	-	26	0.2 %
0.1935483813286	-	31	0.2 %
	Total	**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,661 valid cases out of 12,661 total cases.

- Mean: 0.2277781245083
- Median: 0.1578947305679
- Mode: 0.0000000000000
- Minimum: 0.0000000000000
- Maximum: 0.8333333134651
- Standard Deviation: 0.2197748981877

Location: 647-661 (width: 15; decimal: 13)
Variable Type: numeric

V_CS_LEP: Classroom average of s_lep

Classroom average of s_lep

Value	Label	Unweighted Frequency	%
0.0000000000000	-	2756	21.8 %
0.0333333350718	-	30	0.2 %
0.0344827584922	-	116	0.9 %
0.0357142873108	-	57	0.5 %
0.0370370373130	-	82	0.6 %
0.0384615398943	-	78	0.6 %
0.0399999991059	-	151	1.2 %
0.0416666679084	-	241	1.9 %
0.0434782616794	-	161	1.3 %
0.0454545468092	-	198	1.6 %
0.0476190485060	-	126	1.0 %
0.0500000007451	-	160	1.3 %
0.0526315793395	-	95	0.8 %
0.0555555559695	-	54	0.4 %
0.0588235296309	-	69	0.5 %

Value	Label	Unweighted Frequency	%
0.0625000000000	-	32	0.3 %
0.0666666701436	-	60	0.5 %
0.0714285746217	-	84	0.7 %
0.0740740746260	-	27	0.2 %
0.0769230797887	-	185	1.5 %
0.0799999982119	-	125	1.0 %
0.0833333358169	-	257	2.0 %
0.0869565233588	-	139	1.1 %
0.0909090936184	-	154	1.2 %
0.0937500000000	-	32	0.3 %
0.0952380970120	-	42	0.3 %
0.1000000014901	-	90	0.7 %
0.1034482792020	-	29	0.2 %
0.1052631586790	-	76	0.6 %
0.1071428582072	-	28	0.2 %
0.1111111119390	-	144	1.1 %
0.1153846159577	-	104	0.8 %
0.1176470592618	-	68	0.5 %
0.1199999973178	-	201	1.6 %
0.1250000000000	-	152	1.2 %
0.1304347813129	-	184	1.5 %
0.1333333402872	-	31	0.2 %
0.1363636404276	-	22	0.2 %
0.1379310339689	-	30	0.2 %
0.1428571492434	-	268	2.1 %
0.1481481492519	-	54	0.4 %
0.1538461595774	-	94	0.7 %
0.1578947305679	-	19	0.2 %
0.1599999964237	-	25	0.2 %
0.1666666716337	-	141	1.1 %
0.1724137961864	-	30	0.2 %
0.1739130467176	-	116	0.9 %
0.1764705926180	-	34	0.3 %
0.1785714328289	-	57	0.5 %
0.1818181872368	-	89	0.7 %
	Total	**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,661 valid cases out of 12,661 total cases.

- Mean: 0.2007224612081
- Median: 0.1250000000000
- Mode: 0.0000000000000
- Minimum: 0.0000000000000
- Maximum: 1.0000000000000
- Standard Deviation: 0.2282430065603

Location: 662-676 (width: 15; decimal: 13)
Variable Type: numeric

V_CS_FRPL: Classroom average of s_frpl

Classroom average of s_frpl

Value	Label	Unweighted Frequency	%
0.0000000000000	-	75	0.6 %
0.0399999991059	-	101	0.8 %
0.0416666679084	-	48	0.4 %
0.0434782616794	-	23	0.2 %
0.0555555559695	-	18	0.1 %
0.0666666701436	-	15	0.1 %
0.0714285746217	-	14	0.1 %
0.0799999982119	-	50	0.4 %
0.0833333358169	-	48	0.4 %
0.0952380970120	-	21	0.2 %
0.1250000000000	-	24	0.2 %
0.1428571492434	-	14	0.1 %
0.1538461595774	-	39	0.3 %
0.1578947305679	-	44	0.3 %
0.1666666716337	-	18	0.1 %
0.1739130467176	-	23	0.2 %
0.1785714328289	-	28	0.2 %
0.1923076957464	-	26	0.2 %
0.2000000029802	-	20	0.2 %
0.2083333283663	-	24	0.2 %
0.2105263173580	-	19	0.2 %
0.2173912972212	-	69	0.5 %
0.2187500000000	-	32	0.3 %
0.2272727340460	-	22	0.2 %
0.2333333343267	-	60	0.5 %
0.2352941185236	-	34	0.3 %
0.2380952388048	-	21	0.2 %

Value	Label	Unweighted Frequency	%
0.2413793057203	-	29	0.2 %
0.2500000000000	-	24	0.2 %
0.2592592537403	-	27	0.2 %
0.2608695626259	-	46	0.4 %
0.2692307829857	-	26	0.2 %
0.2727272808552	-	66	0.5 %
0.2777777910233	-	36	0.3 %
0.2800000011921	-	50	0.4 %
0.2857142984867	-	105	0.8 %
0.2916666567326	-	96	0.8 %
0.2941176593304	-	17	0.1 %
0.3000000119209	-	20	0.2 %
0.3043478131294	-	23	0.2 %
0.3125000000000	-	16	0.1 %
0.3181818127632	-	66	0.5 %
0.3199999928474	-	25	0.2 %
0.3214285671711	-	28	0.2 %
0.3333333432674	-	87	0.7 %
0.3448275923729	-	29	0.2 %
0.3461538553238	-	52	0.4 %
0.3478260934353	-	117	0.9 %
0.3499999940395	-	20	0.2 %
0.3529411852360	-	34	0.3 %
Total		**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,661 valid cases out of 12,661 total cases.

- Mean: 0.6581182581949
- Median: 0.7142857313156
- Mode: 1.0000000000000
- Minimum: 0.0000000000000
- Maximum: 1.0000000000000
- Standard Deviation: 0.2538077683445

Location: 677-691 (width: 15; decimal: 13)
Variable Type: numeric

V_CS_SPED: Classroom average of s_sped

Classroom average of s_sped

Value	Label	Unweighted Frequency	%
0.0000000000000	-	2544	20.1 %
0.0312500000000	-	32	0.3 %
0.0333333350718	-	60	0.5 %
0.0344827584922	-	145	1.1 %
0.0357142873108	-	113	0.9 %
0.0370370373130	-	80	0.6 %
0.0384615398943	-	209	1.7 %
0.0399999991059	-	326	2.6 %
0.0416666679084	-	240	1.9 %
0.0434782616794	-	300	2.4 %
0.0454545468092	-	399	3.2 %
0.0476190485060	-	63	0.5 %
0.0500000007451	-	100	0.8 %
0.0526315793395	-	160	1.3 %
0.0555555559695	-	181	1.4 %
0.0588235296309	-	102	0.8 %
0.0625000000000	-	100	0.8 %
0.0666666701436	-	137	1.1 %
0.0689655169845	-	29	0.2 %
0.0714285746217	-	157	1.2 %
0.0740740746260	-	81	0.6 %
0.0769230797887	-	209	1.7 %
0.0799999982119	-	152	1.2 %
0.0833333358169	-	218	1.7 %
0.0869565233588	-	230	1.8 %
0.0909090936184	-	122	1.0 %
0.0937500000000	-	32	0.3 %
0.0952380970120	-	168	1.3 %
0.1000000014901	-	184	1.5 %
0.1034482792020	-	29	0.2 %
0.1052631586790	-	97	0.8 %
0.1071428582072	-	28	0.2 %
0.1111111119390	-	63	0.5 %
0.1153846159577	-	182	1.4 %
0.1176470592618	-	136	1.1 %
0.1199999973178	-	150	1.2 %
0.1250000000000	-	305	2.4 %
0.1304347813129	-	254	2.0 %
0.1333333402872	-	76	0.6 %

Value	Label	Unweighted Frequency	%
0.1363636404276	-	133	1.1 %
0.1428571492434	-	291	2.3 %
0.1481481492519	-	28	0.2 %
0.1500000059605	-	80	0.6 %
0.1538461595774	-	107	0.8 %
0.1578947305679	-	158	1.2 %
0.1599999964237	-	50	0.4 %
0.1666666716337	-	139	1.1 %
0.1724137961864	-	29	0.2 %
0.1739130467176	-	119	0.9 %
0.1764705926180	-	35	0.3 %
	Total	**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,661 valid cases out of 12,661 total cases.

- Mean: 0.1256617893126
- Median: 0.0869565233588
- Mode: 0.0000000000000
- Minimum: 0.0000000000000
- Maximum: 1.0000000000000
- Standard Deviation: 0.1366346147200

Location: 692-706 (width: 15; decimal: 13)
Variable Type: numeric

V_CS_STATE_STD_M_TM1: Classroom average of s_state_std_m_tm1

Classroom average of s_state_std_m_tm1

Value	Label	Unweighted Frequency	%
-1.886828541756	-	4	0.0 %
-1.809003353119	-	12	0.1 %
-1.698631405830	-	17	0.1 %
-1.554040431976	-	22	0.2 %
-1.399688005447	-	20	0.2 %
-1.377069830894	-	16	0.1 %
-1.296020984650	-	14	0.1 %
-1.279136419296	-	23	0.2 %
-1.276604056358	-	23	0.2 %
-1.270660519600	-	27	0.2 %
-1.236356854439	-	4	0.0 %

Value	Label	Unweighted Frequency	%
-1.211705565453	-	19	0.2 %
-1.071516633034	-	13	0.1 %
-1.065917491913	-	7	0.1 %
-1.049196362495	-	17	0.1 %
-1.043911933899	-	15	0.1 %
-1.033688902855	-	13	0.1 %
-1.002934455872	-	22	0.2 %
-0.994347870350	-	5	0.0 %
-0.993003845215	-	22	0.2 %
-0.988357424736	-	11	0.1 %
-0.979310393333	-	12	0.1 %
-0.974669694901	-	12	0.1 %
-0.962628781796	-	23	0.2 %
-0.962388992310	-	17	0.1 %
-0.948782265186	-	13	0.1 %
-0.937523424625	-	13	0.1 %
-0.923472881317	-	17	0.1 %
-0.903292179108	-	14	0.1 %
-0.898613393307	-	13	0.1 %
-0.890021085739	-	20	0.2 %
-0.884928762913	-	18	0.1 %
-0.870935142040	-	12	0.1 %
-0.861698150635	-	22	0.2 %
-0.854421198368	-	23	0.2 %
-0.848809123039	-	18	0.1 %
-0.845779418945	-	8	0.1 %
-0.844959795475	-	20	0.2 %
-0.837896585464	-	15	0.1 %
-0.835071980953	-	15	0.1 %
-0.823853492737	-	23	0.2 %
-0.801870346069	-	21	0.2 %
-0.794355273247	-	13	0.1 %
-0.792359232903	-	17	0.1 %
-0.783676922321	-	18	0.1 %
-0.781070947647	-	21	0.2 %
-0.758788526058	-	26	0.2 %
-0.746864557266	-	17	0.1 %
-0.740369141102	-	14	0.1 %
-0.736881852150	-	25	0.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	20	0.2 %
	Total	**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,641 valid cases out of 12,661 total cases.

- Mean: 0.037478848782
- Minimum: -1.886828541756
- Maximum: 1.864344000816
- Standard Deviation: 0.539730766053

Location: 707-721 (width: 15; decimal: 12)
Variable Type: numeric

V_CS_STATE_STD_E_TM1: Classroom average of s_state_std_e_tm1

Classroom average of s_state_std_e_tm1

Value	Label	Unweighted Frequency	%
-2.050062417984	-	12	0.1 %
-1.771797299385	-	23	0.2 %
-1.761910080910	-	23	0.2 %
-1.416560649872	-	19	0.2 %
-1.374104261398	-	17	0.1 %
-1.303056001663	-	14	0.1 %
-1.257284402847	-	27	0.2 %
-1.248579978943	-	16	0.1 %
-1.241588115692	-	7	0.1 %
-1.232284307480	-	17	0.1 %
-1.190067768097	-	12	0.1 %
-1.174250364304	-	20	0.2 %
-1.159991025925	-	20	0.2 %
-1.149817824364	-	15	0.1 %
-1.148370623589	-	22	0.2 %
-1.135093212128	-	13	0.1 %
-1.133256793022	-	15	0.1 %
-1.079737067223	-	18	0.1 %
-1.072017431259	-	5	0.0 %
-1.065291047096	-	13	0.1 %
-1.062235355377	-	13	0.1 %

Value	Label	Unweighted Frequency	%
-1.059484720230	-	12	0.1 %
-1.056678891182	-	14	0.1 %
-1.050372719765	-	15	0.1 %
-1.024621963501	-	18	0.1 %
-0.985796988010	-	17	0.1 %
-0.971254467964	-	23	0.2 %
-0.967298090458	-	23	0.2 %
-0.967074036598	-	13	0.1 %
-0.964892089367	-	13	0.1 %
-0.944713532925	-	15	0.1 %
-0.910943686962	-	19	0.2 %
-0.904413938522	-	18	0.1 %
-0.848869621754	-	13	0.1 %
-0.833803534508	-	14	0.1 %
-0.831391632557	-	20	0.2 %
-0.812231183052	-	11	0.1 %
-0.803741037846	-	25	0.2 %
-0.787871003151	-	23	0.2 %
-0.787698388100	-	17	0.1 %
-0.779101371765	-	17	0.1 %
-0.771464884281	-	19	0.2 %
-0.767764329910	-	14	0.1 %
-0.765591382980	-	15	0.1 %
-0.748850345612	-	22	0.2 %
-0.746430993080	-	22	0.2 %
-0.742551803589	-	13	0.1 %
-0.738475859165	-	28	0.2 %
-0.733201444149	-	17	0.1 %
-0.731950879097	-	22	0.2 %
	Missing Data		
.	-	24	0.2 %
	Total	**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,637 valid cases out of 12,661 total cases.

- Mean: 0.034639590905
- Minimum: -2.050062417984
- Maximum: 1.902027487755

• Standard Deviation: 0.546120490197

Location: 722-736 (width: 15; decimal: 12)
Variable Type: numeric

V_C_MISS_STATE_STD_M_TM1: Classroom average of _miss_state_std_m_tm1

Classroom average of _miss_state_std_m_tm1

Value	Label	Unweighted Frequency	%
0.0000000000000	-	2664	21.0 %
0.0312500000000	-	32	0.3 %
0.0322580635548	-	31	0.2 %
0.0333333350718	-	30	0.2 %
0.0344827584922	-	116	0.9 %
0.0357142873108	-	112	0.9 %
0.0370370373130	-	27	0.2 %
0.0384615398943	-	208	1.6 %
0.0399999991059	-	425	3.4 %
0.0416666679084	-	240	1.9 %
0.0434782616794	-	736	5.8 %
0.0454545468092	-	330	2.6 %
0.0476190485060	-	231	1.8 %
0.0500000007451	-	160	1.3 %
0.0526315793395	-	266	2.1 %
0.0555555559695	-	180	1.4 %
0.0588235296309	-	136	1.1 %
0.0625000000000	-	144	1.1 %
0.0666666701436	-	180	1.4 %
0.0689655169845	-	87	0.7 %
0.0714285746217	-	238	1.9 %
0.0740740746260	-	108	0.9 %
0.0769230797887	-	247	2.0 %
0.0799999982119	-	175	1.4 %
0.0833333358169	-	228	1.8 %
0.0869565233588	-	115	0.9 %
0.0909090936184	-	286	2.3 %
0.0952380970120	-	189	1.5 %
0.1000000014901	-	210	1.7 %
0.1034482792020	-	29	0.2 %
0.1052631586790	-	152	1.2 %
0.1071428582072	-	112	0.9 %

Value	Label	Unweighted Frequency	%
0.1111111119390	-	252	2.0 %
0.1153846159577	-	182	1.4 %
0.1176470592618	-	136	1.1 %
0.1199999973178	-	200	1.6 %
0.1250000000000	-	256	2.0 %
0.1304347813129	-	207	1.6 %
0.1333333402872	-	105	0.8 %
0.1363636404276	-	132	1.0 %
0.1428571492434	-	294	2.3 %
0.1481481492519	-	27	0.2 %
0.1500000059605	-	100	0.8 %
0.1538461595774	-	104	0.8 %
0.1562500000000	-	32	0.3 %
0.1578947305679	-	95	0.8 %
0.1599999964237	-	100	0.8 %
0.1666666716337	-	150	1.2 %
0.1739130467176	-	69	0.5 %
0.1764705926180	-	51	0.4 %
Total		**12,661**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,661 valid cases out of 12,661 total cases.

- Mean: 0.0938168255393
- Median: 0.0689655169845
- Mode: 0.0000000000000
- Minimum: 0.0000000000000
- Maximum: 1.0000000000000
- Standard Deviation: 0.1072050852054

Location: 737-751 (width: 15; decimal: 13)
Variable Type: numeric

V_C_MISS_STATE_STD_E_TM1: Classroom average of _miss_state_std_e_tm1

Classroom average of _miss_state_std_e_tm1

Value	Label	Unweighted Frequency	%
0.0000000000000	-	2612	20.6 %
0.0312500000000	-	32	0.3 %
0.0322580635548	-	31	0.2 %
0.0333333350718	-	30	0.2 %

Value	Label	Unweighted Frequency	%
0.0344827584922	-	116	0.9 %
0.0357142873108	-	112	0.9 %
0.0370370373130	-	27	0.2 %
0.0384615398943	-	208	1.6 %
0.0399999991059	-	475	3.8 %
0.0416666679084	-	216	1.7 %
0.0434782616794	-	690	5.4 %
0.0454545468092	-	330	2.6 %
0.0476190485060	-	231	1.8 %
0.0500000007451	-	160	1.3 %
0.0526315793395	-	228	1.8 %
0.0555555559695	-	180	1.4 %
0.0588235296309	-	119	0.9 %
0.0625000000000	-	128	1.0 %
0.0666666701436	-	165	1.3 %
0.0689655169845	-	58	0.5 %
0.0714285746217	-	210	1.7 %
0.0740740746260	-	81	0.6 %
0.0769230797887	-	208	1.6 %
0.0799999982119	-	150	1.2 %
0.0833333358169	-	240	1.9 %
0.0869565233588	-	138	1.1 %
0.0909090936184	-	286	2.3 %
0.0952380970120	-	210	1.7 %
0.1000000014901	-	190	1.5 %
0.1034482792020	-	58	0.5 %
0.1052631586790	-	171	1.4 %
0.1071428582072	-	28	0.2 %
0.1111111119390	-	252	2.0 %
0.1153846159577	-	208	1.6 %
0.1176470592618	-	153	1.2 %
0.1199999973178	-	225	1.8 %
0.1250000000000	-	232	1.8 %
0.1304347813129	-	207	1.6 %
0.1333333402872	-	105	0.8 %
0.1363636404276	-	132	1.0 %
0.1428571492434	-	350	2.8 %
0.1481481492519	-	54	0.4 %
0.1500000059605	-	120	0.9 %

Value	Label	Unweighted Frequency	%
0.1538461595774	-	104	0.8 %
0.1562500000000	-	32	0.3 %
0.1578947305679	-	76	0.6 %
0.1599999964237	-	100	0.8 %
0.1666666716337	-	138	1.1 %
0.1739130467176	-	46	0.4 %
0.1764705926180	-	34	0.3 %
	Total	12,661	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,661 valid cases out of 12,661 total cases.

- Mean: 0.0997405283535
- Median: 0.0714285746217
- Mode: 0.0000000000000
- Minimum: 0.0000000000000
- Maximum: 1.0000000000000
- Standard Deviation: 0.1150924711939

Location: 752-766 (width: 15; decimal: 13)
Variable Type: numeric

V_CS_ALT_IRT_M_TM1: Classroom average of s_alt_irt_m_tm1

Classroom average of s_alt_irt_m_tm1

Value	Label	Unweighted Frequency	%
-1.546314597130	-	18	0.1 %
-1.477881550789	-	16	0.1 %
-1.361634254456	-	10	0.1 %
-1.326715946198	-	12	0.1 %
-1.310141563416	-	22	0.2 %
-1.305844426155	-	19	0.2 %
-1.286302208900	-	13	0.1 %
-1.254158139229	-	14	0.1 %
-1.236937165260	-	23	0.2 %
-1.229881644249	-	6	0.0 %
-1.222690463066	-	26	0.2 %
-1.212080001831	-	17	0.1 %
-1.190345883369	-	17	0.1 %
-1.188560843468	-	17	0.1 %
-1.183013439178	-	26	0.2 %

Value	Label	Unweighted Frequency	%
-1.131715059280	-	14	0.1 %
-1.129682183266	-	23	0.2 %
-1.124896645546	-	8	0.1 %
-1.109826087952	-	20	0.2 %
-1.107935667038	-	16	0.1 %
-1.072092175484	-	21	0.2 %
-1.071242809296	-	23	0.2 %
-1.066122770309	-	27	0.2 %
-1.061141014099	-	13	0.1 %
-1.058254957199	-	4	0.0 %
-1.055752992630	-	26	0.2 %
-1.049196362495	-	17	0.1 %
-1.047767639160	-	14	0.1 %
-1.037562966347	-	24	0.2 %
-1.036310791969	-	15	0.1 %
-1.035398364067	-	25	0.2 %
-1.033688902855	-	13	0.1 %
-1.024562001228	-	7	0.1 %
-1.012692451477	-	19	0.2 %
-1.006785750389	-	13	0.1 %
-0.996069967747	-	17	0.1 %
-0.982886672020	-	15	0.1 %
-0.972695469856	-	20	0.2 %
-0.965740025043	-	5	0.0 %
-0.938493847847	-	19	0.2 %
-0.938143491745	-	22	0.2 %
-0.937212526798	-	15	0.1 %
-0.932384014130	-	19	0.2 %
-0.930785834789	-	16	0.1 %
-0.913848578930	-	23	0.2 %
-0.912002861500	-	21	0.2 %
-0.910542249680	-	22	0.2 %
-0.907095253468	-	21	0.2 %
-0.905779063702	-	12	0.1 %
-0.905621349812	-	24	0.2 %
	Missing Data		
.	-	113	0.9 %
	Total	12,661	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,548 valid cases out of 12,661 total cases.

- Mean: -0.061747955180
- Minimum: -1.546314597130
- Maximum: 2.313506126404
- Standard Deviation: 0.657284853116

Location: 767-781 (width: 15; decimal: 12)
Variable Type: numeric

V_C_MISS_ALT_IRT_M_TM1: Classroom average of _miss_alt_irt_m_tm1

Classroom average of _miss_alt_irt_m_tm1

Value	Label	Unweighted Frequency	%
0.0000000000000	-	4226	33.4 %
0.0333333350718	-	30	0.2 %
0.0344827584922	-	89	0.7 %
0.0357142873108	-	86	0.7 %
0.0384615398943	-	184	1.5 %
0.0399999991059	-	285	2.3 %
0.0416666679084	-	406	3.2 %
0.0434782616794	-	455	3.6 %
0.0454545468092	-	343	2.7 %
0.0476190485060	-	399	3.2 %
0.0500000007451	-	293	2.3 %
0.0526315793395	-	282	2.2 %
0.0555555559695	-	241	1.9 %
0.0588235296309	-	72	0.6 %
0.0625000000000	-	121	1.0 %
0.0645161271095	-	32	0.3 %
0.0666666701436	-	234	1.8 %
0.0714285746217	-	216	1.7 %
0.0740740746260	-	107	0.8 %
0.0769230797887	-	225	1.8 %
0.0799999982119	-	230	1.8 %
0.0833333358169	-	391	3.1 %
0.0851063802838	-	48	0.4 %
0.0869565233588	-	191	1.5 %
0.0909090936184	-	225	1.8 %
0.0937500000000	-	32	0.3 %
0.0952380970120	-	246	1.9 %

Value	Label	Unweighted Frequency	%
0.1000000014901	-	127	1.0 %
0.1034482792020	-	29	0.2 %
0.1052631586790	-	143	1.1 %
0.1111111119390	-	109	0.9 %
0.1153846159577	-	106	0.8 %
0.1176470592618	-	125	1.0 %
0.1199999973178	-	128	1.0 %
0.1250000000000	-	170	1.3 %
0.1304347813129	-	46	0.4 %
0.1333333402872	-	85	0.7 %
0.1363636404276	-	113	0.9 %
0.1428571492434	-	256	2.0 %
0.1500000059605	-	62	0.5 %
0.1538461595774	-	94	0.7 %
0.1578947305679	-	119	0.9 %
0.1666666716337	-	190	1.5 %
0.1739130467176	-	28	0.2 %
0.1764705926180	-	36	0.3 %
0.1785714328289	-	28	0.2 %
0.1818181872368	-	22	0.2 %
0.1875000000000	-	18	0.1 %
0.1904761940241	-	88	0.7 %
0.2000000029802	-	83	0.7 %
	Missing Data		
.	-	26	0.2 %
	Total	12,661	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,635 valid cases out of 12,661 total cases.

- Mean: 0.0722914634104
- Median: 0.0476190485060
- Mode: 0.0000000000000
- Minimum: 0.0000000000000
- Maximum: 1.0000000000000
- Standard Deviation: 0.1121253306951

Location: 782-796 (width: 15; decimal: 13)
Variable Type: numeric

GR4_YR2011: Dummy indicating Grade-level of 4, in schoolyear_sp 2011

Dummy indicating Grade-level of 4, in schoolyear_sp 2011

Value	Label	Unweighted Frequency	%
0	No	10020	79.1 %
1	Yes	2641	20.9 %
	Total	**12,661**	**100%**

Based upon 12,661 valid cases out of 12,661 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 797-797 (width: 1; decimal: 0)
Variable Type: numeric

GR4_YR2012: Dummy indicating Grade-level of 4, in schoolyear_sp 2012

Dummy indicating Grade-level of 4, in schoolyear_sp 2012

Value	Label	Unweighted Frequency	%
0	No	10331	81.6 %
1	Yes	2330	18.4 %
	Total	**12,661**	**100%**

Based upon 12,661 valid cases out of 12,661 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 798-798 (width: 1; decimal: 0)
Variable Type: numeric

GR4_YR2013: Dummy indicating Grade-level of 4, in schoolyear_sp 2013

Dummy indicating Grade-level of 4, in schoolyear_sp 2013

Value	Label	Unweighted Frequency	%
0	No	11315	89.4 %
1	Yes	1346	10.6 %
	Total	**12,661**	**100%**

Based upon 12,661 valid cases out of 12,661 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 799-799 (width: 1; decimal: 0)
Variable Type: numeric

GR5_YR2011: Dummy indicating Grade-level of 5, in schoolyear_sp 2011

Dummy indicating Grade-level of 5, in schoolyear_sp 2011

Value	Label	Unweighted Frequency	%
0	No	10079	79.6 %
1	Yes	2582	20.4 %
	Total	**12,661**	**100%**

Based upon 12,661 valid cases out of 12,661 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 800-800 (width: 1; decimal: 0)
Variable Type: numeric

GR5_YR2012: Dummy indicating Grade-level of 5, in schoolyear_sp 2012

Dummy indicating Grade-level of 5, in schoolyear_sp 2012

Value	Label	Unweighted Frequency	%
0	No	10478	82.8 %
1	Yes	2183	17.2 %
	Total	**12,661**	**100%**

Based upon 12,661 valid cases out of 12,661 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 801-801 (width: 1; decimal: 0)
Variable Type: numeric

GR5_YR2013: Dummy indicating Grade-level of 5, in schoolyear_sp 2013

Dummy indicating Grade-level of 5, in schoolyear_sp 2013

Value	Label	Unweighted Frequency	%
0	No	11408	90.1 %
1	Yes	1253	9.9 %
	Total	**12,661**	**100%**

Based upon 12,661 valid cases out of 12,661 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 802-802 (width: 1; decimal: 0)

Variable Type: numeric