Tables - readmission 30d

Eduardo Yuki Yada

Imports

```
library(tidyverse)
library(yaml)
library(kableExtra)
```

Loading data

```
load('dataset/processed_data.RData')
load('dataset/processed_dictionary.RData')

columns_list <- yaml.load_file("./auxiliar/columns_list.yaml")

outcome_column <- params$outcome_column

if (outcome_column == 'general') {
    df <- df %>% mutate(general = 'All')
}

df[columns_list$outcome_columns] <- lapply(df[columns_list$outcome_columns], as.character)
df[columns_list$outcome_columns] <- lapply(df[columns_list$outcome_columns], as.integer)</pre>
```

Numerical variables

```
medianWithoutNA <- function(x) {</pre>
   median(x[which(!is.na(x))])
}
i = 0
for (column in columns_list$numerical_columns){
    group_by_at(vars(one_of(outcome_column))) %>%
    summarise('Mean' = mean(!!sym(column), na.rm = T),
              'Min' = min(!!sym(column), na.rm = T),
              'Median' = medianWithoutNA(!!sym(column)),
              'Max' = max(!!sym(column), na.rm = T),
              'Standard Deviation' = sd(!!sym(column), na.rm = T),
              'N' = n(),
              'Missing' = sum(is.na(!!sym(column)))) %>%
    ungroup %>%
    mutate(Min = ifelse(is.infinite(Min), NA, Min),
           Max = ifelse(is.infinite(Max), NA, Max)) %>%
    kbl(align = "1", booktabs = T, digits = 3, format = 'latex', label = i,
        caption = df_names %>% filter(variable.name == column) %>% .$field.label) %>%
    column_spec(1, bold = T, width = "8em") %>%
    row_spec(c(1) - 1, extra_latex_after = "\\rowcolor{gray!6}") %>%
    collapse_rows(1, latex_hline = "none") %>%
    kable_styling(latex_options = c("HOLD_position", "repeat_header")) %>%
    print
```

Table 1: Idade no momento do primeiro procedimento

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|--------|-----|--------|-------|--------------------|-------|---------|
| 0 | 65.654 | 0.0 | 69.0 | 110.6 | 17.714 | 15163 | 0 |
| 1 | 64.516 | 0.2 | 68.5 | 97.5 | 19.190 | 603 | 0 |

Table 2: Número de comorbidades

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 1.240 | 0 | 1 | 8 | 1.345 | 15163 | 0 |
| 1 | 1.534 | 0 | 1 | 7 | 1.490 | 603 | 0 |

Table 3: Número de procedimentos

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 1.445 | 1 | 1 | 10 | 0.831 | 15163 | 0 |
| 1 | 1.667 | 1 | 1 | 7 | 1.033 | 603 | 0 |

Table 4: Ano do procedimento 1

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|----------|------|--------|------|--------------------|-------|---------|
| 0 | 2010.596 | 1999 | 2010 | 2021 | 5.803 | 15163 | 0 |
| 1 | 2010.413 | 1999 | 2010 | 2021 | 5.355 | 603 | 0 |

Table 5: Idade no Procedimento 1

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|--------|-----|--------|-------|--------------------|-------|---------|
| 0 | 65.654 | 0.0 | 69.0 | 110.6 | 17.714 | 15163 | 0 |
| 1 | 64.516 | 0.2 | 68.5 | 97.5 | 19.190 | 603 | 0 |

Table 6: Ano do procedimento 2

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|----------|------|--------|------|--------------------|-------|---------|
| 0 | 2013.192 | 1999 | 2013 | 2022 | 4.612 | 15163 | 10538 |
| 1 | 2011.038 | 1999 | 2011 | 2022 | 5.524 | 603 | 367 |

Table 7: Idade no Procedimento 2

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|--------|-----|--------|-------|--------------------|-------|---------|
| 0 | 65.248 | 0.0 | 69.2 | 108.7 | 19.255 | 15163 | 10537 |
| 1 | 62.943 | 0.7 | 67.0 | 97.1 | 19.303 | 603 | 367 |

Table 8: Ano do procedimento 3

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|----------|------|--------|------|--------------------|-------|---------|
| 0 | 2014.492 | 1999 | 2015 | 2022 | 4.639 | 15163 | 13790 |
| 1 | 2012.067 | 2003 | 2012 | 2021 | 5.968 | 603 | 499 |

Table 9: Idade no Procedimento 3

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|--------|-----|--------|-------|--------------------|-------|---------|
| 0 | 62.038 | 0.4 | 66.0 | 101.1 | 20.814 | 15163 | 13790 |
| 1 | 61.563 | 0.8 | 65.7 | 97.6 | 19.940 | 603 | 499 |

Table 10: Ano do procedimento $4\,$

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|----------|------|--------|------|--------------------|-------|---------|
| 0 | 2014.595 | 2002 | 2015 | 2022 | 4.709 | 15163 | 14721 |
| 1 | 2013.070 | 2003 | 2014 | 2022 | 5.582 | 603 | 560 |

Table 11: Idade no Procedimento 4

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|--------|-----|--------|------|--------------------|-------|---------|
| 0 | 59.305 | 1.9 | 63.7 | 97.7 | 22.145 | 15163 | 14721 |
| 1 | 62.919 | 5.6 | 65.4 | 96.9 | 19.394 | 603 | 560 |

Table 12: Ano do procedimento 5

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|----------|------|--------|------|--------------------|-------|---------|
| 0 | 2014.464 | 2004 | 2014 | 2022 | 4.067 | 15163 | 14984 |
| 1 | 2011.077 | 2003 | 2012 | 2020 | 4.734 | 603 | 590 |

Table 13: Idade no Procedimento 5

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|--------|------|--------|------|--------------------|-------|---------|
| 0 | 57.425 | 3.2 | 62.0 | 99.7 | 22.205 | 15163 | 14984 |
| 1 | 63.631 | 27.7 | 70.9 | 83.5 | 19.373 | 603 | 590 |

Table 14: Ano do procedimento 6

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|----------|------|--------|------|--------------------|-------|---------|
| 0 | 2014.921 | 2004 | 2015 | 2021 | 4.378 | 15163 | 15087 |
| 1 | 2011.800 | 2003 | 2013 | 2020 | 6.535 | 603 | 598 |

Table 15: Idade no Procedimento 6

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|--------|------|--------|-------|--------------------|-------|---------|
| 0 | 54.991 | 6.6 | 58.55 | 101.6 | 22.210 | 15163 | 15087 |
| 1 | 69.160 | 27.7 | 78.60 | 84.2 | 23.351 | 603 | 598 |

Table 16: Ano do procedimento 7

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|----------|------|--------|------|--------------------|-------|---------|
| 0 | 2015.677 | 2007 | 2017 | 2022 | 4.354 | 15163 | 15132 |
| 1 | 2015.000 | 2015 | 2015 | 2015 | NA | 603 | 602 |

Table 17: Idade no Procedimento 7

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|--------|------|--------|------|--------------------|-------|---------|
| 0 | 50.342 | 8.8 | 55.4 | 81.8 | 20.577 | 15163 | 15132 |
| 1 | 78.800 | 78.8 | 78.8 | 78.8 | NA | 603 | 602 |

Table 18: Ano do procedimento 8

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|----------|------|--------|------|--------------------|-------|---------|
| 0 | 2014.917 | 2008 | 2015.5 | 2020 | 3.942 | 15163 | 15151 |
| 1 | NaN | NA | NA | NA | NA | 603 | 603 |

Table 19: Idade no Procedimento 8

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|--------|------|--------|------|--------------------|-------|---------|
| 0 | 52.283 | 14.3 | 52.9 | 81.8 | 23.027 | 15163 | 15151 |
| 1 | NaN | NA | NA | NA | NA | 603 | 603 |

Table 20: Ano do procedimento 9

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|--------|------|--------|------|--------------------|-------|---------|
| 0 | 2014.8 | 2009 | 2016 | 2022 | 5.07 | 15163 | 15158 |
| 1 | NaN | NA | NA | NA | NA | 603 | 603 |

Table 21: Idade no Procedimento 9

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|------|--------------------|-------|---------|
| 0 | 39.86 | 15 | 36.6 | 82.2 | 26.06 | 15163 | 15158 |
| 1 | NaN | NA | NA | NA | NA | 603 | 603 |

Table 22: Ano do procedimento 10

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|------|------|--------|------|--------------------|-------|---------|
| 0 | 2019 | 2019 | 2019 | 2019 | NA | 15163 | 15162 |
| 1 | NaN | NA | NA | NA | NA | 603 | 603 |

Table 23: Idade no Procedimento 10

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|------|------|--------|------|--------------------|-------|---------|
| 0 | 39.7 | 39.7 | 39.7 | 39.7 | NA | 15163 | 15162 |
| 1 | NaN | NA | NA | NA | NA | 603 | 603 |

Table 24: Tempo entre o P1 e P2 (meses)

| ${\rm readmission}_30{\rm d}$ | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|--------------------------------|--------|-----|--------|-------|--------------------|-------|---------|
| 0 | 75.947 | 0 | 85.4 | 197.1 | 38.508 | 15163 | 10537 |
| 1 | 21.626 | 0 | 1.1 | 145.3 | 36.627 | 603 | 367 |

Table 25: Tempo entre o P2 e P3 (meses)

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|--------|-----|--------|-------|--------------------|-------|---------|
| 0 | 57.068 | 0.0 | 62.10 | 170.5 | 39.232 | 15163 | 13790 |
| 1 | 37.139 | 0.1 | 9.95 | 132.5 | 41.822 | 603 | 499 |

Table 26: Tempo entre o P3 e P4 (meses)

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|--------|-----|--------|-------|--------------------|-------|---------|
| 0 | 38.761 | 0.0 | 29.6 | 142.7 | 39.288 | 15163 | 14722 |
| 1 | 48.253 | 0.1 | 41.2 | 137.4 | 44.503 | 603 | 560 |

Table 27: Tempo entre o P4 e P5 (meses)

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|--------|-----|--------|-------|--------------------|-------|---------|
| 0 | 32.293 | 0.0 | 7.2 | 130.7 | 37.697 | 15163 | 14984 |
| 1 | 33.515 | 0.4 | 4.9 | 144.3 | 49.236 | 603 | 590 |

Table 28: Tempo entre o P5 e P6 (meses)

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|--------|-----|--------|-------|--------------------|-------|---------|
| 0 | 28.316 | 0.0 | 6.0 | 110.3 | 34.962 | 15163 | 15087 |
| 1 | 18.320 | 0.1 | 0.2 | 82.4 | 36.012 | 603 | 598 |

Table 29: Tempo entre o P6 e P7 (meses)

| ${\rm readmission}_30{\rm d}$ | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|--------------------------------|------|----------------------|--------|-------|--------------------|-------|---------|
| 0 | 32.5 | 0.0 | 4.0 | 142.3 | 42.944 | 15163 | 15132 |
| 1 | 0.2 | 0.2 | 0.2 | 0.2 | NA | 603 | 602 |

Table 30: Tempo entre o P7 e P8 (meses)

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|--------|-----|--------|------|--------------------|-------|---------|
| 0 | 19.983 | 0.2 | 2.6 | 80.9 | 28.743 | 15163 | 15151 |
| 1 | NaN | NA | NA | NA | NA | 603 | 603 |

Table 31: Tempo entre o P8 e P9 (meses)

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|------|--------------------|-------|---------|
| 0 | 21.72 | 4.8 | 8.7 | 63.2 | 24.892 | 15163 | 15158 |
| 1 | NaN | NA | NA | NA | NA | 603 | 603 |

Table 32: Tempo entre o P9 e P10 (meses)

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|------|------|--------|------|--------------------|-------|---------|
| 0 | 36.8 | 36.8 | 36.8 | 36.8 | NA | 15163 | 15162 |
| 1 | NaN | NA | NA | NA | NA | 603 | 603 |

Table 33: Número de Mudanças do tipo de DCEI

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.087 | 0 | 0 | 3 | 0.296 | 15163 | 10539 |
| 1 | 0.085 | 0 | 0 | 2 | 0.295 | 603 | 368 |

Table 34: Número de atendimentos

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 2.294 | 1 | 2 | 51 | 2.118 | 15163 | 0 |
| 1 | 4.561 | 2 | 3 | 24 | 3.371 | 603 | 0 |

Table 35: Número da Admissão T0 (admissão índice)

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 1.410 | 1 | 1 | 32 | 1.052 | 15163 | 0 |
| 1 | 2.061 | 1 | 1 | 17 | 2.168 | 603 | 0 |

Table 36: Núm. de episódios de hospitalizações pós-procedimento

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.800 | 0 | 0 | 50 | 1.617 | 15163 | 0 |
| 1 | 2.466 | 0 | 2 | 22 | 2.439 | 603 | 0 |

Table 37: Núm. de episódios de hospitalizações pré-procedimento

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.519 | 0 | 0 | 38 | 1.183 | 15163 | 0 |
| 1 | 1.096 | 0 | 0 | 16 | 2.172 | 603 | 0 |

Table 38: Ano da admissão T0

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|----------|------|--------|------|--------------------|-------|---------|
| 0 | 2010.590 | 1999 | 2010 | 2021 | 5.804 | 15163 | 18 |
| 1 | 2010.381 | 1999 | 2010 | 2021 | 5.355 | 603 | 2 |

Table 39: UTI durante a admissão T0

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|--------|--------------------|-------|---------|
| 0 | 1.527 | 0 | 0 | 191.95 | 6.346 | 15163 | 0 |
| 1 | 4.537 | 0 | 0 | 144.91 | 12.715 | 603 | 0 |

Table 40: Diálise durante a admissão T0

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.011 | 0 | 0 | 28 | 0.423 | 15163 | 0 |
| 1 | 0.020 | 0 | 0 | 5 | 0.257 | 603 | 0 |

Table 41: Tempo de seguimento total (anos)

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|------|--------------------|-------|---------|
| 0 | 5.944 | 0 | 4.5 | 22.6 | 5.248 | 15163 | 0 |
| 1 | 4.249 | 0 | 2.6 | 22.0 | 4.755 | 603 | 0 |

Table 42: Tempo de sobrevida (anos)

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|------|--------------------|-------|---------|
| 0 | 4.388 | 0 | 3.1 | 20.1 | 4.151 | 15163 | 13597 |
| 1 | 1.691 | 0 | 0.3 | 17.3 | 2.703 | 603 | 404 |

Table 43: Diárias no serviço de Emergência na admissão ${\rm T0}$

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.304 | 0 | 0 | 27 | 1.307 | 15163 | 5718 |
| 1 | 0.599 | 0 | 0 | 28 | 2.178 | 603 | 211 |

Table 44: Anticoagulantes orais

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.280 | 0 | 0 | 98 | 2.408 | 15163 | 3372 |
| 1 | 0.722 | 0 | 0 | 32 | 2.936 | 603 | 111 |

Table 45: Antiarritmicos

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|--------|-----|--------|-----|--------------------|-------|---------|
| 0 | 3.395 | 0 | 0 | 445 | 16.390 | 15163 | 3372 |
| 1 | 11.384 | 0 | 0 | 844 | 47.199 | 603 | 111 |

Table 46: Antihipertensivo

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.439 | 0 | 0 | 349 | 5.139 | 15163 | 3372 |
| 1 | 1.154 | 0 | 0 | 160 | 9.116 | 603 | 111 |

 ${\bf Table~47:~Betable queador}$

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 1.046 | 0 | 0 | 388 | 7.957 | 15163 | 3372 |
| 1 | 2.115 | 0 | 0 | 182 | 10.436 | 603 | 111 |

Table 48: IECA/BRA

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|--------|-----|--------|-----|--------------------|-------|---------|
| 0 | 8.699 | 0 | 2 | 530 | 20.318 | 15163 | 3372 |
| 1 | 13.263 | 0 | 3 | 208 | 26.893 | 603 | 111 |

Table 49: DVA

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|--------|-----|--------|------|--------------------|-------|---------|
| 0 | 4.611 | 0 | 0 | 1044 | 27.006 | 15163 | 3372 |
| 1 | 15.652 | 0 | 0 | 606 | 58.898 | 603 | 111 |

Table 50: Digoxina

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.225 | 0 | 0 | 50 | 1.601 | 15163 | 3372 |
| 1 | 0.436 | 0 | 0 | 28 | 2.341 | 603 | 111 |

Table 51: Estatinas

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 4.959 | 0 | 0 | 421 | 15.987 | 15163 | 3372 |
| 1 | 9.118 | 0 | 0 | 413 | 26.459 | 603 | 111 |

Table 52: Diuretico

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|--------|-----|--------|------|--------------------|-------|---------|
| 0 | 7.669 | 0 | 0.00 | 1290 | 39.412 | 15163 | 3372 |
| 1 | 27.825 | 0 | 1.25 | 1208 | 112.568 | 603 | 111 |

Table 53: Vasodilator

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|--------|-----|--------|------|--------------------|-------|---------|
| 0 | 8.248 | 0 | 0 | 2408 | 46.942 | 15163 | 3372 |
| 1 | 26.658 | 0 | 0 | 1278 | 96.981 | 603 | 111 |

Table 54: Insuficiência cardíaca (ivabradina, levosimedan, milrinona, nesiritida, carvedilol)

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-------|--------------------|-------|---------|
| 0 | 4.313 | 0 | 0 | 453.0 | 16.075 | 15163 | 3372 |
| 1 | 8.206 | 0 | 0 | 282.5 | 24.197 | 603 | 111 |

Table 55: Antagonista da Aldosterona (espironolactona)

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 1.919 | 0 | 0 | 204 | 7.365 | 15163 | 3372 |
| 1 | 4.871 | 0 | 0 | 118 | 13.962 | 603 | 111 |

Table 56: Bloqueador do canal de calcio

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.514 | 0 | 0 | 509 | 8.919 | 15163 | 3372 |
| 1 | 3.063 | 0 | 0 | 230 | 19.646 | 603 | 111 |

Table 57: Trombolitico

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.001 | 0 | 0 | 3 | 0.04 | 15163 | 3372 |
| 1 | 0.000 | 0 | 0 | 0 | 0.00 | 603 | 111 |

Table 58: Antiplaquetario VO

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0 | 0 | 0 | 0 | 0 | 15163 | 3372 |
| 1 | 0 | 0 | 0 | 0 | 0 | 603 | 111 |

Table 59: Antiplaquetario EV

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.010 | 0 | 0 | 8 | 0.172 | 15163 | 3372 |
| 1 | 0.022 | 0 | 0 | 3 | 0.215 | 603 | 111 |

Table 60: Insulina

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.093 | 0 | 0 | 16 | 0.470 | 15163 | 3372 |
| 1 | 0.134 | 0 | 0 | 5 | 0.484 | 603 | 111 |

Table 61: Hipoglicemiante

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.354 | 0 | 0 | 90 | 2.761 | 15163 | 3372 |
| 1 | 0.486 | 0 | 0 | 80 | 4.357 | 603 | 111 |

Table 62: Hormonio tireoidiano

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0 | 0 | 0 | 0 | 0 | 15163 | 3372 |
| 1 | 0 | 0 | 0 | 0 | 0 | 603 | 111 |

Table 63: Broncodiltador

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0 | 0 | 0 | 0 | 0 | 15163 | 3372 |
| 1 | 0 | 0 | 0 | 0 | 0 | 603 | 111 |

Table 64: Anticonvulsivante

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.736 | 0 | 0 | 334 | 8.852 | 15163 | 3372 |
| 1 | 4.322 | 0 | 0 | 390 | 30.294 | 603 | 111 |

Table 65: Psicofármacos (Ansiolítico/ antidepressivo/ antipsicótico)

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 3.433 | 0 | 0 | 387 | 11.435 | 15163 | 3372 |
| 1 | 9.549 | 0 | 1 | 251 | 26.205 | 603 | 111 |

Table 66: Antibióticos

| ${\rm readmission}_30{\rm d}$ | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|--------------------------------|--------|----------------------|--------|------|--------------------|-------|---------|
| 0 | 12.903 | 0 | 4 | 1812 | 59.184 | 15163 | 3372 |
| 1 | 24.614 | 0 | 4 | 751 | 65.825 | 603 | 111 |

Table 67: Antifúngicos

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.246 | 0 | 0 | 122 | 2.954 | 15163 | 3372 |
| 1 | 1.076 | 0 | 0 | 99 | 7.140 | 603 | 111 |

Table 68: Antiviral

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.091 | 0 | 0 | 131 | 2.372 | 15163 | 3372 |
| 1 | 0.404 | 0 | 0 | 72 | 4.444 | 603 | 111 |

Table 69: Antiretroviral

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.009 | 0 | 0 | 32 | 0.455 | 15163 | 3372 |
| 1 | 0.008 | 0 | 0 | 4 | 0.180 | 603 | 111 |

Table 70: Quantidade de classes medicamentosas utilizadas

| readmission_30d Mea | ı Mın | Median | Max | Standard Deviation | N | Missing |
|---------------------|-------|--------|----------|--------------------|--------------|-------------|
| | 1 | 4 | 17 15 | 2.510 2.869 | 15163 603 | 4776 179 |

Table 71: Ventilação não invasiva

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.02 | 0 | 0 | 42 | 0.637 | 15163 | 2652 |
| 1 | 0.00 | 0 | 0 | 0 | 0.000 | 603 | 82 |

Table 72: Instalação de CEC

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.011 | 0 | 0 | 2 | 0.107 | 15163 | 2652 |
| 1 | 0.025 | 0 | 0 | 1 | 0.156 | 603 | 82 |

Table 73: Cirurgia Cardiovascular

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.055 | 0 | 0 | 9 | 0.371 | 15163 | 2652 |
| 1 | 0.069 | 0 | 0 | 5 | 0.437 | 603 | 82 |

Table 74: Cirurgia Toracica

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.003 | 0 | 0 | 4 | 0.066 | 15163 | 2652 |
| 1 | 0.006 | 0 | 0 | 2 | 0.098 | 603 | 82 |

Table 75: Outros procedimentos cirúrgicos (cir geral, gastrocir, plástica, uro, vascular)

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.103 | 0 | 0 | 11 | 0.518 | 15163 | 2652 |
| 1 | 0.190 | 0 | 0 | 6 | 0.718 | 603 | 82 |

Table 76: Traqueostomia

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.001 | 0 | 0 | 5 | 0.056 | 15163 | 2652 |
| 1 | 0.002 | 0 | 0 | 1 | 0.044 | 603 | 82 |

Table 77: Intervenção coronária percutânea

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.010 | 0 | 0 | 3 | 0.119 | 15163 | 2652 |
| 1 | 0.033 | 0 | 0 | 4 | 0.286 | 603 | 82 |

Table 78: Intervenção cardiovascular em laboratório de hemodinâmica (alcoolização septal, valvoplastia percutânea, stent em vasos pulmonares)

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.007 | 0 | 0 | 3 | 0.116 | 15163 | 2652 |
| 1 | 0.012 | 0 | 0 | 2 | 0.123 | 603 | 82 |

Table 79: Stent

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0 | 0 | 0 | 0 | 0 | 15163 | 2652 |
| 1 | 0 | 0 | 0 | 0 | 0 | 603 | 82 |

Table 80: Angioplastia

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.001 | 0 | 0 | 2 | 0.038 | 15163 | 2652 |
| 1 | 0.004 | 0 | 0 | 1 | 0.062 | 603 | 82 |

Table 81: Cateterismo

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.118 | 0 | 0 | 7 | 0.396 | 15163 | 2652 |
| 1 | 0.223 | 0 | 0 | 3 | 0.541 | 603 | 82 |

Table 82: Eletrofisiologia

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.079 | 0 | 0 | 11 | 0.469 | 15163 | 2652 |
| 1 | 0.138 | 0 | 0 | 6 | 0.601 | 603 | 82 |

Table 83: Suporte cardiocirculatório (ECMO, BIA, Bio-PUMP)

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.067 | 0 | 0 | 535 | 5.037 | 15163 | 2652 |
| 1 | 1.038 | 0 | 0 | 177 | 11.853 | 603 | 82 |

Table 84: Cateter venoso central

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.026 | 0 | 0 | 4 | 0.194 | 15163 | 2652 |
| 1 | 0.077 | 0 | 0 | 4 | 0.353 | 603 | 82 |

Table 85: Drenagem de tórax (instalação /troca) e punção pericárdica ou pleural

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.006 | 0 | 0 | 6 | 0.108 | 15163 | 2652 |
| 1 | 0.002 | 0 | 0 | 1 | 0.044 | 603 | 82 |

Table 86: Quantidade de procedimentos invasivos

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.490 | 0 | 0 | 554 | 5.392 | 15163 | 2652 |
| 1 | 1.825 | 0 | 0 | 197 | 12.779 | 603 | 82 |

Table 87: Cardioversão/ Desfibrilação (sessão)

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.006 | 0 | 0 | 5 | 0.117 | 15163 | 3448 |
| 1 | 0.016 | 0 | 0 | 3 | 0.192 | 603 | 118 |

Table 88: Transfusão de hemoderivados

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.028 | 0 | 0 | 34 | 0.516 | 15163 | 2652 |
| 1 | 0.079 | 0 | 0 | 13 | 0.774 | 603 | 82 |

Table 89: Interconsulta médica (Especialidades cirúrgicas, infecto, uro, nefro, psiquiatra, dermato, alergista, oncologista, geriatra, etc)

| ${\rm readmission}_30{\rm d}$ | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|--------------------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.336 | 0 | 0 | 199 | 2.674 | 15163 | 2652 |
| 1 | 0.702 | 0 | 0 | 67 | 4.654 | 603 | 82 |

Table 90: Equipe Multiprofissional (enf, fono, fisio, nutri, serviço social, psicologia)

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 2.827 | 0 | 0 | 365 | 12.317 | 15163 | 2652 |
| 1 | 7.052 | 0 | 1 | 258 | 22.786 | 603 | 82 |

Table 91: ECG

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 3.778 | 0 | 2 | 140 | 5.567 | 15163 | 2652 |
| 1 | 6.645 | 0 | 4 | 64 | 8.936 | 603 | 82 |

Table 92: Holter

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.102 | 0 | 0 | 5 | 0.350 | 15163 | 2652 |
| 1 | 0.167 | 0 | 0 | 2 | 0.422 | 603 | 82 |

Table 93: Teste de esforço

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.010 | 0 | 0 | 3 | 0.106 | 15163 | 2652 |
| 1 | 0.017 | 0 | 0 | 2 | 0.144 | 603 | 82 |

Table 94: Espirometria / Ergoespirometria

| ${\rm readmission}_30{\rm d}$ | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|--------------------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.005 | 0 | 0 | 2 | 0.070 | 15163 | 2652 |
| 1 | 0.004 | 0 | 0 | 1 | 0.062 | 603 | 82 |

Table 95: Tilt Test

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.002 | 0 | 0 | 2 | 0.050 | 15163 | 2652 |
| 1 | 0.006 | 0 | 0 | 1 | 0.076 | 603 | 82 |

Table 96: Polissonografia

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.002 | 0 | 0 | 2 | 0.045 | 15163 | 2652 |
| 1 | 0.000 | 0 | 0 | 0 | 0.000 | 603 | 82 |

Table 97: Quantidade de exames por métodos gráficos

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 3.899 | 0 | 2 | 140 | 5.706 | 15163 | 2652 |
| 1 | 6.839 | 0 | 4 | 66 | 9.095 | 603 | 82 |

Table 98: Exames laboratoriais (exames bioquímicos, exames hematologia/coagulação, anticorpos, dosagem sérica de fármacos)

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|--------|-----|--------|------|--------------------|-------|---------|
| 0 | 56.07 | 0 | 9 | 3474 | 158.351 | 15163 | 2652 |
| 1 | 133.61 | 0 | 30 | 2349 | 291.608 | 603 | 82 |

Table 99: Culturas (hemocultura, cultura de secreções, urocultura e cultura de cateteres)

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.275 | 0 | 0 | 25 | 1.076 | 15163 | 2652 |
| 1 | 0.726 | 0 | 0 | 19 | 2.090 | 603 | 82 |

Table 100: Quantidade de exames de análises clínicas

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|---------|-----|--------|------|--------------------|-------|---------|
| 0 | 56.345 | 0 | 10 | 3487 | 159.166 | 15163 | 2652 |
| 1 | 134.336 | 0 | 30 | 2368 | 293.367 | 603 | 82 |

Table 101: Citologias

| ${\rm readmission}_30{\rm d}$ | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|--------------------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.005 | 0 | 0 | 5 | 0.089 | 15163 | 2652 |
| 1 | 0.027 | 0 | 0 | 4 | 0.254 | 603 | 82 |

Table 102: Biopsias (cardíaca, esterno, parede torácica, tumor em mediastino, pulmonar)

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.011 | 0 | 0 | 8 | 0.206 | 15163 | 2652 |
| 1 | 0.104 | 0 | 0 | 10 | 0.795 | 603 | 82 |

Table 103: Quantidade de exames histopatológicos

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.016 | 0 | 0 | 8 | 0.226 | 15163 | 2652 |
| 1 | 0.131 | 0 | 0 | 10 | 0.889 | 603 | 82 |

Table 104: Angio RM

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.004 | 0 | 0 | 4 | 0.083 | 15163 | 2652 |
| 1 | 0.012 | 0 | 0 | 2 | 0.123 | 603 | 82 |

Table 105: Angio TC

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.033 | 0 | 0 | 6 | 0.232 | 15163 | 2652 |
| 1 | 0.050 | 0 | 0 | 2 | 0.243 | 603 | 82 |

Table 106: Angiografia

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.002 | 0 | 0 | 3 | 0.051 | 15163 | 2652 |
| 1 | 0.004 | 0 | 0 | 1 | 0.062 | 603 | 82 |

Table 107: Aortografia

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.002 | 0 | 0 | 2 | 0.051 | 15163 | 2652 |
| 1 | 0.002 | 0 | 0 | 1 | 0.044 | 603 | 82 |

Table 108: Arteriografia

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.000 | 0 | 0 | 1 | 0.022 | 15163 | 2652 |
| 1 | 0.004 | 0 | 0 | 2 | 0.088 | 603 | 82 |

Table 109: Cavografia

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.007 | 0 | 0 | 1 | 0.084 | 15163 | 2652 |
| 1 | 0.010 | 0 | 0 | 1 | 0.098 | 603 | 82 |

Table 110: Cintilografia

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.062 | 0 | 0 | 5 | 0.347 | 15163 | 2652 |
| 1 | 0.134 | 0 | 0 | 4 | 0.497 | 603 | 82 |

Table 111: Ecocardiograma

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.512 | 0 | 0 | 23 | 1.137 | 15163 | 2652 |
| 1 | 1.050 | 0 | 1 | 24 | 2.248 | 603 | 82 |

Table 112: Exames endoscópicos (EDA, colonoscopia, retossigmoidoscopia, broncoscopia)

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.014 | 0 | 0 | 6 | 0.163 | 15163 | 2652 |
| 1 | 0.044 | 0 | 0 | 2 | 0.256 | 603 | 82 |

Table 113: Flebografia

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.034 | 0 | 0 | 5 | 0.280 | 15163 | 2652 |
| 1 | 0.069 | 0 | 0 | 5 | 0.437 | 603 | 82 |

Table 114: PET-CT

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.005 | 0 | 0 | 3 | 0.072 | 15163 | 2652 |
| 1 | 0.013 | 0 | 0 | 2 | 0.131 | 603 | 82 |

Table 115: Ultrassom

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.160 | 0 | 0 | 14 | 0.736 | 15163 | 2652 |
| 1 | 0.441 | 0 | 0 | 12 | 1.387 | 603 | 82 |

Table 116: Tomografia

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.152 | 0 | 0 | 15 | 0.645 | 15163 | 2652 |
| 1 | 0.284 | 0 | 0 | 10 | 0.868 | 603 | 82 |

Table 117: Radiografias

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 2.840 | 0 | 1 | 192 | 6.733 | 15163 | 2652 |
| 1 | 5.835 | 0 | 2 | 164 | 12.652 | 603 | 82 |

Table 118: Ressonancia magnetica

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.071 | 0 | 0 | 6 | 0.305 | 15163 | 2652 |
| 1 | 0.132 | 0 | 0 | 2 | 0.382 | 603 | 82 |

Table 119: Quantidade de exames diagnóstico por imagem

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 3.899 | 0 | 2 | 232 | 8.453 | 15163 | 2652 |
| 1 | 8.084 | 0 | 3 | 189 | 15.567 | 603 | 82 |

Table 120: Dieta enteral (frasco)

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.035 | 0 | 0 | 115 | 1.735 | 15163 | 3450 |
| 1 | 0.045 | 0 | 0 | 20 | 0.910 | 603 | 118 |

Table 121: Dieta parenteral (frasco)

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.001 | 0 | 0 | 5 | 0.062 | 15163 | 3450 |
| 1 | 0.000 | 0 | 0 | 0 | 0.000 | 603 | 118 |

Table 122: Bomba de infusão contínua (horas)

| ${\rm readmission}_30{\rm d}$ | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|--------------------------------|-------|----------------------|--------|------|--------------------|-------|---------|
| 0 | 0.904 | 0 | 0 | 1527 | 23.185 | 15163 | 3450 |
| 1 | 1.800 | 0 | 0 | 358 | 18.248 | 603 | 118 |

Table 123: Marca-passo temporário (por hora)

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.154 | 0 | 0 | 180 | 2.995 | 15163 | 3450 |
| 1 | 0.260 | 0 | 0 | 66 | 3.549 | 603 | 118 |

Table 124: Número de procedimentos na admissão T0

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 1.015 | 1 | 1 | 5 | 0.137 | 15163 | 0 |
| 1 | 1.022 | 1 | 1 | 3 | 0.176 | 603 | 0 |

Table 125: Número de procedimentos em até 30 dias

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.000 | 0 | 0 | 1 | 0.016 | 15163 | 0 |
| 1 | 0.204 | 0 | 0 | 3 | 0.450 | 603 | 0 |

Table 126: Número de procedimentos em até 60 dias

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.006 | 0 | 0 | 2 | 0.077 | 15163 | 0 |
| 1 | 0.096 | 0 | 0 | 3 | 0.347 | 603 | 0 |

Table 127: Número de procedimentos em até 180 dias

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.012 | 0 | 0 | 4 | 0.128 | 15163 | 0 |
| 1 | 0.033 | 0 | 0 | 2 | 0.197 | 603 | 0 |

Table 128: Número de procedimentos em até 1 ano

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 0.010 | 0 | 0 | 3 | 0.123 | 15163 | 0 |
| 1 | 0.028 | 0 | 0 | 2 | 0.175 | 603 | 0 |

Table 129: Quantidade de classes medicamentosas de ação cardiovascular

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0 | 3.073 | 1 | 3 | 10 | 1.749 | 15163 | 6331 |
| 1 | 3.975 | 1 | 4 | 9 | 2.000 | 603 | 204 |

Table 130: Quantidade de medicamentos de ação cardiovascular

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|---------|-----|--------|---------|--------------------|-------|---------|
| 0 | 41.077 | 0 | 9.0 | 5140.00 | 123.618 | 15163 | 3372 |
| 1 | 114.627 | 0 | 24.5 | 2089.25 | 266.595 | 603 | 111 |

Table 131: Quantidade de antimicrobianos (antibióticos e antifúngicos)

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|--------|-----|--------|------|--------------------|-------|---------|
| 0 | 13.148 | 0 | 4 | 1812 | 60.135 | 15163 | 3372 |
| 1 | 25.690 | 0 | 4 | 812 | 70.547 | 603 | 111 |

Table 132: Tempo de permanência hospitalar

| readmission_30d | Mean | Min | Median | Max | Standard Deviation | N | Missing |
|-----------------|--------|-----|--------|-----|--------------------|-------|---------|
| 0 | 7.677 | 0 | 3 | 360 | 12.979 | 15163 | 0 |
| 1 | 15.741 | 0 | 9 | 162 | 20.589 | 603 | 0 |

Categorical variables

```
paste_matrix <- function(...,sep = " ",collapse = NULL){
    n <- max(sapply(list(...),nrow))
    p <- max(sapply(list(...),ncol))

matrix(paste(...,sep = sep,collapse = collapse),n,p)
}

percent <- function(x) paste0("(", lapply(x, as.character), "%)")</pre>
```

```
addpercentage <- function(df, horizontal = FALSE){</pre>
  if (horizontal){
    x <- df %>%
      prop.table(margin = 1) %>%
      addmargins(FUN = list(Total = sum), quiet = TRUE) %>%
      round(2) * 100
    x[nrow(x),] \leftarrow ""
    x[-(nrow(x)),] \leftarrow lapply(x[-(nrow(x)),], percent)
  } else {
    x <- df %>%
      prop.table(margin = 2) %>%
      addmargins(FUN = list(Total = sum), quiet = TRUE) %>%
      round(2) * 100
    x[, ncol(x)] <- " "
    x[, -(ncol(x))] \leftarrow lapply(x[, -(ncol(x))], percent)
  y \leftarrow matrix(x, nrow = nrow(df) + 1)
  df <- df %>%
    addmargins(FUN = list(Total = sum), quiet = TRUE)
  df_final <- paste_matrix(df, y)</pre>
  rownames(df_final) <- rownames(df)</pre>
  colnames(df_final) <- colnames(df)</pre>
  return(df_final)
transpose_columns <- c()</pre>
df[columns_list$outcome_columns] <- lapply(df[columns_list$outcome_columns], as.character)</pre>
for (column in columns_list$categorical_columns){
  if (length(unique(df[[column]])) > 5) next
  variable_name <- df_names %>%
    filter(variable.name == column) %>%
    .$field.label
  abbreviated_name <- df_names %>%
    filter(variable.name == column) %>%
    .$field.label
  caption <- sprintf('Contingency table between %s and %s',
                      str_replace(outcome_column, "_", " "),
                      variable_name)
  if (column %in% transpose_columns){
    temp_table <- table(df[[column]],</pre>
                         df[[outcome_column]],
                         useNA = "ifany") %>%
      addpercentage(horizontal = TRUE)
    has_na <- df[[column]] %>% is.na() %>% sum > 0
    if (has_na){
      rownames(temp_table)[nrow(temp_table) - 1] <- "NA"
    }
```

```
t <- temp_table %>%
    as.data.frame %>%
    rownames_to_column(var=abbreviated_name) %>%
    kbl(align = "c", booktabs = T, digits = 2, format = 'latex',
        caption = caption) %>%
    row_spec(length(unique(df %>% .[[column]] %>% replace_na("NA"))),
             hline_after = T) %>%
    collapse_rows(1, latex_hline = "none") %>%
    column_spec(4, border_right = T) %>%
    add_header_above(c(setNames(1, ' '),
                       setNames(length(unique(df[[outcome_column]])),
                                 outcome_column))) %>%
    kable_styling(latex_options = c("HOLD_position", "repeat_header"))
} else {
  temp_table <- table(df[[outcome_column]],</pre>
                      df[[column]],
                      useNA = "ifany") %>%
    addpercentage
  has_na <- df[[column]] %>% is.na() %>% sum > 0
  if (has_na){
    colnames(temp_table) [ncol(temp_table) - 1] <- "NA"</pre>
  t <- temp_table %>%
    as.data.frame %>%
    rownames_to_column(var=outcome_column) %>%
    kbl(align = "c", booktabs = T, digits = 2, format = 'latex',
        caption = caption, label = i) %>%
    row_spec(2, hline_after = T) %>%
    column_spec(length(unique(df %>% .[[column]] %>% replace_na("NA"))) + 1,
                border_right = T) %>%
    collapse_rows(1, latex_hline = "none") %>%
    add_header_above(c(' ' = 1,
                       setNames(length(unique(df[[column]])),
                                abbreviated_name))) %>%
    kable_styling(latex_options = c("HOLD_position", "repeat_header"))
}
print(t)
i <- i + 1
```

Table 133: Contingency table between readmission 30d and Sexo

| | Sexo | | | |
|--------------------------------|-------------|---------------|-------|--|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | Total | |
| 0 | 7156 (96%) | 8007 (96%) | 15163 | |
| 1 | 293~(4%) | $310 \ (4\%)$ | 603 | |
| Total | 7449 (100%) | 8317 (100%) | 15766 | |

Table 134: Contingency table between readmission 30d and Doença cardíaca

| | | Doença cardíaca | | | |
|--------------------------------|-------------|-----------------|-------------|-------------|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | 2 | NA | Total |
| 0 | 8840 (97%) | 1082 (95%) | 3316 (96%) | 1925 (96%) | 15163 |
| 1 | 316 (3%) | 61 (5%) | 147 (4%) | 79 (4%) | 603 |
| Total | 9156 (100%) | 1143 (100%) | 3463 (100%) | 2004 (100%) | 15766 |

Table 135: Contingency table between readmission 30d and Classe funcional de IC (NYHA)

| | Classe f | Classe funcional de IC (NYHA) | | | |
|--------------------------------|-------------|-------------------------------|-------------|-------|--|
| ${\rm readmission}_30{\rm d}$ | 1 | 2 | NA | Total | |
| 0 | 5787 (97%) | 1280 (95%) | 8096 (96%) | 15163 | |
| 1 | 208 (3%) | 66 (5%) | 329 (4%) | 603 | |
| Total | 5995 (100%) | 1346 (100%) | 8425 (100%) | 15766 | |

Table 136: Contingency table between readmission 30d and Hipertensão arterial

| | Hipertensão arterial | | | |
|--------------------------------|----------------------|-------------|-------|--|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | Total | |
| 0 | 11484 (96%) | 3679 (96%) | 15163 | |
| 1 | 449 (4%) | 154 (4%) | 603 | |
| Total | 11933 (100%) | 3833 (100%) | 15766 | |

Table 137: Contingency table between readmission 30d and Infarto do miocárdio prévio / Doença arterial coronariana

| | Infarto do miocá | Infarto do miocárdio prévio / Doença arterial coronariana | | |
|--------------------------------|------------------|---|-------|--|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | Total | |
| 0 | 13794 (96%) | 1369 (95%) | 15163 | |
| 1 | 529 (4%) | 74 (5%) | 603 | |
| Total | 14323 (100%) | 1443 (100%) | 15766 | |

Table 138: Contingency table between readmission 30d and Insuficiência cardíaca

| | Insuficiência cardíaca | | | |
|--------------------------------|------------------------|-------------|-------|--|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | Total | |
| 0 | 9813 (97%) | 5350 (95%) | 15163 | |
| 1 | 312 (3%) | 291 (5%) | 603 | |
| Total | 10125 (100%) | 5641 (100%) | 15766 | |

Table 139: Contingency table between readmission 30d and Fibrilação / flutter atrial

| | Fibrilação / | Fibrilação / flutter atrial | | |
|--------------------------------|--------------|-----------------------------|-------|--|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | Total | |
| 0 | 12884 (96%) | 2279 (96%) | 15163 | |
| 1 | 499 (4%) | 104 (4%) | 603 | |
| Total | 13383 (100%) | 2383 (100%) | 15766 | |

Table 140: Contingency table between readmission 30d and Parada cardíaca prévia/ Taquicardia ventricular instável

| | Parada cardíaca | prévia/ Taquicardia ventricular instável | |
|--------------------------------|-----------------|--|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | Total |
| 0 | 13353 (96%) | 1810 (96%) | 15163 |
| 1 | 520 (4%) | 83 (4%) | 603 |
| Total | 13873 (100%) | 1893 (100%) | 15766 |

Table 141: Contingency table between readmission 30d and Transplante cardíaco prévio

| | Transplante car | Transplante cardíaco prévio | |
|--------------------------------|-----------------|-----------------------------|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | Total |
| 0 | 15153 (96%) | 10 (83%) | 15163 |
| 1 | 601 (4%) | 2(17%) | 603 |
| Total | 15754 (100%) | 12 (100%) | 15766 |

Table 142: Contingency table between readmission 30d and Valvopatias/ Prótese valvares

| | Valvopatias/ Prótese valvares | | |
|--------------------------------|-------------------------------|-------------|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | Total |
| 0 | 14159 (96%) | 1004 (95%) | 15163 |
| 1 | 553 (4%) | 50 (5%) | 603 |
| Total | 14712 (100%) | 1054 (100%) | 15766 |

Table 143: Contingency table between readmission 30d and Endocardite prévia

| | Endocardi | Endocardite prévia | | |
|--------------------------------|--------------|--------------------|-------|--|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | Total | |
| 0 | 15040 (96%) | 123 (92%) | 15163 | |
| 1 | 593 (4%) | 10 (8%) | 603 | |
| Total | 15633 (100%) | 133 (100%) | 15766 | |

Table 144: Contingency table between readmission 30d and Diabetes melittus

| | Diabetes melittus | | |
|--------------------------------|-------------------|-------------|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | Total |
| 0 | 13369 (96%) | 1794 (96%) | 15163 |
| 1 | 521~(4%) | 82 (4%) | 603 |
| Total | 13890 (100%) | 1876 (100%) | 15766 |

Table 145: Contingency table between readmission 30d and Insuficiência renal crônica

| | Insuficiência r | enal crônica | |
|--------------------------------|-----------------|--------------|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | Total |
| 0 | 14574 (96%) | 589 (95%) | 15163 |
| 1 | 572 (4%) | 31 (5%) | 603 |
| Total | 15146 (100%) | 620 (100%) | 15766 |

Table 146: Contingency table between readmission 30d and Hemodiálise

| | Hemodi | Hemodiálise | | | |
|--------------------------------|--------------|-------------|-------|--|--|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | Total | | |
| 0 | 15147 (96%) | 16 (84%) | 15163 | | |
| 1 | 600 (4%) | 3 (16%) | 603 | | |
| Total | 15747 (100%) | 19 (100%) | 15766 | | |

Table 147: Contingency table between readmission 30d and Acidente Vascular Cerebral/ Acidente isquêmico transitório prévios

| | Acidente Vascular | Cerebral/ Acidente isquêmico transitório prévios | |
|--------------------------------|-------------------|--|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | Total |
| 0 | 14690 (96%) | 473 (95%) | 15163 |
| 1 | 577 (4%) | 26 (5%) | 603 |
| Total | 15267 (100%) | 499 (100%) | 15766 |

Table 148: Contingency table between readmission 30d and Doença pulmonar obstrutiva crônica

| | Doença pulmona | | |
|--------------------------------|------------------|----------------|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | Total |
| 0 | 14958 (96%) | 205 (96%) | 15163 |
| 1 | 595 (4%) | 8 (4%) | 603 |
| Total | $15553\ (100\%)$ | $213\ (100\%)$ | 15766 |

Table 149: Contingency table between readmission 30d and Neoplasia em tratamento ou tratada recentemente (12 meses)

| | Neoplasia em tratamento ou tratada recentemente (12 meses) | | |
|--------------------------------|--|------------|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | Total |
| 0 | 15057 (96%) | 106 (94%) | 15163 |
| 1 | 596 (4%) | 7 (6%) | 603 |
| Total | 15653 (100%) | 113 (100%) | 15766 |

Table 150: Contingency table between readmission 30d and Tipo de Procedimento 1

| | Tipo de Pro | | |
|--------------------------------|--------------|-------------|-------|
| ${\rm readmission}_30{\rm d}$ | 1 | 2 | Total |
| 0 | 10424 (96%) | 4739 (98%) | 15163 |
| 1 | 488 (4%) | 115 (2%) | 603 |
| Total | 10912 (100%) | 4854 (100%) | 15766 |

Table 151: Contingency table between readmission 30d and Tipo de Reoperação 1

| | | Tipo de Reoperação 1 | | | |
|--------------------------------|-------------|----------------------|-----------|--------------|-------|
| ${\rm readmission}_30{\rm d}$ | 1 | 2 | 3 | NA | Total |
| 0 | 3838 (98%) | 870 (96%) | 31 (94%) | 10424 (96%) | 15163 |
| 1 | 74 (2%) | 39 (4%) | 2(6%) | 488 (4%) | 603 |
| Total | 3912 (100%) | 909 (100%) | 33 (100%) | 10912 (100%) | 15766 |

Table 152: Contingency table between readmission 30d and Tipo de Procedimento 1 (merge: procedure type com reop type)

| | Tipo de Proceo | Cipo de Procedimento 1 (merge: procedure type com reop type) | | | | |
|--------------------------------|----------------|--|------------|-----------|-------|--|
| ${\rm readmission}_30{\rm d}$ | 1 | 2 | 3 | 4 | Total | |
| 0 | 10424 (96%) | 3838 (98%) | 870 (96%) | 31 (94%) | 15163 | |
| 1 | 488 (4%) | 74 (2%) | 39 (4%) | 2 (6%) | 603 | |
| Total | 10912 (100%) | 3912 (100%) | 909 (100%) | 33 (100%) | 15766 | |

Table 153: Contingency table between readmission 30d and Tipo de Dispositivo ao final do procedimento 1

| | Tipo de I | Tipo de Dispositivo ao final do procedimento 1 | | | | |
|--------------------------------|--------------|--|-------------|------------|-------|--|
| ${\rm readmission}_30{\rm d}$ | 1 | 2 | 3 | 4 | Total | |
| 0 | 11895 (97%) | 1668 (94%) | 1184 (94%) | 416 (93%) | 15163 | |
| 1 | 400 (3%) | 104~(6%) | 70 (6%) | 29 (7%) | 603 | |
| Total | 12295 (100%) | 1772 (100%) | 1254 (100%) | 445 (100%) | 15766 | |

Table 154: Contingency table between readmission 30d and Tipo de Dispositivo ao final do procedimento 1

| | Tipo de Disposit | Tipo de Dispositivo ao final do procedimento 1 | | |
|--------------------------------|------------------|--|-------|--|
| ${\rm readmission}_30{\rm d}$ | 1 | 2 | Total | |
| 0 | 13563 (96%) | 1600 (94%) | 15163 | |
| 1 | 504 (4%) | 99 (6%) | 603 | |
| Total | 14067 (100%) | 1699 (100%) | 15766 | |

Table 155: Contingency table between readmission 30d and Óbito intraoperatório 1

| | Óbito intraoperatório 1 | |
|--------------------------------|-------------------------|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | Total |
| 0 | 15163 (96%) | 15163 |
| 1 | 603~(4%) | 603 |
| Total | 15766 (100%) | 15766 |

Table 156: Contingency table between readmission 30d and Tipo de Reoperação 2

| | | Tipo de Reoperação 2 | | | |
|--------------------------------|-------------|----------------------|------------|--------------|-------|
| ${\rm readmission}_30{\rm d}$ | 1 | 2 | 3 | NA | Total |
| 0 | 3205 (98%) | 1322 (90%) | 91 (75%) | 10545 (97%) | 15163 |
| 1 | 54 (2%) | $152\ (10\%)$ | 30~(25%) | 367 (3%) | 603 |
| Total | 3259 (100%) | 1474 (100%) | 121 (100%) | 10912 (100%) | 15766 |

Table 157: Contingency table between readmission 30d and Tipo de Dispositivo ao final do procedimento 2

| | Т | Tipo de Dispositivo ao final do procedimento 2 | | | | | |
|--------------------------------|-------------|--|------------|------------|--------------|-------|--|
| ${\rm readmission}_30{\rm d}$ | 1 | 2 | 3 | 4 | NA | Total | |
| 0 | 3465 (96%) | 601 (94%) | 365 (94%) | 189 (93%) | 10543 (97%) | 15163 | |
| 1 | 158 (4%) | 41 (6%) | 22 (6%) | 14 (7%) | 368 (3%) | 603 | |
| Total | 3623 (100%) | 642 (100%) | 387 (100%) | 203 (100%) | 10911 (100%) | 15766 | |

Table 158: Contingency table between readmission 30d and Óbito intraoperatório 2

| | Óbito intra | | |
|--------------------------------|-------------|--------------|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | NA | Total |
| 0 | 4625 (95%) | 10538 (97%) | 15163 |
| 1 | 236~(5%) | 367 (3%) | 603 |
| Total | 4861 (100%) | 10905 (100%) | 15766 |

Table 159: Contingency table between readmission 30d and Tipo de Reoperação 3

| | | Tipo de Reoperação 3 | | | | |
|--------------------------------|----------------|----------------------|-----------|--------------|-------|--|
| ${\rm readmission}_30{\rm d}$ | 1 | 2 | 3 | NA | Total | |
| 0 | 691 (96%) | 524 (91%) | 55 (89%) | 13893 (96%) | 15163 | |
| 1 | 32 (4%) | 54 (9%) | 7 (11%) | 510 (4%) | 603 | |
| Total | $723\ (100\%)$ | 578 (100%) | 62 (100%) | 14403 (100%) | 15766 | |

Table 160: Contingency table between readmission 30d and Tipo de Dispositivo ao final do procedimento 3

| | Т | Tipo de Dispositivo ao final do procedimento 3 | | | | | |
|--------------------------------|------------|--|------------|-----------|--------------|-------|--|
| ${\rm readmission}_30{\rm d}$ | 1 | 2 | 3 | 4 | NA | Total | |
| 0 | 901 (93%) | 228 (91%) | 150 (94%) | 93 (94%) | 13791 (97%) | 15163 | |
| 1 | 65~(7%) | 23 (9%) | 10 (6%) | 6 (6%) | 499 (3%) | 603 | |
| Total | 966 (100%) | 251 (100%) | 160 (100%) | 99 (100%) | 14290 (100%) | 15766 | |

Table 161: Contingency table between readmission 30d and Óbito intraoperatório 3

| | Óbito | Óbito intraoperatório 3 | | | | |
|--------------------------------|-------------|-------------------------|--------------|-------|--|--|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | NA | Total | | |
| 0 | 1369 (93%) | 4 (100%) | 13790 (97%) | 15163 | | |
| 1 | 104~(7%) | 0 (0%) | 499 (3%) | 603 | | |
| Total | 1473 (100%) | 4 (100%) | 14289 (100%) | 15766 | | |

Table 162: Contingency table between readmission 30d and Tipo de Reoperação 4

| | | Tipo de Reoperação 4 | | | | |
|--------------------------------|------------|----------------------|-----------|--------------|-------|--|
| ${\rm readmission}_30{\rm d}$ | 1 | 2 | 3 | NA | Total | |
| 0 | 170 (89%) | 231 (92%) | 32 (97%) | 14730 (96%) | 15163 | |
| 1 | 22 (11%) | 20 (8%) | 1 (3%) | 560 (4%) | 603 | |
| Total | 192 (100%) | 251 (100%) | 33 (100%) | 15290 (100%) | 15766 | |

Table 163: Contingency table between readmission 30d and Tipo de Dispositivo ao final do procedimento 4

| | Ti | Tipo de Dispositivo ao final do procedimento 4 | | | | |
|--------------------------------|------------|--|-----------|-----------|--------------|-------|
| ${\rm readmission}_30{\rm d}$ | 1 | 2 | 3 | 4 | NA | Total |
| 0 | 259 (90%) | 102 (93%) | 43 (96%) | 38 (90%) | 14721 (96%) | 15163 |
| 1 | 29~(10%) | 8 (7%) | 2 (4%) | 4(10%) | 560 (4%) | 603 |
| Total | 288 (100%) | 110 (100%) | 45 (100%) | 42 (100%) | 15281 (100%) | 15766 |

Table 164: Contingency table between readmission 30d and Óbito intraoperatório 4

| | Óbito intra | | |
|--------------------------------|-------------|--------------|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | NA | Total |
| 0 | 442 (91%) | 14721 (96%) | 15163 |
| 1 | 43 (9%) | 560 (4%) | 603 |
| Total | 485 (100%) | 15281 (100%) | 15766 |

Table 165: Contingency table between readmission 30d and Tipo de Reoperação 5

| | | Tipo de Reoperação 5 | | | | |
|--------------------------------|-----------|----------------------|-----------|--------------|-------|--|
| ${\rm readmission}_30{\rm d}$ | 1 | 2 | 3 | NA | Total | |
| 0 | 66 (93%) | 100 (94%) | 12 (86%) | 14985 (96%) | 15163 | |
| 1 | 5 (7%) | 6 (6%) | 2(14%) | 590 (4%) | 603 | |
| Total | 71 (100%) | 106 (100%) | 14 (100%) | 15575 (100%) | 15766 | |

Table 166: Contingency table between readmission 30d and Tipo de Dispositivo ao final do procedimento 5

| | Tip | Tipo de Dispositivo ao final do procedimento 5 | | | | | |
|--------------------------------|------------|--|-----------|-----------|--------------|-------|--|
| ${\rm readmission}_30{\rm d}$ | 1 | 2 | 3 | 4 | NA | Total | |
| 0 | 91 (91%) | 53 (95%) | 21 (95%) | 13 (100%) | 14985 (96%) | 15163 | |
| 1 | 9 (9%) | 3 (5%) | 1 (5%) | 0 (0%) | 590 (4%) | 603 | |
| Total | 100 (100%) | 56 (100%) | 22 (100%) | 13 (100%) | 15575 (100%) | 15766 | |

Table 167: Contingency table between readmission 30d and Óbito intraoperatório 5

| | Óbito intra | | |
|--------------------------------|-------------|--------------|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | NA | Total |
| 0 | 179 (93%) | 14984 (96%) | 15163 |
| 1 | 13~(7%) | 590 (4%) | 603 |
| Total | 192 (100%) | 15574 (100%) | 15766 |

Table 168: Contingency table between readmission 30d and Tipo de Reoperação 6

| | | Tipo de Reoperação 6 | | | | |
|--------------------------------|-----------|----------------------|----------|--------------|-------|--|
| ${\rm readmission}_30{\rm d}$ | 1 | 2 | 3 | NA | Total | |
| 0 | 25 (96%) | 42 (91%) | 6 (100%) | 15090 (96%) | 15163 | |
| 1 | 1 (4%) | 4 (9%) | 0 (0%) | 598 (4%) | 603 | |
| Total | 26 (100%) | 46 (100%) | 6 (100%) | 15688 (100%) | 15766 | |

Table 169: Contingency table between readmission 30d and Tipo de Dispositivo ao final do procedimento 6

| | Tipo de Dispositivo ao final do procedimento 6 | | | | | |
|--------------------------------|--|-----------|----------|----------|--------------|-------|
| ${\rm readmission}_30{\rm d}$ | 1 | 2 | 3 | 4 | NA | Total |
| 0 | 37 (92%) | 23 (92%) | 7 (100%) | 9 (100%) | 15087 (96%) | 15163 |
| 1 | 3 (7%) | 2 (8%) | 0 (0%) | 0 (0%) | 598 (4%) | 603 |
| Total | 40 (100%) | 25 (100%) | 7 (100%) | 9 (100%) | 15685 (100%) | 15766 |

Table 170: Contingency table between readmission 30d and Óbito intraoperatório 6

| | Óbito intr | | |
|--------------------------------|------------|--------------|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | NA | Total |
| 0 | 76 (94%) | 15087 (96%) | 15163 |
| 1 | 5 (6%) | 598 (4%) | 603 |
| Total | 81 (100%) | 15685 (100%) | 15766 |

Table 171: Contingency table between readmission 30d and Tipo de Reoperação 7

| | | Tipo de Reoperação 7 | | | |
|--------------------------------|-----------|----------------------|----------|--------------|-------|
| ${\rm readmission}_30{\rm d}$ | 1 | 2 | 3 | NA | Total |
| 0 | 10 (100%) | 17 (94%) | 4 (100%) | 15132 (96%) | 15163 |
| 1 | 0 (0%) | 1(6%) | 0 (0%) | 602 (4%) | 603 |
| Total | 10 (100%) | 18 (100%) | 4 (100%) | 15734 (100%) | 15766 |

Table 172: Contingency table between readmission 30d and Tipo de Dispositivo ao final do procedimento 7

| | Tipo de Dispositivo ao final do procedimento 7 | | | | | |
|--------------------------------|--|-----------|----------|----------|--------------|-------|
| ${\rm readmission}_30{\rm d}$ | 1 | 2 | 3 | 4 | NA | Total |
| 0 | 12 (92%) | 13 (100%) | 1 (100%) | 4 (100%) | 15133 (96%) | 15163 |
| 1 | 1 (8%) | 0 (0%) | 0 (0%) | 0 (0%) | 602 (4%) | 603 |
| Total | 13 (100%) | 13 (100%) | 1 (100%) | 4 (100%) | 15735 (100%) | 15766 |

Table 173: Contingency table between readmission 30d and Óbito intraoperatório 7

| | Óbito intraoperatório 7 | | | |
|--------------------------------|-------------------------|--------------|-------|--|
| ${\rm readmission}_30{\rm d}$ | 0 | NA | Total | |
| 0 | 31 (97%) | 15132 (96%) | 15163 | |
| 1 | 1 (3%) | 602 (4%) | 603 | |
| Total | 32 (100%) | 15734 (100%) | 15766 | |

Table 174: Contingency table between readmission 30d and Tipo de Reoperação 8

| | Ti | Tipo de Reoperação 8 | | |
|--------------------------------|----------|----------------------|--------------|-------|
| ${\rm readmission}_30{\rm d}$ | 1 | 2 | NA | Total |
| 0 | 3 (100%) | 9 (100%) | 15151 (96%) | 15163 |
| 1 | 0 (0%) | 0 (0%) | 603 (4%) | 603 |
| Total | 3 (100%) | 9 (100%) | 15754 (100%) | 15766 |

Table 175: Contingency table between readmission 30d and Tipo de Dispositivo ao final do procedimento 8

| | Tipo de I | Tipo de Dispositivo ao final do procedimento 8 | | | |
|--------------------------------|-----------|--|----------|--------------|-------|
| ${\rm readmission}_30{\rm d}$ | 1 | 2 | 4 | NA | Total |
| 0 | 7 (100%) | 4 (100%) | 1 (100%) | 15151 (96%) | 15163 |
| 1 | 0 (0%) | 0 (0%) | 0 (0%) | 603 (4%) | 603 |
| Total | 7 (100%) | 4 (100%) | 1 (100%) | 15754 (100%) | 15766 |

Table 176: Contingency table between readmission 30d and Óbito intraoperatório 8

| | Óbito intr | | |
|--------------------------------|------------|--------------|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | NA | Total |
| 0 | 12 (100%) | 15151 (96%) | 15163 |
| 1 | 0 (0%) | 603~(4%) | 603 |
| Total | 12 (100%) | 15754 (100%) | 15766 |

Table 177: Contingency table between readmission 30d and Tipo de Reoperação 9

| | Tipo de | | |
|--------------------------------|----------|--------------|-------|
| ${\rm readmission}_30{\rm d}$ | 2 | NA | Total |
| 0 | 5 (100%) | 15158 (96%) | 15163 |
| 1 | 0 (0%) | 603 (4%) | 603 |
| Total | 5 (100%) | 15761 (100%) | 15766 |

 $\begin{table} Table 178: Contingency table between readmission 30d and Tipo de Dispositivo ao final do procedimento 9 \\$

| | Tipo de D | Tipo de Dispositivo ao final do procedimento 9 | | |
|--------------------------------|-----------|--|--------------|-------|
| ${\rm readmission}_30{\rm d}$ | 1 | 2 | NA | Total |
| 0 | 3 (100%) | 2 (100%) | 15158 (96%) | 15163 |
| 1 | 0 (0%) | 0 (0%) | 603~(4%) | 603 |
| Total | 3 (100%) | 2 (100%) | 15761 (100%) | 15766 |

Table 179: Contingency table between readmission 30d and Óbito intraoperatório 9

| | Óbito int | | |
|--------------------------------|-----------|--------------|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | NA | Total |
| 0 | 5 (100%) | 15158 (96%) | 15163 |
| 1 | 0 (0%) | 603 (4%) | 603 |
| Total | 5 (100%) | 15761 (100%) | 15766 |

Table 180: Contingency table between readmission 30d and Tipo de Reoperação 10

| | Tipo de I | | |
|--------------------------------|-----------|--------------|-------|
| ${\rm readmission}_30{\rm d}$ | 2 | NA | Total |
| 0 | 1 (100%) | 15162 (96%) | 15163 |
| 1 | 0 (0%) | 603~(4%) | 603 |
| Total | 1 (100%) | 15765 (100%) | 15766 |

Table 181: Contingency table between readmission 30d and Tipo de Dispositivo ao final do procedimento 10

| | Tipo de Dis | Tipo de Dispositivo ao final do procedimento 10 | | |
|--------------------------------|-------------|---|-------|--|
| ${\rm readmission}_30{\rm d}$ | 2 | NA | Total | |
| 0 | 1 (100%) | 15162 (96%) | 15163 | |
| 1 | 0 (0%) | 603~(4%) | 603 | |
| Total | 1 (100%) | 15765 (100%) | 15766 | |

Table 182: Contingency table between readmission 30d and Óbito intraoperatório 10

| | Óbito intr | | |
|--------------------------------|------------|--------------|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | NA | Total |
| 0 | 1 (100%) | 15162 (96%) | 15163 |
| 1 | 0 (0%) | 603 (4%) | 603 |
| Total | 1 (100%) | 15765 (100%) | 15766 |

 $\begin{table} Table 183: Contingency table between readmission 30d and Mudança do tipo de DCEI: entre o Procedimento 1 e Procedimento 2 de DCEI: entre o Pr$

| | Mudança do t | tipo de DCEI: | entre o Procedimento 1 e Procedimento 2 | |
|--------------------------------|--------------|---------------|---|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | NA | Total |
| 0 | 4353 (95%) | 267 (96%) | 10543 (97%) | 15163 |
| 1 | 223~(5%) | 12 (4%) | 368 (3%) | 603 |
| Total | 4576 (100%) | 279 (100%) | 10911 (100%) | 15766 |

Table 184: Contingency table between readmission 30d and Mudança do tipo de DCEI: entre o Procedimento 2 e Procedimento 3

| | Mudança do t | ipo de DCEI | : entre o Procedimento 2 e Procedimento 3 | |
|--------------------------------|--------------|-------------|---|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | NA | Total |
| 0 | 1284 (93%) | 88 (94%) | 13791 (97%) | 15163 |
| 1 | 98 (7%) | 6~(6%) | 499 (3%) | 603 |
| Total | 1382 (100%) | 94 (100%) | 14290 (100%) | 15766 |

Table 185: Contingency table between readmission 30d and Mudança do tipo de DCEI: entre o Procedimento 3 e Procedimento 4

| | Mudança do | tipo de DCE | I: entre o Procedimento 3 e Procedimento 4 | |
|--------------------------------|------------|-------------|--|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | NA | Total |
| 0 | 416 (91%) | 26 (93%) | 14721 (96%) | 15163 |
| 1 | 41 (9%) | 2(7%) | 560 (4%) | 603 |
| Total | 457 (100%) | 28 (100%) | 15281 (100%) | 15766 |

Table 186: Contingency table between readmission 30d and Mudança do tipo de DCEI: entre o Procedimento 4 e Procedimento 5

| | Mudança do | tipo de DC | EI: entre o Procedimento 4 e Procedimento 5 | |
|--------------------------------|------------|------------|---|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | NA | Total |
| 0 | 169 (93%) | 9 (100%) | 14985 (96%) | 15163 |
| 1 | 13 (7%) | 0 (0%) | 590 (4%) | 603 |
| Total | 182 (100%) | 9 (100%) | 15575 (100%) | 15766 |

Table 187: Contingency table between readmission 30d and Mudança do tipo de DCEI: entre o Procedimento 5 e Procedimento 6

| | Mudança d | o tipo de DC | CEI: entre o Procedimento 5 e Procedimento 6 | |
|--------------------------------|-----------|--------------|--|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | NA | Total |
| 0 | 69 (93%) | 7 (100%) | 15087 (96%) | 15163 |
| 1 | 5 (7%) | 0 (0%) | 598 (4%) | 603 |
| Total | 74 (100%) | 7 (100%) | 15685 (100%) | 15766 |

Table 188: Contingency table between readmission 30d and Mudança do tipo de DCEI: entre o Procedimento 6 e Procedimento 7

| | Mudança d | Audança do tipo de DCEI: entre o Procedimento 6 e Procedimento 7 | | | |
|--------------------------------|-----------|--|--------------|-------|--|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | NA | Total | |
| 0 | 27 (96%) | 3 (100%) | 15133 (96%) | 15163 | |
| 1 | 1 (4%) | 0 (0%) | 602 (4%) | 603 | |
| Total | 28 (100%) | 3 (100%) | 15735 (100%) | 15766 | |

Table 189: Contingency table between readmission 30d and Mudança do tipo de DCEI: entre o Procedimento 7 e Procedimento 8

| | Mudança d | o tipo de DO | CEI: entre o Procedimento 7 e Procedimento 8 | |
|--------------------------------|-----------|--------------|--|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | NA | Total |
| 0 | 11 (100%) | 1 (100%) | 15151 (96%) | 15163 |
| 1 | 0 (0%) | 0 (0%) | 603 (4%) | 603 |
| Total | 11 (100%) | 1 (100%) | 15754 (100%) | 15766 |

Table 190: Contingency table between readmission 30d and Mudança do tipo de DCEI: entre o Procedimento 8 e Procedimento 9

| | Mudança do ti | po de DCEI: entre o Procedimento 8 e Procedimento 9 | |
|--------------------------------|---------------|---|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | NA | Total |
| 0 | 5 (100%) | 15158 (96%) | 15163 |
| 1 | 0 (0%) | 603 (4%) | 603 |
| Total | 5 (100%) | 15761 (100%) | 15766 |

Table 191: Contingency table between readmission 30d and Mudança do tipo de DCEI: entre o Procedimento 9 e Procedimento 10

| | Mudança do tipo de DCEI: entre o Procedimento 9 e Procedimento 10 | | |
|--------------------------------|---|--------------|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | NA | Total |
| 0 | 1 (100%) | 15162 (96%) | 15163 |
| 1 | 0 (0%) | 603 (4%) | 603 |
| Total | 1 (100%) | 15765 (100%) | 15766 |

Table 192: Contingency table between readmission 30d and Diálise durante os episódios de hospitalização

| | Diálise durante | Diálise durante os episódios de hospitalização | | | |
|--------------------------------|-----------------|--|-------|--|--|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | Total | | |
| 0 | 15125 (96%) | 38 (86%) | 15163 | | |
| 1 | 597 (4%) | 6 (14%) | 603 | | |
| Total | 15722 (100%) | 44 (100%) | 15766 | | |

Table 193: Contingency table between readmission 30d and UTI durante os episódios de hospitalização

| | UTI durante os e | | |
|--------------------------------|------------------|-------------|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | Total |
| 0 | 12179 (97%) | 2984 (93%) | 15163 |
| 1 | 376 (3%) | 227 (7%) | 603 |
| Total | 12555 (100%) | 3211 (100%) | 15766 |

Table 194: Contingency table between readmission 30d and Admissão em até 180 dias antes da T0

| | Admissão em at | | |
|--------------------------------|----------------|-------------|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | Total |
| 0 | 14178 (96%) | 985 (92%) | 15163 |
| 1 | 518 (4%) | 85 (8%) | 603 |
| Total | 14696 (100%) | 1070 (100%) | 15766 |

Table 195: Contingency table between readmission 30d and Readmissões pós-T0 com diálise

| | Readr | Readmissões pós-T0 com diálise | | | |
|--------------------------------|--------------|--------------------------------|----------|----------|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | 2 | 3 | Total |
| 0 | 15142 (96%) | 19 (100%) | 2 (100%) | 0 (0%) | 15163 |
| 1 | 602 (4%) | 0 (0%) | 0 (0%) | 1 (100%) | 603 |
| Total | 15744 (100%) | 19 (100%) | 2 (100%) | 1 (100%) | 15766 |

Table 196: Contingency table between readmission 30d and Desfecho principal da admissão T0

| | Desfecho principal da admissão T0 | |
|--------------------------------|-----------------------------------|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | Total |
| 0 | 15163 (96%) | 15163 |
| 1 | 603~(4%) | 603 |
| Total | 15766 (100%) | 15766 |

Table 197: Contingency table between readmission 30d and Readmissão em até 30 dias

| | Readmissão em até 30 dias | | |
|--------------------------------|---------------------------|------------|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | Total |
| 0 | 15163 (100%) | 0 (0%) | 15163 |
| 1 | 0 (0%) | 603 (100%) | 603 |
| Total | 15163 (100%) | 603 (100%) | 15766 |

Table 198: Contingency table between readmission 30d and Readmissão em até 60 dias

| | Readmissão en | Readmissão em até 60 dias | | |
|--------------------------------|---------------|---------------------------|-------|--|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | Total | |
| 0 | 14860 (100%) | 303 (33%) | 15163 | |
| 1 | 0 (0%) | 603 (67%) | 603 | |
| Total | 14860 (100%) | 906 (100%) | 15766 | |

Table 199: Contingency table between readmission 30d and Readmissão em até 180 dias

| | Readmissão em até 180 dias | | |
|--------------------------------|----------------------------|-------------|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | Total |
| 0 | 14277 (100%) | 886 (60%) | 15163 |
| 1 | 0 (0%) | 603~(40%) | 603 |
| Total | 14277 (100%) | 1489 (100%) | 15766 |

Table 200: Contingency table between readmission 30d and Readmissão em até 1 ano

| | Readmissão em até 1 ano | | |
|--------------------------------|-------------------------|-------------|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | Total |
| 0 | 13754 (100%) | 1409 (70%) | 15163 |
| 1 | 0 (0%) | 603 (30%) | 603 |
| Total | 13754 (100%) | 2012 (100%) | 15766 |

Table 201: Contingency table between readmission 30d and Readmissão cirúrgica em até 30 dias

| | Readmissão cirú | | |
|-----------------|-----------------|----------------|-------|
| readmission_30d | 0 | 1 | Total |
| 0 | 15163 (97%) | 0 (0%) | 15163 |
| 1 | 466 (3%) | $137\ (100\%)$ | 603 |
| Total | 15629 (100%) | 137 (100%) | 15766 |

Table 202: Contingency table between readmission 30d and Readmissão cirúrgica entre 31 a 60 dias

| | Readmissão cirúrgica entre 31 a 60 dias | | |
|--------------------------------|---|-----------|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | Total |
| 0 | 15080 (96%) | 83 (89%) | 15163 |
| 1 | 593 (4%) | 10 (11%) | 603 |
| Total | 15673 (100%) | 93 (100%) | 15766 |

 ${\it Table~203:~Contingency~table~between~readmission~30d~and~Readmiss\~ao~cir\'ugica~entre~61~a~180~dias}$

| | Readmissão cirú | Readmissão cirúgica entre 61 a 180 dias | |
|--------------------------------|-----------------|---|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | Total |
| 0 | 15023 (96%) | 140 (94%) | 15163 |
| 1 | 594 (4%) | 9 (6%) | 603 |
| Total | 15617 (100%) | 149 (100%) | 15766 |

Table 204: Contingency table between readmission 30d and Readmissão cirúrgica em até 1 ano

| | Readmissão cirú | | |
|--------------------------------|-----------------|------------|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | Total |
| 0 | 15046 (96%) | 117 (89%) | 15163 |
| 1 | 588 (4%) | 15 (11%) | 603 |
| Total | 15634 (100%) | 132 (100%) | 15766 |

Table 205: Contingency table between readmission 30d and Desfecho final do estudo

| | Desf | Desfecho final do estudo | | | |
|--------------------------------|-------------|--------------------------|-------------|-------|--|
| ${\rm readmission}_30{\rm d}$ | 1 | 2 | 3 | Total | |
| 0 | 2326 (92%) | 7506 (97%) | 5331 (97%) | 15163 | |
| 1 | 215~(8%) | 222 (3%) | 166 (3%) | 603 | |
| Total | 2541 (100%) | 7728 (100%) | 5497 (100%) | 15766 | |

Table 206: Contingency table between readmission 30d and Óbito intraoperatório

| | Óbito intrao | peratório | |
|--------------------------------|--------------|-----------|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | Total |
| 0 | 15159 (96%) | 4 (100%) | 15163 |
| 1 | 603~(4%) | 0 (0%) | 603 |
| Total | 15762 (100%) | 4 (100%) | 15766 |

Table 207: Contingency table between readmission 30d and Óbito hospitalar (intraoperatório ou admissao T0)

| | Óbito hospitala | Óbito hospitalar (intraoperatório ou admissao T0) | | | |
|--------------------------------|------------------|---|-------|--|--|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | Total | | |
| 0 | 15159 (96%) | 4 (100%) | 15163 | | |
| 1 | 603~(4%) | 0 (0%) | 603 | | |
| Total | $15762\ (100\%)$ | 4 (100%) | 15766 | | |

Table 208: Contingency table between readmission 30d and Óbito durante algum episódio de readmissão hospitalar

| | Óbito durante algum episódio de readmissão hospitalar | | |
|--------------------------------|---|-------------|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | Total |
| 0 | 14044 (97%) | 1119 (86%) | 15163 |
| 1 | 418 (3%) | 185 (14%) | 603 |
| Total | 14462 (100%) | 1304 (100%) | 15766 |

Table 209: Contingency table between readmission 30d and Óbito em até 30 dias após a alta T0

| | Óbito em até 30 | | |
|--------------------------------|-----------------|-----------|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | Total |
| 0 | 15134 (96%) | 29 (41%) | 15163 |
| 1 | 561 (4%) | 42~(59%) | 603 |
| Total | 15695 (100%) | 71 (100%) | 15766 |

Table 210: Contingency table between readmission 30d and Óbito em até 180 dias após a alta T0

| | Óbito em até 18 | | |
|--------------------------------|-----------------|------------|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | Total |
| 0 | 14945 (97%) | 218 (66%) | 15163 |
| 1 | 491 (3%) | 112 (34%) | 603 |
| Total | 15436 (100%) | 330 (100%) | 15766 |

Table 211: Contingency table between readmission 30d and Óbito em até 1 ano após a alta T0

| | Óbito em até 1 a | | |
|--------------------------------|------------------|------------|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | Total |
| 0 | 14777 (97%) | 386 (75%) | 15163 |
| 1 | 472 (3%) | 131~(25%) | 603 |
| Total | 15249 (100%) | 517 (100%) | 15766 |

Table 212: Contingency table between readmission 30d and Óbito em até 2 anos após a alta T0

| | Óbito em até 2 anos após a alta T0 | | |
|--------------------------------|------------------------------------|------------|-------|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | Total |
| 0 | 14558 (97%) | 605 (80%) | 15163 |
| 1 | 453 (3%) | 150 (20%) | 603 |
| Total | 15011 (100%) | 755 (100%) | 15766 |

Table 213: Contingency table between readmission 30d and Óbito em até 3 anos após a alta T0 $\,$

| | Óbito em até 3 | Óbito em até 3 anos após a alta T0 | | |
|--------------------------------|----------------|------------------------------------|-------|--|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | Total | |
| 0 | 14409 (97%) | 754 (83%) | 15163 | |
| 1 | 444 (3%) | 159 (17%) | 603 | |
| Total | 14853 (100%) | 913 (100%) | 15766 | |

Table 214: Contingency table between readmission 30d and Óbito (status final)

| | Óbito (sta | Óbito (status final) | | |
|--------------------------------|--------------|----------------------|-------|--|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | Total | |
| 0 | 12837 (97%) | | 15163 | |
| 1 | 388 (3%) | 215~(8%) | 603 | |
| Total | 13225 (100%) | 2541 (100%) | 15766 | |

Table 215: Contingency table between readmission 30d and Ventilação mecânica / IOT

| | Ventilação m | | |
|--------------------------------|--------------|--------------|-------|
| ${\rm readmission}_30{\rm d}$ | 1 | NA | Total |
| 0 | 2680 (94%) | 12483 (97%) | 15163 |
| 1 | 169~(6%) | 434 (3%) | 603 |
| Total | 2849 (100%) | 12917 (100%) | 15766 |

 ${\it Table~216:~Contingency~table~between~readmission~30d~and~Transplante~card\'iaco}$

| | Tran | Transplante cardíaco | | | |
|--------------------------------|--------------|----------------------|-------------|-------|--|
| ${\rm readmission}_30{\rm d}$ | 0 | 1 | NA | Total | |
| 0 | 12494 (96%) | 17 (81%) | 2652 (97%) | 15163 | |
| 1 | 517 (4%) | 4 (19%) | 82 (3%) | 603 | |
| Total | 13011 (100%) | 21 (100%) | 2734 (100%) | 15766 | |