Tables

Eduardo Yuki Yada

Imports

```
library(tidyverse)
library(yaml)
library(kableExtra)
```

Loading data

```
load('../dataset/processed_data.RData')
load('../dataset/processed_dictionary.RData')

columns_list <- yaml.load_file("./auxiliar/columns_list.yaml")

outcome_column <- params$outcome_column
```

Numerical variables

```
medianWithoutNA <- function(x) {
   median(x[which(!is.na(x))])
}
i = 0
for (column in columns_list$numerical_columns[60:140]){
  print(column)
  df %>%
    group_by_at(vars(one_of(outcome_column))) %>%
    summarise('Mean' = mean(!!sym(column), na.rm = T),
              'Min' = min(!!sym(column), na.rm = T),
              'Median' = medianWithoutNA(!!sym(column)),
              'Max' = max(!!sym(column), na.rm = T),
              'Standard Deviation' = sd(!!sym(column), na.rm = T),
              'N' = n(),
              'Missing' = sum(is.na(!!sym(column)))) %>%
    ungroup %>%
    mutate(Min = ifelse(is.infinite(Min), NA, Min),
           Max = ifelse(is.infinite(Max), NA, Max)) %>%
    kbl(align = "l", booktabs = T, digits = 3, format = 'latex', label = i,
        caption = df_names %>% filter(variable.name == column) %>% .$field.label) %>%
    column_spec(1, bold = T, width = "8em") %>%
    row_spec(c(1) - 1, extra_latex_after = "\\rowcolor{gray!6}") %>%
    collapse_rows(1, latex_hline = "none") %>%
    kable_styling(latex_options = c("HOLD_position", "repeat_header")) %>%
    print

  i <- i + 1
}
```

[1] "antiarritmico"

Table 1: Antiarritmicos

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	3.966	0	0	575	19.463	15421	3408
1	11.384	0	0	844	47.199	603	111

[1] "antihipertensivo"

Table 2: Antihipertensivo

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.477	0	0	349	5.380	15421	3408
1	1.154	0	0	160	9.116	603	111

[1] "betabloqueador"

Table 3: Betabloqueador

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	1.070	0	0	388	7.985	15421	3408
1	2.115	0	0	182	10.436	603	111

[1] "ieca_bra"

Table 4: IECA/BRA

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	8.887	0	2	773	22.197	15421	3408
1	13.263	0	3	208	26.893	603	111

[1] "dva"

Table 5: DVA

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	7.280	0	0	1917	46.565	15421	3408
1	15.652	0	0	606	58.898	603	111

[1] "digoxina"

Table 6: Digoxina

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.229	0	0	50	1.651	15421	3408
1	0.436	0	0	28	2.341	603	111

[1] "estatina"

Table 7: Estatinas

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	5.134	0	0	421	16.660	15421	3408
1	9.118	0	0	413	26.459	603	111

[1] "diuretico"

Table 8: Diuretico

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	11.176	0	0.00	2966	67.788	15421	3408
1	27.825	0	1.25	1208	112.568	603	111

[1] "vasodilatador"

Table 9: Vasodilator

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	9.684	0	0	3820.5	62.788	15421	3408
1	26.658	0	0	1278.0	96.981	603	111

[1] "insuf_cardiaca"

Table 10: Insuficiência cardíaca (ivabradina, levosimedan, milrinona, nesiritida, carvedilol)

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	4.509	0	0	453.0	16.787	15421	3408
1	8.206	0	0	282.5	24.197	603	111

[1] "espironolactona"

Table 11: Antagonista da Aldosterona (espironolactona)

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	2.045	0	0	255	8.034	15421	3408
1	4.871	0	0	118	13.962	603	111

[1] "bloq_calcio"

Table 12: Bloqueador do canal de calcio

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.531	0	0	509	8.969	15421	3408
1	3.063	0	0	230	19.646	603	111

[1] "trombolitico"

Table 13: Trombolitico

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.001	0	0	3	0.048	15421	3408
1	0.000	0	0	0	0.000	603	111

[1] "antiplaquetario_vo"

Table 14: Antiplaquetario VO

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0	0	0	0	0	15421	3408
1	0	0	0	0	0	603	111

[1] "antiplaquetario_ev"

Table 15: Antiplaquetario EV

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.011	0	0	8	0.177	15421	3408
1	0.022	0	0	3	0.215	603	111

[1] "insulina"

Table 16: Insulina

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.101	0	0	16	0.502	15421	3408
1	0.134	0	0	5	0.484	603	111

[1] "hipoglicemiante"

Table 17: Hipoglicemiante

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.348	0	0	90	2.736	15421	3408
1	0.486	0	0	80	4.357	603	111

[1] "hormonio_tireoidiano"

Table 18: Hormonio tireoidiano

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0	0	0	0	0	15421	3408
1	0	0	0	0	0	603	111

[1] "broncodilatador"

Table 19: Broncodiltador

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0	0	0	0	0	15421	3408
1	0	0	0	0	0	603	111

[1] "anticonvulsivante"

Table 20: Anticonvulsivante

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.909	0	0	334	10.127	15421	3408
1	4.322	0	0	390	30.294	603	111

[1] "psicofarmacos"

Table 21: Psicofármacos (Ansiolítico/ antidepressivo/ antipsicótico)

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	3.827	0	0	573	14.006	15421	3408
1	9.549	0	1	251	26.205	603	111

[1] "atb"

Table 22: Antibióticos

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	14.739	0	4	1812	63.675	15421	3408
1	24.614	0	4	751	65.825	603	111

[1] "antifungico"

Table 23: Antifúngicos

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.427	0	0	122	4.248	15421	3408
1	1.076	0	0	99	7.140	603	111

[1] "antiviral"

Table 24: Antiviral

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.110	0	0	131	2.642	15421	3408
1	0.404	0	0	72	4.444	603	111

[1] "antiretroviral"

Table 25: Antiretroviral

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.008	0	0	32	0.451	15421	3408
1	0.008	0	0	4	0.180	603	111

[1] "classe_meds_qtde"

Table 26: Quantidade de classes medicamentosas utilizadas

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	4.750	1	4	17	2.557	15421	4835
1	6.238	1	6	15	2.869	603	179

[1] "classe_meds_cardio_qtde"

Table 27: Quantidade de classes medicamentosas de ação cardiovascular

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	3.112	1	3	10	1.768	15421	6391
1	3.975	1	4	9	2.000	603	204

[1] "meds_cardiovasc_qtde"

Table 28: Quantidade de medicamentos de ação cardiovascular

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	49.854	0	10.0	8738.00	176.278	15421	3408
1	114.627	0	24.5	2089.25	266.595	603	111

[1] "meds_antimicrobianos"

Table 29: Quantidade de antimicrobianos (antibióticos e antifúngicos)

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	15.166	0	4	1812	65.296	15421	3408
1	25.690	0	4	812	70.547	603	111

[1] "vni"

Table 30: Ventilação não invasiva

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.05	0	0	114	1.581	15421	2684
1	0.00	0	0	0	0.000	603	82

[1] "cec"

Table 31: Instalação de CEC

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.012	0	0	2	0.112	15421	2684
1	0.025	0	0	1	0.156	603	82

[1] "cir_cardiovascular"

Table 32: Cirurgia Cardiovascular

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.059	0	0	9	0.385	15421	2684
1	0.069	0	0	5	0.437	603	82

[1] "transplante_cardiaco"

Table 33: Transplante cardíaco

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.001	0	0	1	0.038	15421	2684
1	0.008	0	0	1	0.087	603	82

[1] "cir_toracica"

Table 34: Cirurgia Toracica

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.004	0	0	9	0.106	15421	2684
1	0.006	0	0	2	0.098	603	82

[1] "outros_proced_cirurgicos"

Table 35: Outros procedimentos cirúrgicos (cir geral, gastrocir, plástica, uro, vascular)

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.114	0	0	22	0.577	15421	2684
1	0.190	0	0	6	0.718	603	82

[1] "traqueostomia"

Table 36: Traqueostomia

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.002	0	0	8	0.092	15421	2684
1	0.002	0	0	1	0.044	603	82

[1] "icp"

Table 37: Intervenção coronária percutânea

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.011	0	0	4	0.129	15421	2684
1	0.033	0	0	4	0.286	603	82

[1] "intervencao_cv"

Table 38: Intervenção cardiovascular em laboratório de hemodinâmica (alcoolização septal, valvoplastia percutânea, stent em vasos pulmonares)

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.007	0	0	3	0.115	15421	2684
1	0.012	0	0	2	0.123	603	82

[1] "stent"

Table 39: Stent

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0	0	0	1	0.009	15421	2684
1	0	0	0	0	0.000	603	82

[1] "angioplastia"

Table 40: Angioplastia

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.001	0	0	2	0.042	15421	2684
1	0.004	0	0	1	0.062	603	82

[1] "cateterismo"

Table 41: Cateterismo

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.122	0	0	7	0.402	15421	2684
1	0.223	0	0	3	0.541	603	82

[1] "eletrofisiologia"

Table 42: Eletrofisiologia

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.080	0	0	11	0.472	15421	2684
1	0.138	0	0	6	0.601	603	82

[1] "suporte_hemod"

Table 43: Suporte cardiocirculatório (ECMO, BIA, Bio-PUMP)

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.090	0	0	535	5.154	15421	2684
1	1.038	0	0	177	11.853	603	82

[1] "cateter_venoso_central"

Table 44: Cateter venoso central

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.029	0	0	5	0.207	15421	2684
1	0.077	0	0	4	0.353	603	82

[1] "drenagem_torax"

Table 45: Drenagem de tórax (instalação /troca) e punção pericárdica ou pleural

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.007	0	0	6	0.125	15421	2684
1	0.002	0	0	1	0.044	603	82

[1] "proced_invasivos_qtde"

Table 46: Quantidade de procedimentos invasivos

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.539	0	0	554	5.529	15421	2684
1	1.825	0	0	197	12.779	603	82

[1] "cve_desf"

Table 47: Cardioversão/ Desfibrilação (sessão)

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.006	0	0	5	0.124	15421	3486
1	0.016	0	0	3	0.192	603	118

[1] "transfusao"

Table 48: Transfusão de hemoderivados

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.052	0	0	61	0.993	15421	2684
1	0.079	0	0	13	0.774	603	82

[1] "interconsulta"

Table 49: Interconsulta médica (Especialidades cirúrgicas, infecto, uro, nefro, psiquiatra, dermato, alergista, oncologista, geriatra, etc)

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.403	0	0	199	3.373	15421	2684
1	0.702	0	0	67	4.654	603	82

[1] "equipe_multiprof"

Table 50: Equipe Multiprofissional (enf, fono, fisio, nutri, serviço social, psicologia)

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	3.371	0	0	420	15.088	15421	2684
1	7.052	0	1	258	22.786	603	82

[1] "ecg"

Table 51: ECG

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	4.043	0	2	141	6.413	15421	2684
1	6.645	0	4	64	8.936	603	82

[1] "holter"

Table 52: Holter

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.105	0	0	5	0.355	15421	2684
1	0.167	0	0	2	0.422	603	82

[1] "teste_esforco"

Table 53: Teste de esforço

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.010	0	0	3	0.105	15421	2684
1	0.017	0	0	2	0.144	603	82

[1] "espiro_ergoespiro"

Table 54: Espirometria / Ergoespirometria

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.004	0	0	2	0.069	15421	2684
1	0.004	0	0	1	0.062	603	82

[1] "tilt_teste"

Table 55: Tilt Test

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.002	0	0	2	0.049	15421	2684
1	0.006	0	0	1	0.076	603	82

[1] "polissonografia"

Table 56: Polissonografia

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.002	0	0	2	0.046	15421	2684
1	0.000	0	0	0	0.000	603	82

[1] "metodos_graficos_qtde"

Table 57: Quantidade de exames por métodos gráficos

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	4.166	0	2	143	6.539	15421	2684
1	6.839	0	4	66	9.095	603	82

[1] "laboratorio"

Table 58: Exames laboratoriais (exames bioquímicos, exames hematologia/coagulação, anticorpos, dosagem sérica de fármacos)

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	66.341	0	10	3608	198.544	15421	2684
1	133.610	0	30	2349	291.608	603	82

[1] "cultura"

Table 59: Culturas (hemocultura, cultura de secreções, urocultura e cultura de cateteres)

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.356	0	0	48	1.551	15421	2684
1	0.726	0	0	19	2.090	603	82

[1] "analises_clinicas_qtde"

Table 60: Quantidade de exames de análises clínicas

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	66.697	0	10	3645	199.762	15421	2684
1	134.336	0	30	2368	293.367	603	82

[1] "citologia"

Table 61: Citologias

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.009	0	0	8	0.146	15421	2684
1	0.027	0	0	4	0.254	603	82

[1] "biopsia"

Table 62: Biopsias (cardíaca, esterno, parede torácica, tumor em mediastino, pulmonar)

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.012	0	0	8	0.207	15421	2684
1	0.104	0	0	10	0.795	603	82

[1] "histopatologia_qtde"

Table 63: Quantidade de exames histopatológicos

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.020	0	0	8	0.255	15421	2684
1	0.131	0	0	10	0.889	603	82

[1] "angio_rm"

Table 64: Angio RM

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.004	0	0	4	0.083	15421	2684
1	0.012	0	0	2	0.123	603	82

[1] "angio_tc"

Table 65: Angio TC

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.036	0	0	9	0.254	15421	2684
1	0.050	0	0	2	0.243	603	82

[1] "angiografia"

Table 66: Angiografia

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.002	0	0	3	0.050	15421	2684
1	0.004	0	0	1	0.062	603	82

[1] "aortografia"

Table 67: Aortografia

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.002	0	0	2	0.052	15421	2684
1	0.002	0	0	1	0.044	603	82

[1] "arteriografia"

Table 68: Arteriografia

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.001	0	0	1	0.023	15421	2684
1	0.004	0	0	2	0.088	603	82

[1] "cavografia"

Table 69: Cavografia

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.007	0	0	1	0.086	15421	2684
1	0.010	0	0	1	0.098	603	82

[1] "cintilografia"

Table 70: Cintilografia

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.063	0	0	5	0.349	15421	2684
1	0.134	0	0	4	0.497	603	82

[1] "ecocardiograma"

Table 71: Ecocardiograma

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.555	0	0	24	1.248	15421	2684
1	1.050	0	1	24	2.248	603	82

[1] "endoscopia"

Table 72: Exames endoscópicos (EDA, colonoscopia, retossigmoidoscopia, broncoscopia)

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.018	0	0	6	0.180	15421	2684
1	0.044	0	0	2	0.256	603	82

[1] "flebografia"

Table 73: Flebografia

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.035	0	0	5	0.283	15421	2684
1	0.069	0	0	5	0.437	603	82

[1] "pet_ct"

Table 74: PET-CT

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.005	0	0	3	0.077	15421	2684
1	0.013	0	0	2	0.131	603	82

[1] "ultrassom"

Table 75: Ultrassom

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.189	0	0	28	0.884	15421	2684
1	0.441	0	0	12	1.387	603	82

[1] "tomografia"

Table 76: Tomografia

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.171	0	0	15	0.709	15421	2684
1	0.284	0	0	10	0.868	603	82

[1] "radiografia"

Table 77: Radiografias

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	3.276	0	2	261	8.703	15421	2684
1	5.835	0	2	164	12.652	603	82

[1] "ressonancia"

Table 78: Ressonancia magnetica

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.071	0	0	6	0.304	15421	2684
1	0.132	0	0	2	0.382	603	82

[1] "exames_imagem_qtde"

Table 79: Quantidade de exames diagnóstico por imagem

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	4.434	0	2	281	10.652	15421	2684
1	8.084	0	3	189	15.567	603	82

[1] "dieta_enteral"

Table 80: Dieta enteral (frasco)

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.069	0	0	195	2.76	15421	3488
1	0.045	0	0	20	0.91	603	118

[1] "dieta_parenteral"

Table 81: Dieta parenteral (frasco)

readmission_30d	Mean	Min	Median	Max	Standard Deviation	N	Missing
0	0.003	0	0	14	0.147	15421	3488
1	0.000	0	0	0	0.000	603	118

Categorical variables

```
paste_matrix <- function(...,sep = " ",collapse = NULL){
    n <- max(sapply(list(...),nrow))
    p <- max(sapply(list(...),ncol))

    matrix(paste(...,sep = sep,collapse = collapse),n,p)
}
```

```
percent <- function(x) paste0("(", lapply(x, as.character), "%)")

addpercentage <- function(df, horizontal = FALSE){
  if (horizontal){
    x <- df %>%
      prop.table(margin = 1) %>%
      addmargins(FUN = list(Total = sum), quiet = TRUE) %>%
      round(2) * 100

    x[nrow(x),] <- " "
    x[-(nrow(x)),] <- lapply(x[-(nrow(x)), ], percent)
  } else {
    x <- df %>%
      prop.table(margin = 2) %>%
      addmargins(FUN = list(Total = sum), quiet = TRUE) %>%
      round(2) * 100

    x[, ncol(x)] <- " "
    x[, -(ncol(x))] <- lapply(x[, -(ncol(x))], percent)
  }

  y <- matrix(x, nrow = nrow(df) + 1)

  df <- df %>%
```

```r
    addmargins(FUN = list(Total = sum), quiet = TRUE)

  df_final <- paste_matrix(df, y)
  rownames(df_final) <- rownames(df)
  colnames(df_final) <- colnames(df)
  return(df_final)
}

transpose_columns <- c()

for (column in columns_list$categorical_columns){
  if (length(unique(df[[column]])) > 5) next

  variable_name <- df_names %>%
    filter(variable.name == column) %>%
    .$field.label

  abbreviated_name <- df_names %>%
    filter(variable.name == column) %>%
    .$field.label

  caption <- sprintf('Contingency table between %s and %s',
                     str_replace(outcome_column, "_", " "),
                     variable_name)

  if (column %in% transpose_columns){

    temp_table <- table(df[[column]],
                        df[[outcome_column]],
                        useNA = "ifany") %>%
      addpercentage(horizontal = TRUE)

    has_na <- df[[column]] %>% is.na() %>% sum > 0

    if (has_na){
      rownames(temp_table)[nrow(temp_table) - 1] <- "NA"
    }

    t <- temp_table %>%
      as.data.frame %>%
      rownames_to_column(var=abbreviated_name) %>%
      kbl(align = "c", booktabs = T, digits = 2, format = 'latex',
          caption = caption) %>%
      row_spec(length(unique(df %>% .[[column]] %>% replace_na("NA"))),
               hline_after = T) %>%
      collapse_rows(1, latex_hline = "none") %>%
      column_spec(4, border_right = T) %>%
      add_header_above(c(setNames(1, ' '),
                         setNames(length(unique(df[[outcome_column]])),
                                  outcome_column))) %>%
      kable_styling(latex_options = c("HOLD_position", "repeat_header"))

  } else {
    temp_table <- table(df[[outcome_column]],
                        df[[column]],
                        useNA = "ifany") %>%
      addpercentage

    has_na <- df[[column]] %>% is.na() %>% sum > 0

    if (has_na){
```

```
    colnames(temp_table)[ncol(temp_table) - 1] <- "NA"
  }

  t <- temp_table %>%
    as.data.frame %>%
    rownames_to_column(var=outcome_column) %>%
    kbl(align = "c", booktabs = T, digits = 2, format = 'latex',
        caption = caption, label = i) %>%
    row_spec(2, hline_after = T) %>%
    column_spec(length(unique(df %>% .[[column]] %>% replace_na("NA"))) + 1,
                border_right = T) %>%
    collapse_rows(1, latex_hline = "none") %>%
    add_header_above(c(' ' = 1,
                       setNames(length(unique(df[[column]])),
                                abbreviated_name))) %>%
    kable_styling(latex_options = c("HOLD_position", "repeat_header"))

  }
  print(t)
  i <- i + 1
}
```

Table 82: Contingency table between readmission 30d and Sexo

readmission__30d	Sexo		Total
	0	1	
0	7271 (96%)	8150 (96%)	15421
1	293 (4%)	310 (4%)	603
Total	7564 (100%)	8460 (100%)	16024

Table 83: Contingency table between readmission 30d and Doença cardíaca

readmission__30d	Doença cardíaca				Total
	0	1	2	NA	
0	8968 (97%)	1111 (95%)	3384 (96%)	1958 (96%)	15421
1	316 (3%)	61 (5%)	147 (4%)	79 (4%)	603
Total	9284 (100%)	1172 (100%)	3531 (100%)	2037 (100%)	16024

Table 84: Contingency table between readmission 30d and Hipertensão arterial

readmission__30d	Hipertensão arterial		Total
	0	1	
0	11691 (96%)	3730 (96%)	15421
1	449 (4%)	154 (4%)	603
Total	12140 (100%)	3884 (100%)	16024

Table 85: Contingency table between readmission 30d and Infarto do miocárdio prévio / Doença arterial coronariana

| | Infarto do miocárdio prévio / Doença arterial coronariana | | |
readmission__30d	0	1	Total
0	14017 (96%)	1404 (95%)	15421
1	529 (4%)	74 (5%)	603
Total	14546 (100%)	1478 (100%)	16024

Table 86: Contingency table between readmission 30d and Insuficiência cardíaca

| | Insuficiência cardíaca | | |
readmission__30d	0	1	Total
0	9894 (97%)	5527 (95%)	15421
1	312 (3%)	291 (5%)	603
Total	10206 (100%)	5818 (100%)	16024

Table 87: Contingency table between readmission 30d and Fibrilação / flutter atrial

| | Fibrilação / flutter atrial | | |
readmission__30d	0	1	Total
0	13109 (96%)	2312 (96%)	15421
1	499 (4%)	104 (4%)	603
Total	13608 (100%)	2416 (100%)	16024

Table 88: Contingency table between readmission 30d and Parada cardíaca prévia/ Taquicardia ventricular instável

| | Parada cardíaca prévia/ Taquicardia ventricular instável | | |
readmission__30d	0	1	Total
0	13584 (96%)	1837 (96%)	15421
1	520 (4%)	83 (4%)	603
Total	14104 (100%)	1920 (100%)	16024

Table 89: Contingency table between readmission 30d and Transplante cardíaco prévio

| | Transplante cardíaco prévio | | |
readmission__30d	0	1	Total
0	15410 (96%)	11 (85%)	15421
1	601 (4%)	2 (15%)	603
Total	16011 (100%)	13 (100%)	16024

Table 90: Contingency table between readmission 30d and Valvopatias/ Prótese valvares

readmission__30d	Valvopatias/ Prótese valvares		Total
	0	1	
0	14395 (96%)	1026 (95%)	15421
1	553 (4%)	50 (5%)	603
Total	14948 (100%)	1076 (100%)	16024

Table 91: Contingency table between readmission 30d and Endocardite prévia

readmission__30d	Endocardite prévia		Total
	0	1	
0	15293 (96%)	128 (93%)	15421
1	593 (4%)	10 (7%)	603
Total	15886 (100%)	138 (100%)	16024

Table 92: Contingency table between readmission 30d and Diabetes melittus

readmission__30d	Diabetes melittus		Total
	0	1	
0	13558 (96%)	1863 (96%)	15421
1	521 (4%)	82 (4%)	603
Total	14079 (100%)	1945 (100%)	16024

Table 93: Contingency table between readmission 30d and Insuficiência renal crônica

readmission__30d	Insuficiência renal crônica		Total
	0	1	
0	14802 (96%)	619 (95%)	15421
1	572 (4%)	31 (5%)	603
Total	15374 (100%)	650 (100%)	16024

Table 94: Contingency table between readmission 30d and Hemodiálise

readmission__30d	Hemodiálise		Total
	0	1	
0	15402 (96%)	19 (86%)	15421
1	600 (4%)	3 (14%)	603
Total	16002 (100%)	22 (100%)	16024

Table 95: Contingency table between readmission 30d and Acidente Vascular Cerebral/ Acidente isquêmico transitório prévios

| readmission_30d | Acidente Vascular Cerebral/ Acidente isquêmico transitório prévios | | Total |
	0	1	
0	14941 (96%)	480 (95%)	15421
1	577 (4%)	26 (5%)	603
Total	15518 (100%)	506 (100%)	16024

Table 96: Contingency table between readmission 30d and Doença pulmonar obstrutiva crônica

| readmission_30d | Doença pulmonar obstrutiva crônica | | Total |
	0	1	
0	15210 (96%)	211 (96%)	15421
1	595 (4%)	8 (4%)	603
Total	15805 (100%)	219 (100%)	16024

Table 97: Contingency table between readmission 30d and Neoplasia em tratamento ou tratada recentemente (12 meses)

| readmission_30d | Neoplasia em tratamento ou tratada recentemente (12 meses) | | Total |
	0	1	
0	15313 (96%)	108 (94%)	15421
1	596 (4%)	7 (6%)	603
Total	15909 (100%)	115 (100%)	16024

Table 98: Contingency table between readmission 30d and Tipo de Procedimento 1

| readmission_30d | Tipo de Procedimento 1 | | Total |
	1	2	
0	10641 (96%)	4780 (98%)	15421
1	488 (4%)	115 (2%)	603
Total	11129 (100%)	4895 (100%)	16024

Table 99: Contingency table between readmission 30d and Tipo de Reoperação 1

| readmission_30d | Tipo de Reoperação 1 | | | | Total |
	1	2	3	NA	
0	3854 (98%)	894 (96%)	32 (94%)	10641 (96%)	15421
1	74 (2%)	39 (4%)	2 (6%)	488 (4%)	603
Total	3928 (100%)	933 (100%)	34 (100%)	11129 (100%)	16024

Table 100: Contingency table between readmission 30d and Tipo de Dispositivo ao final do procedimento 1

readmission_30d	Tipo de Dispositivo ao final do procedimento 1				Total
	1	2	3	4	
0	12075 (97%)	1687 (94%)	1228 (95%)	431 (94%)	15421
1	400 (3%)	104 (6%)	70 (5%)	29 (6%)	603
Total	12475 (100%)	1791 (100%)	1298 (100%)	460 (100%)	16024

Table 101: Contingency table between readmission 30d and Óbito intraoperatório 1

readmission_30d	Óbito intraoperatório 1		Total
	0	1	
0	15414 (96%)	7 (100%)	15421
1	603 (4%)	0 (0%)	603
Total	16017 (100%)	7 (100%)	16024

Table 102: Contingency table between readmission 30d and Tipo de Reoperação 2

readmission_30d	Tipo de Reoperação 2				Total
	1	2	3	NA	
0	3206 (98%)	1341 (90%)	91 (75%)	10783 (97%)	15421
1	54 (2%)	152 (10%)	30 (25%)	367 (3%)	603
Total	3260 (100%)	1493 (100%)	121 (100%)	11150 (100%)	16024

Table 103: Contingency table between readmission 30d and Tipo de Dispositivo ao final do procedimento 2

readmission_30d	Tipo de Dispositivo ao final do procedimento 2					Total
	1	2	3	4	NA	
0	3480 (96%)	604 (94%)	366 (94%)	189 (93%)	10782 (97%)	15421
1	158 (4%)	41 (6%)	22 (6%)	14 (7%)	368 (3%)	603
Total	3638 (100%)	645 (100%)	388 (100%)	203 (100%)	11150 (100%)	16024

Table 104: Contingency table between readmission 30d and Óbito intraoperatório 2

readmission_30d	Óbito intraoperatório 2		Total
	0	NA	
0	4645 (95%)	10776 (97%)	15421
1	236 (5%)	367 (3%)	603
Total	4881 (100%)	11143 (100%)	16024

Table 105: Contingency table between readmission 30d and Tipo de Reoperação 3

readmission_30d	Tipo de Reoperação 3				Total
	1	2	3	NA	
0	692 (96%)	526 (91%)	55 (89%)	14148 (97%)	15421
1	32 (4%)	54 (9%)	7 (11%)	510 (3%)	603
Total	724 (100%)	580 (100%)	62 (100%)	14658 (100%)	16024

Table 106: Contingency table between readmission 30d and Tipo de Dispositivo ao final do procedimento 3

readmission_30d	Tipo de Dispositivo ao final do procedimento 3					Total
	1	2	3	4	NA	
0	903 (93%)	229 (91%)	150 (94%)	93 (94%)	14046 (97%)	15421
1	65 (7%)	23 (9%)	10 (6%)	6 (6%)	499 (3%)	603
Total	968 (100%)	252 (100%)	160 (100%)	99 (100%)	14545 (100%)	16024

Table 107: Contingency table between readmission 30d and Óbito intraoperatório 3

readmission_30d	Óbito intraoperatório 3			Total
	0	1	NA	
0	1372 (93%)	4 (100%)	14045 (97%)	15421
1	104 (7%)	0 (0%)	499 (3%)	603
Total	1476 (100%)	4 (100%)	14544 (100%)	16024

Table 108: Contingency table between readmission 30d and Tipo de Reoperação 4

readmission_30d	Tipo de Reoperação 4				Total
	1	2	3	NA	
0	170 (89%)	231 (92%)	32 (97%)	14988 (96%)	15421
1	22 (11%)	20 (8%)	1 (3%)	560 (4%)	603
Total	192 (100%)	251 (100%)	33 (100%)	15548 (100%)	16024

Table 109: Contingency table between readmission 30d and Tipo de Dispositivo ao final do procedimento 4

readmission_30d	Tipo de Dispositivo ao final do procedimento 4					Total
	1	2	3	4	NA	
0	259 (90%)	102 (93%)	43 (96%)	38 (90%)	14979 (96%)	15421
1	29 (10%)	8 (7%)	2 (4%)	4 (10%)	560 (4%)	603
Total	288 (100%)	110 (100%)	45 (100%)	42 (100%)	15539 (100%)	16024

Table 110: Contingency table between readmission 30d and Óbito intraoperatório 4

| | Óbito intraoperatório 4 | | |
readmission_30d	0	NA	Total
0	442 (91%)	14979 (96%)	15421
1	43 (9%)	560 (4%)	603
Total	485 (100%)	15539 (100%)	16024

Table 111: Contingency table between readmission 30d and Tipo de Reoperação 5

| | Tipo de Reoperação 5 | | | | |
readmission_30d	1	2	3	NA	Total
0	66 (93%)	100 (94%)	12 (86%)	15243 (96%)	15421
1	5 (7%)	6 (6%)	2 (14%)	590 (4%)	603
Total	71 (100%)	106 (100%)	14 (100%)	15833 (100%)	16024

Table 112: Contingency table between readmission 30d and Tipo de Dispositivo ao final do procedimento 5

| | Tipo de Dispositivo ao final do procedimento 5 | | | | | |
readmission_30d	1	2	3	4	NA	Total
0	91 (91%)	53 (95%)	21 (95%)	13 (100%)	15243 (96%)	15421
1	9 (9%)	3 (5%)	1 (5%)	0 (0%)	590 (4%)	603
Total	100 (100%)	56 (100%)	22 (100%)	13 (100%)	15833 (100%)	16024

Table 113: Contingency table between readmission 30d and Óbito intraoperatório 5

| | Óbito intraoperatório 5 | | |
readmission_30d	0	NA	Total
0	179 (93%)	15242 (96%)	15421
1	13 (7%)	590 (4%)	603
Total	192 (100%)	15832 (100%)	16024

Table 114: Contingency table between readmission 30d and Tipo de Reoperação 6

| | Tipo de Reoperação 6 | | | | |
readmission_30d	1	2	3	NA	Total
0	25 (96%)	42 (91%)	6 (100%)	15348 (96%)	15421
1	1 (4%)	4 (9%)	0 (0%)	598 (4%)	603
Total	26 (100%)	46 (100%)	6 (100%)	15946 (100%)	16024

Table 115: Contingency table between readmission 30d and Tipo de Dispositivo ao final do procedimento 6

readmission_30d	Tipo de Dispositivo ao final do procedimento 6					Total
	1	2	3	4	NA	
0	37 (92%)	23 (92%)	7 (100%)	9 (100%)	15345 (96%)	15421
1	3 (7%)	2 (8%)	0 (0%)	0 (0%)	598 (4%)	603
Total	40 (100%)	25 (100%)	7 (100%)	9 (100%)	15943 (100%)	16024

Table 116: Contingency table between readmission 30d and Óbito intraoperatório 6

readmission_30d	Óbito intraoperatório 6		Total
	0	NA	
0	76 (94%)	15345 (96%)	15421
1	5 (6%)	598 (4%)	603
Total	81 (100%)	15943 (100%)	16024

Table 117: Contingency table between readmission 30d and Tipo de Reoperação 7

readmission_30d	Tipo de Reoperação 7				Total
	1	2	3	NA	
0	10 (100%)	17 (94%)	4 (100%)	15390 (96%)	15421
1	0 (0%)	1 (6%)	0 (0%)	602 (4%)	603
Total	10 (100%)	18 (100%)	4 (100%)	15992 (100%)	16024

Table 118: Contingency table between readmission 30d and Tipo de Dispositivo ao final do procedimento 7

readmission_30d	Tipo de Dispositivo ao final do procedimento 7					Total
	1	2	3	4	NA	
0	12 (92%)	13 (100%)	1 (100%)	4 (100%)	15391 (96%)	15421
1	1 (8%)	0 (0%)	0 (0%)	0 (0%)	602 (4%)	603
Total	13 (100%)	13 (100%)	1 (100%)	4 (100%)	15993 (100%)	16024

Table 119: Contingency table between readmission 30d and Óbito intraoperatório 7

readmission_30d	Óbito intraoperatório 7		Total
	0	NA	
0	31 (97%)	15390 (96%)	15421
1	1 (3%)	602 (4%)	603
Total	32 (100%)	15992 (100%)	16024

Table 120: Contingency table between readmission 30d and Tipo de Reoperação 8

| readmission__30d | Tipo de Reoperação 8 | | Total |
	TRUE	NA	
0	12 (100%)	15409 (96%)	15421
1	0 (0%)	603 (4%)	603
Total	12 (100%)	16012 (100%)	16024

Table 121: Contingency table between readmission 30d and Tipo de Dispositivo ao final do procedimento 8

| readmission__30d | Tipo de Dispositivo ao final do procedimento 8 | | Total |
	TRUE	NA	
0	12 (100%)	15409 (96%)	15421
1	0 (0%)	603 (4%)	603
Total	12 (100%)	16012 (100%)	16024

Table 122: Contingency table between readmission 30d and Óbito intraoperatório 8

| readmission__30d | Óbito intraoperatório 8 | | Total |
	FALSE	NA	
0	12 (100%)	15409 (96%)	15421
1	0 (0%)	603 (4%)	603
Total	12 (100%)	16012 (100%)	16024

Table 123: Contingency table between readmission 30d and Tipo de Reoperação 9

| readmission__30d | Tipo de Reoperação 9 | | Total |
	TRUE	NA	
0	5 (100%)	15416 (96%)	15421
1	0 (0%)	603 (4%)	603
Total	5 (100%)	16019 (100%)	16024

Table 124: Contingency table between readmission 30d and Tipo de Dispositivo ao final do procedimento 9

| readmission__30d | Tipo de Dispositivo ao final do procedimento 9 | | Total |
	TRUE	NA	
0	5 (100%)	15416 (96%)	15421
1	0 (0%)	603 (4%)	603
Total	5 (100%)	16019 (100%)	16024

Table 125: Contingency table between readmission 30d and Óbito intraoperatório 9

| | Óbito intraoperatório 9 | | |
readmission__30d	FALSE	NA	Total
0	5 (100%)	15416 (96%)	15421
1	0 (0%)	603 (4%)	603
Total	5 (100%)	16019 (100%)	16024

Table 126: Contingency table between readmission 30d and Tipo de Reoperação 10

| | Tipo de Reoperação 10 | | |
readmission__30d	TRUE	NA	Total
0	1 (100%)	15420 (96%)	15421
1	0 (0%)	603 (4%)	603
Total	1 (100%)	16023 (100%)	16024

Table 127: Contingency table between readmission 30d and Tipo de Dispositivo ao final do procedimento 10

| | Tipo de Dispositivo ao final do procedimento 10 | | |
readmission__30d	TRUE	NA	Total
0	1 (100%)	15420 (96%)	15421
1	0 (0%)	603 (4%)	603
Total	1 (100%)	16023 (100%)	16024

Table 128: Contingency table between readmission 30d and Óbito intraoperatório 10

| | Óbito intraoperatório 10 | | |
readmission__30d	FALSE	NA	Total
0	1 (100%)	15420 (96%)	15421
1	0 (0%)	603 (4%)	603
Total	1 (100%)	16023 (100%)	16024

Table 129: Contingency table between readmission 30d and Mudança do tipo de DCEI: entre o Procedimento 1 e Procedimento 2

| | Mudança do tipo de DCEI: entre o Procedimento 1 e Procedimento 2 | | | |
readmission__30d	0	1	NA	Total
0	4371 (95%)	268 (96%)	10782 (97%)	15421
1	223 (5%)	12 (4%)	368 (3%)	603
Total	4594 (100%)	280 (100%)	11150 (100%)	16024

Table 130: Contingency table between readmission 30d and Mudança do tipo de DCEI: entre o Procedimento 2 e Procedimento 3

| readmission_30d | Mudança do tipo de DCEI: entre o Procedimento 2 e Procedimento 3 | | | Total |
	0	1	NA	
0	1287 (93%)	88 (94%)	14046 (97%)	15421
1	98 (7%)	6 (6%)	499 (3%)	603
Total	1385 (100%)	94 (100%)	14545 (100%)	16024

Table 131: Contingency table between readmission 30d and Mudança do tipo de DCEI: entre o Procedimento 3 e Procedimento 4

| readmission_30d | Mudança do tipo de DCEI: entre o Procedimento 3 e Procedimento 4 | | | Total |
	0	1	NA	
0	416 (91%)	26 (93%)	14979 (96%)	15421
1	41 (9%)	2 (7%)	560 (4%)	603
Total	457 (100%)	28 (100%)	15539 (100%)	16024

Table 132: Contingency table between readmission 30d and Mudança do tipo de DCEI: entre o Procedimento 4 e Procedimento 5

| readmission_30d | Mudança do tipo de DCEI: entre o Procedimento 4 e Procedimento 5 | | | Total |
	0	1	NA	
0	169 (93%)	9 (100%)	15243 (96%)	15421
1	13 (7%)	0 (0%)	590 (4%)	603
Total	182 (100%)	9 (100%)	15833 (100%)	16024

Table 133: Contingency table between readmission 30d and Mudança do tipo de DCEI: entre o Procedimento 5 e Procedimento 6

| readmission_30d | Mudança do tipo de DCEI: entre o Procedimento 5 e Procedimento 6 | | | Total |
	0	1	NA	
0	69 (93%)	7 (100%)	15345 (96%)	15421
1	5 (7%)	0 (0%)	598 (4%)	603
Total	74 (100%)	7 (100%)	15943 (100%)	16024

Table 134: Contingency table between readmission 30d and Mudança do tipo de DCEI: entre o Procedimento 6 e Procedimento 7

| readmission_30d | Mudança do tipo de DCEI: entre o Procedimento 6 e Procedimento 7 | | | Total |
	0	1	NA	
0	27 (96%)	3 (100%)	15391 (96%)	15421
1	1 (4%)	0 (0%)	602 (4%)	603
Total	28 (100%)	3 (100%)	15993 (100%)	16024

Table 135: Contingency table between readmission 30d and Mudança do tipo de DCEI: entre o Procedimento 7 e Procedimento 8

	Mudança do tipo de DCEI: entre o Procedimento 7 e Procedimento 8			Total
readmission_30d	FALSE	TRUE	NA	
0	11 (100%)	1 (100%)	15409 (96%)	15421
1	0 (0%)	0 (0%)	603 (4%)	603
Total	11 (100%)	1 (100%)	16012 (100%)	16024

Table 136: Contingency table between readmission 30d and Mudança do tipo de DCEI: entre o Procedimento 8 e Procedimento 9

	Mudança do tipo de DCEI: entre o Procedimento 8 e Procedimento 9		Total
readmission_30d	FALSE	NA	
0	5 (100%)	15416 (96%)	15421
1	0 (0%)	603 (4%)	603
Total	5 (100%)	16019 (100%)	16024

Table 137: Contingency table between readmission 30d and Mudança do tipo de DCEI: entre o Procedimento 9 e Procedimento 10

	Mudança do tipo de DCEI: entre o Procedimento 9 e Procedimento 10		Total
readmission_30d	FALSE	NA	
0	1 (100%)	15420 (96%)	15421
1	0 (0%)	603 (4%)	603
Total	1 (100%)	16023 (100%)	16024

Table 138: Contingency table between readmission 30d and Diálise durante os episódios de hospitalização

	Diálise durante os episódios de hospitalização		Total
readmission_30d	0	1	
0	15366 (96%)	55 (90%)	15421
1	597 (4%)	6 (10%)	603
Total	15963 (100%)	61 (100%)	16024

Table 139: Contingency table between readmission 30d and UTI durante os episódios de hospitalização

	UTI durante os episódios de hospitalização		Total
readmission_30d	0	1	
0	12244 (97%)	3177 (93%)	15421
1	376 (3%)	227 (7%)	603
Total	12620 (100%)	3404 (100%)	16024

Table 140: Contingency table between readmission 30d and Admissão em até 180 dias antes da T0

readmission__30d	Admissão em até 180 dias antes da T0		Total
	0	1	
0	14391 (97%)	1030 (92%)	15421
1	518 (3%)	85 (8%)	603
Total	14909 (100%)	1115 (100%)	16024

Table 141: Contingency table between readmission 30d and Readmissões pós-T0 com diálise

readmission__30d	Readmissões pós-T0 com diálise				Total
	0	1	2	3	
0	15400 (96%)	19 (100%)	2 (100%)	0 (0%)	15421
1	602 (4%)	0 (0%)	0 (0%)	1 (100%)	603
Total	16002 (100%)	19 (100%)	2 (100%)	1 (100%)	16024

Table 142: Contingency table between readmission 30d and Desfecho principal da admissão T0

readmission__30d	Desfecho principal da admissão T0		Total
	0	1	
0	15163 (96%)	258 (100%)	15421
1	603 (4%)	0 (0%)	603
Total	15766 (100%)	258 (100%)	16024

Table 143: Contingency table between readmission 30d and Readmissão cirúrgica em até 30 dias

readmission__30d	Readmissão cirúrgica em até 30 dias		Total
	0	1	
0	15421 (97%)	0 (0%)	15421
1	466 (3%)	137 (100%)	603
Total	15887 (100%)	137 (100%)	16024

Table 144: Contingency table between readmission 30d and Readmissão cirúrgica entre 31 a 60 dias

readmission__30d	Readmissão cirúrgica entre 31 a 60 dias		Total
	0	1	
0	15338 (96%)	83 (89%)	15421
1	593 (4%)	10 (11%)	603
Total	15931 (100%)	93 (100%)	16024

Table 145: Contingency table between readmission 30d and Readmissão cirúgica entre 61 a 180 dias

readmission_30d	Readmissão cirúgica entre 61 a 180 dias		Total
	0	1	
0	15281 (96%)	140 (94%)	15421
1	594 (4%)	9 (6%)	603
Total	15875 (100%)	149 (100%)	16024

Table 146: Contingency table between readmission 30d and Readmissão cirúrgica em até 1 ano

readmission_30d	Readmissão cirúrgica em até 1 ano		Total
	0	1	
0	15304 (96%)	117 (89%)	15421
1	588 (4%)	15 (11%)	603
Total	15892 (100%)	132 (100%)	16024

Table 147: Contingency table between readmission 30d and Desfecho final do estudo

readmission_30d	Desfecho final do estudo			Total
	1	2	3	
0	2583 (92%)	7507 (97%)	5331 (97%)	15421
1	215 (8%)	222 (3%)	166 (3%)	603
Total	2798 (100%)	7729 (100%)	5497 (100%)	16024

Table 148: Contingency table between readmission 30d and Ventilação mecânica / IOT

readmission_30d	Ventilação mecânica / IOT		Total
	1	NA	
0	2815 (94%)	12606 (97%)	15421
1	169 (6%)	434 (3%)	603
Total	2984 (100%)	13040 (100%)	16024