# Tables - readmission\_1year

#### Eduardo Yuki Yada

## **Imports**

```
library(tidyverse)
library(yaml)
library(kableExtra)
```

## Loading data

```
load('dataset/processed_data.RData')
load('dataset/processed_dictionary.RData')

columns_list <- yaml.load_file("./auxiliar/columns_list.yaml")

outcome_column <- params$outcome_column

if (outcome_column == 'general') {
    df <- df %>% mutate(general = 'All')
}

df[columns_list$outcome_columns] <- lapply(df[columns_list$outcome_columns], as.character)
df[columns_list$outcome_columns] <- lapply(df[columns_list$outcome_columns], as.integer)</pre>
```

#### Numerical variables

```
medianWithoutNA <- function(x) {</pre>
   median(x[which(!is.na(x))])
}
i = 0
for (column in columns_list$numerical_columns){
    group_by_at(vars(one_of(outcome_column))) %>%
    summarise('Mean' = mean(!!sym(column), na.rm = T),
              'Min' = min(!!sym(column), na.rm = T),
              'Median' = medianWithoutNA(!!sym(column)),
              'Max' = max(!!sym(column), na.rm = T),
              'Standard Deviation' = sd(!!sym(column), na.rm = T),
              'N' = n(),
              'Missing' = sum(is.na(!!sym(column)))) %>%
    ungroup %>%
    mutate(Min = ifelse(is.infinite(Min), NA, Min),
           Max = ifelse(is.infinite(Max), NA, Max)) %>%
    kbl(align = "1", booktabs = T, digits = 3, format = 'latex', label = i,
        caption = df_names %>% filter(variable.name == column) %>% .$field.label) %>%
    column_spec(1, bold = T, width = "8em") %>%
    row_spec(c(1) - 1, extra_latex_after = "\\rowcolor{gray!6}") %>%
    collapse_rows(1, latex_hline = "none") %>%
    kable_styling(latex_options = c("HOLD_position", "repeat_header")) %>%
    print
```

Table 1: Idade no momento do primeiro procedimento

| readmission_1year | Mean   | Min | Median | Max   | Standard Deviation | N     | Missing |
|-------------------|--------|-----|--------|-------|--------------------|-------|---------|
| 0                 | 65.908 | 0   | 69.1   | 110.6 | 17.532             | 13754 | 0       |
| 1                 | 63.573 | 0   | 67.5   | 98.8  | 19.225             | 2012  | 0       |

Table 2: Número de comorbidades

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 1.206 | 0   | 1      | 8   | 1.325              | 13754 | 0       |
| 1                 | 1.561 | 0   | 1      | 8   | 1.488              | 2012  | 0       |

Table 3: Ano do procedimento  $1\,$ 

| readmission_1year | Mean     | Min  | Median | Max  | Standard Deviation | N     | Missing |
|-------------------|----------|------|--------|------|--------------------|-------|---------|
| 0                 | 2010.633 | 1999 | 2010   | 2021 | 5.836              | 13754 | 0       |
| 1                 | 2010.290 | 1999 | 2010   | 2021 | 5.428              | 2012  | 0       |

Table 4: Idade no Procedimento 1

| readmission_1year | Mean   | Min | Median | Max   | Standard Deviation | N     | Missing |
|-------------------|--------|-----|--------|-------|--------------------|-------|---------|
| 0                 | 65.908 | 0   | 69.1   | 110.6 | 17.532             | 13754 | 0       |
| 1                 | 63.573 | 0   | 67.5   | 98.8  | 19.225             | 2012  | 0       |

Table 5: Ano do procedimento  $2\,$ 

| readmission_1year | Mean     | Min  | Median | Max  | Standard Deviation | N     | Missing |
|-------------------|----------|------|--------|------|--------------------|-------|---------|
| 0                 | 2013.450 | 1999 | 2014   | 2022 | 4.364              | 13754 | 9691    |
| 1                 | 2011.241 | 1999 | 2011   | 2022 | 5.708              | 2012  | 1214    |

Table 6: Idade no Procedimento 2

| readmission_1year | Mean   | Min | Median | Max   | Standard Deviation | N     | Missing |
|-------------------|--------|-----|--------|-------|--------------------|-------|---------|
| 0                 | 65.834 | 0.4 | 69.80  | 108.7 | 19.163             | 13754 | 9690    |
| 1                 | 61.586 | 0.0 | 64.75  | 100.7 | 19.386             | 2012  | 1214    |

Table 7: Ano do procedimento 3

| readmission_1year | Mean     | Min  | Median | Max  | Standard Deviation | N     | Missing |
|-------------------|----------|------|--------|------|--------------------|-------|---------|
| 0                 | 2014.968 | 1999 | 2015   | 2022 | 4.368              | 13754 | 12602   |
| 1                 | 2012.028 | 2002 | 2012   | 2022 | 5.446              | 2012  | 1687    |

Table 8: Idade no Procedimento 3

| readmission_1year | Mean   | Min | Median | Max   | Standard Deviation | N     | Missing |
|-------------------|--------|-----|--------|-------|--------------------|-------|---------|
| 0                 | 62.240 | 3.9 | 66.2   | 101.1 | 20.837             | 13754 | 12602   |
| 1                 | 61.167 | 0.4 | 65.6   | 97.6  | 20.437             | 2012  | 1687    |

Table 9: Ano do procedimento 4

| readmission_1year | Mean     | Min  | Median | Max  | Standard Deviation | N     | Missing |
|-------------------|----------|------|--------|------|--------------------|-------|---------|
| 0                 | 2015.074 | 2003 | 2015   | 2022 | 4.363              | 13754 | 13415   |
| 1                 | 2013.034 | 2002 | 2014   | 2022 | 5.459              | 2012  | 1866    |

Table 10: Idade no Procedimento 4

| readmission_1year | Mean   | Min | Median | Max  | Standard Deviation | N     | Missing |
|-------------------|--------|-----|--------|------|--------------------|-------|---------|
| 0                 | 58.937 | 4.3 | 63.0   | 97.7 | 22.067             | 13754 | 13415   |
| 1                 | 61.222 | 1.9 | 66.3   | 96.9 | 21.568             | 2012  | 1866    |

Table 11: Ano do procedimento 5

| readmission_1year | Mean     | Min  | Median | Max  | Standard Deviation | N     | Missing |
|-------------------|----------|------|--------|------|--------------------|-------|---------|
| 0                 | 2014.786 | 2004 | 2015   | 2022 | 3.885              | 13754 | 13614   |
| 1                 | 2012.750 | 2003 | 2013   | 2021 | 4.639              | 2012  | 1960    |

Table 12: Idade no Procedimento 5

| readmission_1year | Mean   | Min | Median | Max  | Standard Deviation | N     | Missing |
|-------------------|--------|-----|--------|------|--------------------|-------|---------|
| 0                 | 58.142 | 6.3 | 62.75  | 99.7 | 21.971             | 13754 | 13614   |
| 1                 | 57.044 | 3.2 | 62.80  | 88.2 | 22.401             | 2012  | 1960    |

Table 13: Ano do procedimento 6

| readmission_1year | Mean     | Min  | Median | Max  | Standard Deviation | N     | Missing |
|-------------------|----------|------|--------|------|--------------------|-------|---------|
| 0                 | 2015.729 | 2004 | 2017   | 2021 | 4.302              | 13754 | 13695   |
| 1                 | 2012.045 | 2003 | 2012   | 2020 | 4.157              | 2012  | 1990    |

Table 14: Idade no Procedimento 6

| readmission_1year | Mean   | Min  | Median | Max   | Standard Deviation | N     | Missing |
|-------------------|--------|------|--------|-------|--------------------|-------|---------|
| 0                 | 56.936 | 6.6  | 58.80  | 101.6 | 22.214             | 13754 | 13695   |
| 1                 | 52.995 | 10.9 | 60.55  | 88.7  | 23.145             | 2012  | 1990    |

Table 15: Ano do procedimento 7

| readmission_1year | Mean     | Min  | Median | Max  | Standard Deviation | N     | Missing |
|-------------------|----------|------|--------|------|--------------------|-------|---------|
| 0                 | 2016.476 | 2007 | 2018   | 2022 | 4.343              | 13754 | 13733   |
| 1                 | 2014.091 | 2010 | 2013   | 2021 | 3.885              | 2012  | 2001    |

Table 16: Idade no Procedimento 7

| readmission_1year | Mean   | Min  | Median | Max  | Standard Deviation | N     | Missing |
|-------------------|--------|------|--------|------|--------------------|-------|---------|
| 0                 | 49.567 | 8.8  | 52.8   | 81.8 | 21.745             | 13754 | 13733   |
| 1                 | 54.409 | 17.6 | 63.9   | 78.8 | 19.649             | 2012  | 2001    |

Table 17: Ano do procedimento 8

| readmission_1year | Mean     | Min  | Median | Max  | Standard Deviation | N     | Missing |
|-------------------|----------|------|--------|------|--------------------|-------|---------|
| 0                 | 2015.222 | 2008 | 2016   | 2020 | 4.206              | 13754 | 13745   |
| 1                 | 2014.000 | 2010 | 2015   | 2017 | 3.606              | 2012  | 2009    |

Table 18: Idade no Procedimento 8

| readmission_1year | Mean   | Min  | Median | Max  | Standard Deviation | N     | Missing |
|-------------------|--------|------|--------|------|--------------------|-------|---------|
| 0                 | 55.444 | 14.3 | 61.7   | 81.8 | 22.865             | 13754 | 13745   |
| 1                 | 42.800 | 17.6 | 42.4   | 68.4 | 25.402             | 2012  | 2009    |

Table 19: Ano do procedimento 9

| readmission_1year | Mean   | Min  | Median | Max  | Standard Deviation | N     | Missing |
|-------------------|--------|------|--------|------|--------------------|-------|---------|
| 0                 | 2014.5 | 2009 | 2013.5 | 2022 | 5.802              | 13754 | 13750   |
| 1                 | 2016.0 | 2016 | 2016.0 | 2016 | NA                 | 2012  | 2011    |

Table 20: Idade no Procedimento 9

| readmission_1year | Mean | Min  | Median | Max  | Standard Deviation | N     | Missing |
|-------------------|------|------|--------|------|--------------------|-------|---------|
| 0                 | 44.1 | 15.0 | 39.6   | 82.2 | 28.029             | 13754 | 13750   |
| 1                 | 22.9 | 22.9 | 22.9   | 22.9 | NA                 | 2012  | 2011    |

Table 21: Ano do procedimento 10

| readmission_1year | Mean | Min  | Median | Max  | Standard Deviation | N     | Missing |
|-------------------|------|------|--------|------|--------------------|-------|---------|
| 0                 | 2019 | 2019 | 2019   | 2019 | NA                 | 13754 | 13753   |
| 1                 | NaN  | NA   | NA     | NA   | NA                 | 2012  | 2012    |

Table 22: Idade no Procedimento 10

| readmission_1year | Mean | Min  | Median | Max  | Standard Deviation | N     | Missing |
|-------------------|------|------|--------|------|--------------------|-------|---------|
| 0                 | 39.7 | 39.7 | 39.7   | 39.7 | NA                 | 13754 | 13753   |
| 1                 | NaN  | NA   | NA     | NA   | NA                 | 2012  | 2012    |

Table 23: Tempo entre o P1 e P2 (meses)

| readmission_1year | Mean   | Min | Median | Max   | Standard Deviation | N     | Missing |
|-------------------|--------|-----|--------|-------|--------------------|-------|---------|
| 0                 | 82.595 | 0   | 89.10  | 197.1 | 33.711             | 13754 | 9690    |
| 1                 | 26.023 | 0   | 5.95   | 155.5 | 36.879             | 2012  | 1214    |

Table 24: Tempo entre o P2 e P3 (meses)

| readmission_1year | Mean   | Min | Median | Max   | Standard Deviation | N     | Missing |
|-------------------|--------|-----|--------|-------|--------------------|-------|---------|
| 0                 | 59.500 | 0   | 64.65  | 170.5 | 38.439             | 13754 | 12602   |
| 1                 | 42.072 | 0   | 32.20  | 132.5 | 41.301             | 2012  | 1687    |

Table 25: Tempo entre o P3 e P4 (meses)

| readmission_1year | Mean   | Min | Median | Max   | Standard Deviation | N     | Missing |
|-------------------|--------|-----|--------|-------|--------------------|-------|---------|
| 0                 | 38.796 | 0.0 | 33.35  | 142.7 | 38.397             | 13754 | 13416   |
| 1                 | 41.476 | 0.1 | 25.50  | 137.4 | 43.015             | 2012  | 1866    |

Table 26: Tempo entre o P4 e P5 (meses)

| readmission_1year | Mean   | Min | Median | Max   | Standard Deviation | N     | Missing |
|-------------------|--------|-----|--------|-------|--------------------|-------|---------|
| 0                 | 30.172 | 0.0 | 5.65   | 127.6 | 36.439             | 13754 | 13614   |
| 1                 | 38.310 | 0.1 | 17.30  | 144.3 | 43.156             | 2012  | 1960    |

Table 27: Tempo entre o P5 e P6 (meses)

| readmission_1year | Mean   | Min | Median | Max   | Standard Deviation | N     | Missing |
|-------------------|--------|-----|--------|-------|--------------------|-------|---------|
| 0                 | 31.083 | 0.0 | 6.20   | 110.3 | 36.941             | 13754 | 13695   |
| 1                 | 18.623 | 0.1 | 4.45   | 82.4  | 27.338             | 2012  | 1990    |

Table 28: Tempo entre o P6 e P7 (meses)

| readmission_1year | Mean   | Min | Median | Max   | Standard Deviation | N     | Missing |
|-------------------|--------|-----|--------|-------|--------------------|-------|---------|
| 0                 | 37.038 | 0.0 | 4.0    | 142.3 | 45.729             | 13754 | 13733   |
| 1                 | 20.900 | 0.1 | 3.9    | 93.1  | 35.544             | 2012  | 2001    |

Table 29: Tempo entre o P7 e P8 (meses)

| readmission_1year | Mean   | Min | Median | Max  | Standard Deviation | N     | Missing |
|-------------------|--------|-----|--------|------|--------------------|-------|---------|
| 0                 | 14.289 | 0.2 | 2.2    | 80.9 | 27.172             | 13754 | 13745   |
| 1                 | 37.067 | 0.6 | 52.2   | 58.4 | 31.733             | 2012  | 2009    |

Table 30: Tempo entre o P8 e P9 (meses)

| readmission_1year | Mean  | Min  | Median | Max  | Standard Deviation | N     | Missing |
|-------------------|-------|------|--------|------|--------------------|-------|---------|
| 0                 | 11.35 | 4.8  | 6.9    | 26.8 | 10.451             | 13754 | 13750   |
| 1                 | 63.20 | 63.2 | 63.2   | 63.2 | NA                 | 2012  | 2011    |

Table 31: Tempo entre o P9 e P10 (meses)

| ${\it readmission\_1} {\it year}$ | Mean | $\operatorname{Min}$ | Median | Max  | Standard Deviation | $\mathbf{N}$ | Missing |
|-----------------------------------|------|----------------------|--------|------|--------------------|--------------|---------|
| 0                                 | 36.8 | 36.8                 | 36.8   | 36.8 | NA                 | 13754        | 13753   |
| 1                                 | NaN  | NA                   | NA     | NA   | NA                 | 2012         | 2012    |

Table 32: Número de Mudanças do tipo de DCEI

| readmission_1year | Mean          | Min | Median | Max | Standard Deviation | N             | Missing |
|-------------------|---------------|-----|--------|-----|--------------------|---------------|---------|
| 0<br>1            | 0.079 $0.126$ | 0   | 0      | 3 2 | 0.282<br>0.357     | 13754<br>2012 | 000-    |

Table 33: Número de atendimentos

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 2.043 | 1   | 1      | 25  | 1.661              | 13754 | 0       |
| 1                 | 4.689 | 2   | 3      | 51  | 3.705              | 2012  | 0       |

Table 34: Número da Admissão T0 (admissão índice)

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 1.353 | 1   | 1      | 22  | 0.923              | 13754 | 0       |
| 1                 | 1.992 | 1   | 1      | 32  | 1.921              | 2012  | 0       |

Table 35: Núm. de episódios de hospitalizações pós-procedimento

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.609 | 0   | 0      | 18  | 1.231              | 13754 | 0       |
| 1                 | 2.603 | 0   | 2      | 50  | 2.910              | 2012  | 0       |

Table 36: Núm. de episódios de hospitalizações pré-procedimento

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.461 | 0   | 0      | 21  | 1.017              | 13754 | 0       |
| 1                 | 1.088 | 0   | 0      | 38  | 2.155              | 2012  | 0       |

Table 37: Ano da admissão T0

| readmission_1year | Mean     | Min  | Median | Max  | Standard Deviation | N     | Missing |
|-------------------|----------|------|--------|------|--------------------|-------|---------|
| 0                 | 2010.627 | 1999 | 2010   | 2021 | 5.837              | 13754 | 15      |
| 1                 | 2010.274 | 1999 | 2010   | 2021 | 5.428              | 2012  | 5       |

Table 38: UTI durante a admissão T0

| readmission_1year | Mean  | Min | Median | Max    | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|--------|--------------------|-------|---------|
| 0                 | 1.321 | 0   | 0      | 191.95 | 5.538              | 13754 | 0       |
| 1                 | 3.839 | 0   | 0      | 188.00 | 11.806             | 2012  | 0       |

Table 39: Diálise durante a admissão T0

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.007 | 0   | 0      | 28  | 0.312              | 13754 | 0       |
| 1                 | 0.042 | 0   | 0      | 25  | 0.839              | 2012  | 0       |

Table 40: Readmissão em até 30 dias

| readmission_1year | Mean | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.0  | 0   | 0      | 0   | 0.000              | 13754 | 0       |
| 1                 | 0.3  | 0   | 0      | 1   | 0.458              | 2012  | 0       |

Table 41: Readmissão entre 31 a 60 dias

| readmission_1year | Mean | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.00 | 0   | 0      | 0   | 0.000              | 13754 | 0       |
| 1                 | 0.45 | 0   | 0      | 1   | 0.498              | 2012  | 0       |

Table 42: Readmissão entre 61 a 180 dias

| readmission_1year | Mean | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.00 | 0   | 0      | 0   | 0.000              | 13754 | 0       |
| 1                 | 0.74 | 0   | 1      | 1   | 0.439              | 2012  | 0       |

Table 43: Readmissão em até 1 ano

| readmission_1year | Mean | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0    | 0   | 0      | 0   | 0                  | 13754 | 0       |
| 1                 | 1    | 1   | 1      | 1   | 0                  | 2012  | 0       |

Table 44: Tempo de seguimento total (anos)

| readmission_1year | Mean  | Min | Median | Max  | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|------|--------------------|-------|---------|
| 0                 | 6.063 | 0   | 4.7    | 22.6 | 5.281              | 13754 | 0       |
| 1                 | 4.623 | 0   | 3.0    | 22.1 | 4.769              | 2012  | 0       |

Table 45: Óbito intraoperatório

| readmission_1year | Mean | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0    | 0   | 0      | 1   | 0.017              | 13754 | 0       |
| 1                 | 0    | 0   | 0      | 0   | 0.000              | 2012  | 0       |

Table 46: Óbito hospitalar (intraoperatório ou admissao T0)

| readmission_1year | Mean | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0    | 0   | 0      | 1   | 0.017              | 13754 | 0       |
| 1                 | 0    | 0   | 0      | 0   | 0.000              | 2012  | 0       |

Table 47: Óbito durante algum episódio de readmissão hospitalar

| ${\rm readmission\_1year}$ | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|----------------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                          | 0.053 | 0   | 0      | 1   | 0.223              | 13754 | 0       |
| 1                          | 0.288 | 0   | 0      | 1   | 0.453              | 2012  | 0       |

Table 48: Óbito em até 30 dias após a alta T0

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.002 | 0   | 0      | 1   | 0.046              | 13754 | 0       |
| 1                 | 0.021 | 0   | 0      | 1   | 0.143              | 2012  | 0       |

Table 49: Óbito em até 180 dias após a alta T0

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.009 | 0   | 0      | 1   | 0.092              | 13754 | 0       |
| 1                 | 0.106 | 0   | 0      | 1   | 0.308              | 2012  | 0       |

Table 50: Óbito em até 1 ano após a alta T0

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.013 | 0   | 0      | 1   | 0.111              | 13754 | 0       |
| 1                 | 0.171 | 0   | 0      | 1   | 0.377              | 2012  | 0       |

Table 51: Óbito em até 2 anos após a alta T0

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.023 | 0   | 0      | 1   | 0.149              | 13754 | 0       |
| 1                 | 0.221 | 0   | 0      | 1   | 0.415              | 2012  | 0       |

Table 52: Óbito em até 3 anos após a alta T0

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.031 | 0   | 0      | 1   | 0.173              | 13754 | 0       |
| 1                 | 0.242 | 0   | 0      | 1   | 0.428              | 2012  | 0       |

Table 53: Óbito (status final)

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.134 | 0   | 0      | 1   | 0.341              | 13754 | 0       |
| 1                 | 0.346 | 0   | 0      | 1   | 0.476              | 2012  | 0       |

Table 54: Tempo de sobrevida (anos)

| readmission_1year | Mean  | Min | Median | Max  | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|------|--------------------|-------|---------|
| 0                 | 5.149 | 0   | 4.1    | 20.1 | 4.292              | 13754 | 12629   |
| 1                 | 2.210 | 0   | 0.9    | 17.3 | 2.926              | 2012  | 1372    |

Table 55: Diárias no serviço de Emergência na admissão  ${\rm T0}$ 

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.294 | 0   | 0      | 27  | 1.292              | 13754 | 5180    |
| 1                 | 0.461 | 0   | 0      | 28  | 1.706              | 2012  | 749     |

Table 56: Anticoagulantes orais

| readmission_1year | Mean  | Min | Median | Max  | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|------|--------------------|-------|---------|
| 0                 | 0.246 | 0   | 0      | 98.0 | 2.282              | 13754 | 3057    |
| 1                 | 0.643 | 0   | 0      | 60.5 | 3.255              | 2012  | 426     |

Table 57: Antiarritmicos

| readmission_1year | Mean   | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|--------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 2.737  | 0   | 0      | 286 | 13.351             | 13754 | 3057    |
| 1                 | 10.314 | 0   | 0      | 844 | 38.138             | 2012  | 426     |

Table 58: Antihipertensivo

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.428 | 0   | 0      | 349 | 5.206              | 13754 | 3057    |
| 1                 | 0.738 | 0   | 0      | 160 | 6.277              | 2012  | 426     |

Table 59: Betabloqueador

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.896 | 0   | 0      | 288 | 6.308              | 13754 | 3057    |
| 1                 | 2.387 | 0   | 0      | 388 | 15.315             | 2012  | 426     |

Table 60: IECA/BRA

| readmission_1year | Mean   | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|--------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 8.128  | 0   | 2      | 530 | 19.071             | 13754 | 3057    |
| 1                 | 13.960 | 0   | 4      | 332 | 28.585             | 2012  | 426     |

Table 61: DVA

| readmission_1year | Mean   | Min | Median | Max  | Standard Deviation | N     | Missing |
|-------------------|--------|-----|--------|------|--------------------|-------|---------|
| 0                 | 3.882  | 0   | 0      | 594  | 23.317             | 13754 | 3057    |
| 1                 | 12.949 | 0   | 0      | 1044 | 52.872             | 2012  | 426     |

Table 62: Digoxina

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.189 | 0   | 0      | 50  | 1.404              | 13754 | 3057    |
| 1                 | 0.532 | 0   | 0      | 47  | 2.716              | 2012  | 426     |

Table 63: Estatinas

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 4.462 | 0   | 0      | 421 | 14.467             | 13754 | 3057    |
| 1                 | 9.600 | 0   | 0      | 413 | 26.224             | 2012  | 426     |

Table 64: Diuretico

| readmission_1year | Mean   | Min | Median | Max    | Standard Deviation | N     | Missing |
|-------------------|--------|-----|--------|--------|--------------------|-------|---------|
| 0                 | 6.319  | 0   | 0      | 1041.5 | 30.961             | 13754 | 3057    |
| 1                 | 23.033 | 0   | 2      | 1290.0 | 94.279             | 2012  | 426     |

Table 65: Vasodilator

| readmission_1year | Mean   | Min | Median | Max    | Standard Deviation | N     | Missing |
|-------------------|--------|-----|--------|--------|--------------------|-------|---------|
| 0                 | 6.565  | 0   | 0      | 865.5  | 35.474             | 13754 | 3057    |
| 1                 | 25.306 | 0   | 0      | 2408.0 | 102.991            | 2012  | 426     |

Table 66: Insuficiência cardíaca (ivabradina, levosimedan, milrinona, nesiritida, carvedilol)

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 3.675 | 0   | 0      | 426 | 14.318             | 13754 | 3057    |
| 1                 | 9.822 | 0   | 0      | 453 | 26.302             | 2012  | 426     |

Table 67: Antagonista da Aldosterona (espironolactona)

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 1.610 | 0   | 0      | 204 | 6.319              | 13754 | 3057    |
| 1                 | 4.921 | 0   | 0      | 162 | 13.691             | 2012  | 426     |

Table 68: Bloqueador do canal de calcio

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.265 | 0   | 0      | 254 | 4.462              | 13754 | 3057    |
| 1                 | 2.980 | 0   | 0      | 509 | 23.926             | 2012  | 426     |

Table 69: Trombolitico

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.001 | 0   | 0      | 3   | 0.040              | 13754 | 3057    |
| 1                 | 0.001 | 0   | 0      | 1   | 0.035              | 2012  | 426     |

Table 70: Antiplaquetario VO

| readmission_1year | Mean | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0    | 0   | 0      | 0   | 0                  | 13754 | 3057    |
| 1                 | 0    | 0   | 0      | 0   | 0                  | 2012  | 426     |

Table 71: Antiplaquetario EV

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.008 | 0   | 0      | 8   | 0.159              | 13754 | 3057    |
| 1                 | 0.027 | 0   | 0      | 5   | 0.256              | 2012  | 426     |

Table 72: Insulina

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.088 | 0   | 0      | 16  | 0.455              | 13754 | 3057    |
| 1                 | 0.142 | 0   | 0      | 7   | 0.566              | 2012  | 426     |

Table 73: Hipoglicemiante

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.336 | 0   | 0      | 79  | 2.569              | 13754 | 3057    |
| 1                 | 0.518 | 0   | 0      | 90  | 4.247              | 2012  | 426     |

Table 74: Hormonio tireoidiano

| readmission_1year | Mean | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0    | 0   | 0      | 0   | 0                  | 13754 | 3057    |
| 1                 | 0    | 0   | 0      | 0   | 0                  | 2012  | 426     |

Table 75: Broncodiltador

| readmission_1year | Mean | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0    | 0   | 0      | 0   | 0                  | 13754 | 3057    |
| 1                 | 0    | 0   | 0      | 0   | 0                  | 2012  | 426     |

Table 76: Anticonvulsivante

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.595 | 0   | 0      | 334 | 7.244              | 13754 | 3057    |
| 1                 | 2.799 | 0   | 0      | 390 | 22.641             | 2012  | 426     |

Table 77: Psicofármacos (Ansiolítico/ antidepressivo/ antipsicótico)

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 3.070 | 0   | 0.00   | 387 | 10.482             | 13754 | 3057    |
| 1                 | 7.779 | 0   | 0.75   | 251 | 20.873             | 2012  | 426     |

Table 78: Antibióticos

| readmission_1year | Mean   | Min | Median | Max  | Standard Deviation | N     | Missing |
|-------------------|--------|-----|--------|------|--------------------|-------|---------|
| 0                 | 11.877 | 0   | 4      | 1812 | 56.321             | 13754 | 3057    |
| 1                 | 23.452 | 0   | 4      | 1459 | 76.913             | 2012  | 426     |

Table 79: Antifúngicos

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.215 | 0   | 0      | 122 | 2.918              | 13754 | 3057    |
| 1                 | 0.710 | 0   | 0      | 99  | 4.823              | 2012  | 426     |

Table 80: Antiviral

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.032 | 0   | 0      | 50  | 1.004              | 13754 | 3057    |
| 1                 | 0.584 | 0   | 0      | 131 | 6.397              | 2012  | 426     |

Table 81: Antiretroviral

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.007 | 0   | 0      | 32  | 0.436              | 13754 | 3057    |
| 1                 | 0.017 | 0   | 0      | 20  | 0.518              | 2012  | 426     |

Table 82: Quantidade de classes medicamentosas utilizadas

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 4.540 | 1   | 4      | 17  | 2.434              | 13754 | 4335    |
| 1                 | 6.137 | 1   | 6      | 16  | 2.814              | 2012  | 620     |

Table 83: Ventilação não invasiva

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.022 | 0   | 0      | 42  | 0.669              | 13754 | 2405    |
| 1                 | 0.001 | 0   | 0      | 2   | 0.049              | 2012  | 329     |

Table 84: Instalação de CEC

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.010 | 0   | 0      | 2   | 0.099              | 13754 | 2405    |
| 1                 | 0.026 | 0   | 0      | 1   | 0.160              | 2012  | 329     |

Table 85: Cirurgia Cardiovascular

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.054 | 0   | 0      | 9   | 0.361              | 13754 | 2405    |
| 1                 | 0.071 | 0   | 0      | 6   | 0.448              | 2012  | 329     |

Table 86: Transplante cardíaco

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.000 | 0   | 0      | 1   | 0.013              | 13754 | 2405    |
| 1                 | 0.011 | 0   | 0      | 1   | 0.106              | 2012  | 329     |

Table 87: Cirurgia Toracica

| ${\it readmission\_1} {\it year}$ | Mean  | $\operatorname{Min}$ | Median | Max | Standard Deviation | N     | Missing |
|-----------------------------------|-------|----------------------|--------|-----|--------------------|-------|---------|
| 0                                 | 0.002 | 0                    | 0      | 4   | 0.062              | 13754 | 2405    |
| 1                                 | 0.006 | 0                    | 0      | 2   | 0.097              | 2012  | 329     |

Table 88: Outros procedimentos cirúrgicos (cir geral, gastrocir, plástica, uro, vascular)

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.093 | 0   | 0      | 11  | 0.488              | 13754 | 2405    |
| 1                 | 0.191 | 0   | 0      | 9   | 0.740              | 2012  | 329     |

Table 89: Traqueostomia

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.001 | 0   | 0      | 2   | 0.034              | 13754 | 2405    |
| 1                 | 0.004 | 0   | 0      | 5   | 0.127              | 2012  | 329     |

Table 90: Intervenção coronária percutânea

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.008 | 0   | 0      | 3   | 0.108              | 13754 | 2405    |
| 1                 | 0.028 | 0   | 0      | 4   | 0.228              | 2012  | 329     |

Table 91: Intervenção cardiovascular em laboratório de hemodinâmica (alcoolização septal, valvoplastia percutânea, stent em vasos pulmonares)

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.007 | 0   | 0      | 3   | 0.114              | 13754 |         |
| 1                 | 0.012 | 0   | 0      | 2   | 0.128              | 2012  | 329     |

Table 92: Stent

| readmission_1year | Mean | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0    | 0   | 0      | 0   | 0                  | 13754 | 2405    |
| 1                 | 0    | 0   | 0      | 0   | 0                  | 2012  | 329     |

Table 93: Angioplastia

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.001 | 0   | 0      | 2   | 0.034              | 13754 | 2405    |
| 1                 | 0.004 | 0   | 0      | 1   | 0.064              | 2012  | 329     |

Table 94: Cateterismo

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.108 | 0   | 0      | 4   | 0.372              | 13754 | 2405    |
| 1                 | 0.223 | 0   | 0      | 7   | 0.559              | 2012  | 329     |

Table 95: Eletrofisiologia

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.071 | 0   | 0      | 11  | 0.444              | 13754 | 2405    |
| 1                 | 0.156 | 0   | 0      | 7   | 0.641              | 2012  | 329     |

Table 96: Suporte cardiocirculatório (ECMO, BIA, Bio-PUMP)

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.022 | 0   | 0      | 152 | 1.627              | 13754 | 2405    |
| 1                 | 0.672 | 0   | 0      | 535 | 14.634             | 2012  | 329     |

Table 97: Cateter venoso central

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.021 | 0   | 0      | 4   | 0.166              | 13754 | 2405    |
| 1                 | 0.077 | 0   | 0      | 4   | 0.362              | 2012  | 329     |

Table 98: Drenagem de tórax (instalação /troca) e punção pericárdica ou pleural

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.005 | 0   | 0      | 6   | 0.098              | 13754 | 2405    |
| 1                 | 0.009 | 0   | 0      | 4   | 0.148              | 2012  | 329     |

Table 99: Quantidade de procedimentos invasivos

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.403 | 0   | 0      | 159 | 2.122              | 13754 | 2405    |
| 1                 | 1.491 | 0   | 0      | 554 | 15.358             | 2012  | 329     |

Table 100: Cardioversão/ Desfibrilação (sessão)

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.005 | 0   | 0      | 5   | 0.105              | 13754 | 3128    |
| 1                 | 0.017 | 0   | 0      | 4   | 0.198              | 2012  | 438     |

Table 101: Transfusão de hemoderivados

| readmission_1year | Mean  | $\operatorname{Min}$ | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|----------------------|--------|-----|--------------------|-------|---------|
| 0                 | 0.023 | 0                    | 0      | 34  | 0.484              | 13754 | 2405    |
| 1                 | 0.078 | 0                    | 0      | 18  | 0.764              | 2012  | 329     |

Table 102: Interconsulta médica (Especialidades cirúrgicas, infecto, uro, nefro, psiquiatra, dermato, alergista, oncologista, geriatra, etc)

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.282 | 0   | 0      | 72  | 1.673              | 13754 | 2405    |
| 1                 | 0.809 | 0   | 0      | 199 | 6.388              | 2012  | 329     |

Table 103: Equipe Multiprofissional (enf, fono, fisio, nutri, serviço social, psicologia)

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 2.502 | 0   | 0      | 365 | 11.01              | 13754 | 2405    |
| 1                 | 6.326 | 0   | 1      | 328 | 21.53              | 2012  | 329     |

Table 104: ECG

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 3.553 | 0   | 2      | 79  | 4.993              | 13754 | 2405    |
| 1                 | 6.187 | 0   | 3      | 140 | 9.132              | 2012  | 329     |

Table 105: Holter

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.091 | 0   | 0      | 5   | 0.332              | 13754 | 2405    |
| 1                 | 0.195 | 0   | 0      | 5   | 0.464              | 2012  | 329     |

Table 106: Teste de esforço

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.010 | 0   | 0      | 3   | 0.103              | 13754 | 2405    |
| 1                 | 0.015 | 0   | 0      | 2   | 0.133              | 2012  | 329     |

Table 107: Espirometria / Ergoespirometria

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.004 | 0   | 0      | 2   | 0.063              | 13754 | 2405    |
| 1                 | 0.011 | 0   | 0      | 1   | 0.103              | 2012  | 329     |

Table 108: Tilt Test

| readmission_1year | Mean  | $\operatorname{Min}$ | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|----------------------|--------|-----|--------------------|-------|---------|
| 0                 | 0.002 | 0                    | 0      | 2   | 0.048              | 13754 | 2405    |
| 1                 | 0.005 | 0                    | 0      | 1   | 0.069              | 2012  | 329     |

Table 109: Polissonografia

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.001 | 0   | 0      | 2   | 0.040              | 13754 | 2405    |
| 1                 | 0.003 | 0   | 0      | 2   | 0.064              | 2012  | 329     |

Table 110: Quantidade de exames por métodos gráficos

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 3.661 | 0   | 2      | 79  | 5.13               | 13754 | 2405    |
| 1                 | 6.416 | 0   | 4      | 140 | 9.28               | 2012  | 329     |

Table 111: Exames laboratoriais (exames bioquímicos, exames hematologia/coagulação, anticorpos, dosagem sérica de fármacos)

| readmission_1year | Mean    | Min | Median | Max  | Standard Deviation | N     | Missing |
|-------------------|---------|-----|--------|------|--------------------|-------|---------|
| 0                 | 49.341  | 0   | 9      | 3151 | 136.105            | 13754 | 2405    |
| 1                 | 125.445 | 0   | 28     | 3474 | 290.772            | 2012  | 329     |

Table 112: Culturas (hemocultura, cultura de secreções, urocultura e cultura de cateteres)

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.248 | 0   | 0      | 25  | 1.001              | 13754 | 2405    |
| 1                 | 0.600 | 0   | 0      | 19  | 1.775              | 2012  | 329     |

Table 113: Quantidade de exames de análises clínicas

| readmission_1year | Mean    | Min | Median | Max  | Standard Deviation | N     | Missing |
|-------------------|---------|-----|--------|------|--------------------|-------|---------|
| 0                 | 49.589  | 0   | 9      | 3176 | 136.845            | 13754 | 2405    |
| 1                 | 126.045 | 0   | 28     | 3487 | 292.236            | 2012  | 329     |

Table 114: Citologias

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.004 | 0   | 0      | 5   | 0.076              | 13754 | 2405    |
| 1                 | 0.020 | 0   | 0      | 4   | 0.199              | 2012  | 329     |

Table 115: Biopsias (cardíaca, esterno, parede torácica, tumor em mediastino, pulmonar)

| ${\it readmission\_1} {\it year}$ | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-----------------------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                                 | 0.004 | 0   | 0      | 4   | 0.107              | 13754 | 2405    |
| 1                                 | 0.086 | 0   | 0      | 10  | 0.655              | 2012  | 329     |

Table 116: Quantidade de exames histopatológicos

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.008 | 0   | 0      | 5   | 0.131              | 13754 | 2405    |
| 1                 | 0.106 | 0   | 0      | 10  | 0.710              | 2012  | 329     |

Table 117: Angio RM

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.003 | 0   | 0      | 3   | 0.068              | 13754 | 2405    |
| 1                 | 0.012 | 0   | 0      | 4   | 0.158              | 2012  | 329     |

Table 118: Angio TC

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.030 | 0   | 0      | 6   | 0.214              | 13754 | 2405    |
| 1                 | 0.059 | 0   | 0      | 5   | 0.331              | 2012  | 329     |

Table 119: Angiografia

| readmission_1year | Mean           | Min | Median | Max | Standard Deviation | N             | Missing     |
|-------------------|----------------|-----|--------|-----|--------------------|---------------|-------------|
| 0                 | 0.002<br>0.002 | •   | 0      | 3   | 0.052<br>0.042     | 13754<br>2012 | 2405<br>329 |

Table 120: Aortografia

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.002 | 0   | 0      | 2   | 0.046              | 13754 | 2405    |
| 1                 | 0.004 | 0   | 0      | 2   | 0.073              | 2012  | 329     |

Table 121: Arteriografia

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.000 | 0   | 0      | 1   | 0.016              | 13754 | 2405    |
| 1                 | 0.003 | 0   | 0      | 2   | 0.064              | 2012  | 329     |

Table 122: Cavografia

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.007 | 0   | 0      | 1   | 0.084              | 13754 | 2405    |
| 1                 | 0.008 | 0   | 0      | 1   | 0.088              | 2012  | 329     |

Table 123: Cintilografia

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.056 | 0   | 0      | 5   | 0.329              | 13754 | 2405    |
| 1                 | 0.130 | 0   | 0      | 4   | 0.489              | 2012  | 329     |

Table 124: Ecocardiograma

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.467 | 0   | 0      | 15  | 0.957              | 13754 | 2405    |
| 1                 | 0.986 | 0   | 0      | 24  | 2.203              | 2012  | 329     |

Table 125: Exames endoscópicos (EDA, colonoscopia, retossigmoidoscopia, broncoscopia)

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.011 | 0   | 0      | 6   | 0.141              | 13754 | 2405    |
| 1                 | 0.047 | 0   | 0      | 4   | 0.286              | 2012  | 329     |

Table 126: Flebografia

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.033 | 0   | 0      | 5   | 0.276              | 13754 | 2405    |
| 1                 | 0.051 | 0   | 0      | 5   | 0.357              | 2012  | 329     |

Table 127: PET-CT

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.004 | 0   | 0      | 3   | 0.071              | 13754 | 2405    |
| 1                 | 0.009 | 0   | 0      | 2   | 0.100              | 2012  | 329     |

Table 128: Ultrassom

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.136 | 0   | 0      | 14  | 0.655              | 13754 | 2405    |
| 1                 | 0.414 | 0   | 0      | 14  | 1.298              | 2012  | 329     |

Table 129: Tomografia

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.132 | 0   | 0      | 15  | 0.576              | 13754 | 2405    |
| 1                 | 0.325 | 0   | 0      | 12  | 1.027              | 2012  | 329     |

Table 130: Radiografias

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 2.621 | 0   | 1      | 160 | 5.793              | 13754 | 2405    |
| 1                 | 5.245 | 0   | 2      | 192 | 12.526             | 2012  | 329     |

Table 131: Ressonancia magnetica

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.063 | 0   | 0      | 6   | 0.285              | 13754 | 2405    |
| 1                 | 0.144 | 0   | 0      | 4   | 0.429              | 2012  | 329     |

Table 132: Quantidade de exames diagnóstico por imagem

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 3.566 | 0   | 2      | 183 | 7.260              | 13754 | 2405    |
| 1                 | 7.438 | 0   | 3      | 232 | 15.586             | 2012  | 329     |

Table 133: Dieta enteral (frasco)

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.017 | 0   | 0      | 91  | 0.957              | 13754 | 3130    |
| 1                 | 0.159 | 0   | 0      | 115 | 4.059              | 2012  | 438     |

Table 134: Dieta parenteral (frasco)

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.000 | 0   | 0      | 3   | 0.031              | 13754 | 3130    |
| 1                 | 0.006 | 0   | 0      | 5   | 0.149              | 2012  | 438     |

Table 135: Bomba de infusão contínua (horas)

| readmission_1year | Mean  | Min | Median | Max  | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|------|--------------------|-------|---------|
| 0                 | 0.570 | 0   | 0      | 1269 | 15.810             | 13754 | 3130    |
| 1                 | 3.429 | 0   | 0      | 1527 | 49.091             | 2012  | 438     |

Table 136: Marca-passo temporário (por hora)

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.134 | 0   | 0      | 180 | 2.781              | 13754 | 3130    |
| 1                 | 0.323 | 0   | 0      | 109 | 4.290              | 2012  | 438     |

Table 137: Número de procedimentos na admissão T0

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 1.015 | 1   | 1      | 5   | 0.138              | 13754 | 0       |
| 1                 | 1.018 | 1   | 1      | 3   | 0.145              | 2012  | 0       |

Table 138: Número de procedimentos em até 30 dias

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.000 | 0   | 0      | 1   | 0.017              | 13754 | 0       |
| 1                 | 0.061 | 0   | 0      | 3   | 0.263              | 2012  | 0       |

Table 139: Número de procedimentos em até 60 dias

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.000 | 0   | 0      | 1   | 0.015              | 13754 | 0       |
| 1                 | 0.069 | 0   | 0      | 3   | 0.278              | 2012  | 0       |

Table 140: Número de procedimentos em até 180 dias

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.000 | 0   | 0      | 1   | 0.009              | 13754 | 0       |
| 1                 | 0.098 | 0   | 0      | 4   | 0.355              | 2012  | 0       |

Table 141: Número de procedimentos em até 1 ano

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 0.000 | 0   | 0      | 1   | 0.015              | 13754 | 0       |
| 1                 | 0.085 | 0   | 0      | 3   | 0.339              | 2012  | 0       |

Table 142: Quantidade de classes medicamentosas de ação cardiovascular

| readmission_1year | Mean  | Min | Median | Max | Standard Deviation | N     | Missing |
|-------------------|-------|-----|--------|-----|--------------------|-------|---------|
| 0                 | 2.976 | 1   | 3      | 10  | 1.693              | 13754 | 5834    |
| 1                 | 3.934 | 1   | 4      | 10  | 1.984              | 2012  | 701     |

Table 143: Quantidade de medicamentos de ação cardiovascular

| readmission_1year | Mean    | Min | Median | Max    | Standard Deviation | N     | Missing |
|-------------------|---------|-----|--------|--------|--------------------|-------|---------|
| 0                 | 34.694  | 0   | 9.00   | 1715.5 | 96.515             | 13754 | 3057    |
| 1                 | 106.943 | 0   | 23.25  | 5140.0 | 264.366            | 2012  | 426     |

Table 144: Quantidade de antimicrobianos (antibióticos e antifúngicos)

| readmission_1year | Mean   | Min | Median | Max  | Standard Deviation | N     | Missing |
|-------------------|--------|-----|--------|------|--------------------|-------|---------|
| 0                 | 12.092 | 0   | 4      | 1812 | 57.251             | 13754 | 3057    |
| 1                 | 24.161 | 0   | 4      | 1459 | 79.004             | 2012  | 426     |

#### Categorical variables

```
paste_matrix <- function(...,sep = " ",collapse = NULL){</pre>
    n <- max(sapply(list(...),nrow))</pre>
    p <- max(sapply(list(...),ncol))</pre>
    matrix(paste(...,sep = sep,collapse = collapse),n,p)
}
percent <- function(x) paste0("(", lapply(x, as.character), "%)")</pre>
addpercentage <- function(df, horizontal = FALSE){</pre>
  if (horizontal){
    x <- df %>%
      prop.table(margin = 1) %>%
      addmargins(FUN = list(Total = sum), quiet = TRUE) %>%
      round(2) * 100
    x[nrow(x),] <- " "
    x[-(nrow(x)),] \leftarrow lapply(x[-(nrow(x)),], percent)
  } else {
    x <- df %>%
      prop.table(margin = 2) %>%
      addmargins(FUN = list(Total = sum), quiet = TRUE) %>%
      round(2) * 100
    x[, ncol(x)] <- " "
    x[, -(ncol(x))] \leftarrow lapply(x[, -(ncol(x))], percent)
```

```
y \leftarrow matrix(x, nrow = nrow(df) + 1)
  df <- df %>%
    addmargins(FUN = list(Total = sum), quiet = TRUE)
  df_final <- paste_matrix(df, y)</pre>
  rownames(df_final) <- rownames(df)</pre>
  colnames(df_final) <- colnames(df)</pre>
  return(df_final)
}
transpose_columns <- c()</pre>
for (column in columns_list$categorical_columns){
  if (length(unique(df[[column]])) > 5) next
  variable_name <- df_names %>%
    filter(variable.name == column) %>%
    .$field.label
  abbreviated_name <- df_names %>%
    filter(variable.name == column) %>%
    .$field.label
  caption <- sprintf('Contingency table between %s and %s',</pre>
                      str_replace(outcome_column, "_", " "),
                      variable name)
  if (column %in% transpose_columns){
    temp_table <- table(df[[column]],</pre>
                         df[[outcome_column]],
                         useNA = "ifany") %>%
      addpercentage(horizontal = TRUE)
    has_na <- df[[column]] %>% is.na() %>% sum > 0
    if (has_na){
      rownames(temp_table)[nrow(temp_table) - 1] <- "NA"
    t <- temp_table %>%
      as.data.frame %>%
      rownames_to_column(var=abbreviated_name) %>%
      kbl(align = "c", booktabs = T, digits = 2, format = 'latex',
          caption = caption) %>%
      row_spec(length(unique(df %>% .[[column]] %>% replace_na("NA"))),
               hline_after = T) %>%
      collapse_rows(1, latex_hline = "none") %>%
      column_spec(4, border_right = T) %>%
      add_header_above(c(setNames(1, ' '),
                          setNames(length(unique(df[[outcome_column]])),
                                    outcome_column))) %>%
      kable_styling(latex_options = c("HOLD_position", "repeat_header"))
  } else {
    temp_table <- table(df[[outcome_column]],</pre>
                         df[[column]],
                         useNA = "ifany") %>%
```

```
{\tt addpercentage}
  has_na <- df[[column]] %>% is.na() %>% sum > 0
  if (has_na){
    colnames(temp_table) [ncol(temp_table) - 1] <- "NA"</pre>
  t <- temp_table %>%
    as.data.frame %>%
    rownames_to_column(var=outcome_column) %>%
    kbl(align = "c", booktabs = T, digits = 2, format = 'latex',
        caption = caption, label = i) %>%
    row_spec(2, hline_after = T) %>%
    column_spec(length(unique(df %>% .[[column]] %>% replace_na("NA"))) + 1,
                border_right = T) %>%
    collapse_rows(1, latex_hline = "none") %>%
    add_header_above(c(' ' = 1,
                       setNames(length(unique(df[[column]])),
                                abbreviated_name))) %>%
    kable_styling(latex_options = c("HOLD_position", "repeat_header"))
}
print(t)
i <- i + 1
```

Table 145: Contingency table between readmission 1year and Sexo

|                                   | Se          | Sexo        |       |  |
|-----------------------------------|-------------|-------------|-------|--|
| ${\it readmission\_1} {\it year}$ | 0           | 1           | Total |  |
| 0                                 | 6600 (89%)  | 7154 (86%)  | 13754 |  |
| 1                                 | 849 (11%)   | 1163~(14%)  | 2012  |  |
| Total                             | 7449 (100%) | 8317 (100%) | 15766 |  |

Table 146: Contingency table between readmission 1 year and Doença cardíaca

|                                   |                | Doença cardíaca |             |             |       |
|-----------------------------------|----------------|-----------------|-------------|-------------|-------|
| ${\it readmission\_1} {\it year}$ | 0              | 1               | 2           | NA          | Total |
| 0                                 | 8084 (88%)     | 938 (82%)       | 2960 (85%)  | 1772 (88%)  | 13754 |
| 1                                 | $1072\ (12\%)$ | 205 (18%)       | 503 (15%)   | 232 (12%)   | 2012  |
| Total                             | 9156 (100%)    | 1143 (100%)     | 3463 (100%) | 2004 (100%) | 15766 |

Table 147: Contingency table between readmission 1 year and Classe funcional de IC (NYHA)

|                                   | Classe for  |                |                |       |
|-----------------------------------|-------------|----------------|----------------|-------|
| ${\it readmission\_1} {\it year}$ | 1           | 2              | NA             | Total |
| 0                                 | 5321 (89%)  | 1099 (82%)     | 7334 (87%)     | 13754 |
| 1                                 | 674 (11%)   | $247 \ (18\%)$ | $1091\ (13\%)$ | 2012  |
| Total                             | 5995 (100%) | 1346 (100%)    | 8425 (100%)    | 15766 |

Table 148: Contingency table between readmission 1 year and Hipertensão arterial

|                                   | Hipertensâ   |             |       |
|-----------------------------------|--------------|-------------|-------|
| ${\it readmission\_1} {\it year}$ | 0            | 1           | Total |
| 0                                 | 10400 (87%)  | 3354 (88%)  | 13754 |
| 1                                 | 1533~(13%)   | 479~(12%)   | 2012  |
| Total                             | 11933 (100%) | 3833 (100%) | 15766 |

Table 149: Contingency table between readmission 1 year and Infarto do miocárdio prévio / Doença arterial coronariana

|                                   | Infarto do miocárdio prévio / Doença arterial coronariana |             |       |
|-----------------------------------|---|-------------|-------|
| ${\it readmission\_1} {\it year}$ | 0   | 1           | Total |
| 0                                 | 12564 (88%)   | 1190 (82%)  | 13754 |
| 1                                 | $1759 \ (12\%)$   | 253 (18%)   | 2012  |
| Total                             | 14323 (100%)  | 1443 (100%) | 15766 |

Table 150: Contingency table between readmission 1 year and Insuficiência cardíaca

|                                   | Insuficiênci | Insuficiência cardíaca |       |  |
|-----------------------------------|--------------|------------------------|-------|--|
| ${\it readmission\_1} {\it year}$ | 0            | 1                      | Total |  |
| 0                                 | 9121 (90%)   | 4633 (82%)             | 13754 |  |
| 1                                 | 1004 (10%)   | 1008 (18%)             | 2012  |  |
| Total                             | 10125 (100%) | 5641 (100%)            | 15766 |  |

Table 151: Contingency table between readmission 1 year and Fibrilação / flutter atrial

|                                   | Fibrilação /   |             |       |
|-----------------------------------|----------------|-------------|-------|
| ${\it readmission\_1} {\it year}$ | 0              | 1           | Total |
| 0                                 | 11731 (88%)    | 2023 (85%)  | 13754 |
| 1                                 | $1652\ (12\%)$ | 360~(15%)   | 2012  |
| Total                             | 13383 (100%)   | 2383 (100%) | 15766 |

Table 152: Contingency table between readmission 1<br/>year and Parada cardíaca prévia/ Taquicardia ventricular instável

|                                   | Parada cardíaca prévia/ Taquicardia ventricular instável |             |       |
|-----------------------------------|--|-------------|-------|
| ${\it readmission\_1} {\it year}$ | 0  | 1           | Total |
| 0                                 | 12161 (88%)  | 1593 (84%)  | 13754 |
| 1                                 | $1712\ (12\%)$   | 300 (16%)   | 2012  |
| Total                             | 13873 (100%)   | 1893 (100%) | 15766 |

Table 153: Contingency table between readmission 1 year and Transplante cardíaco prévio

|                                   | Transplante car |           |       |
|-----------------------------------|-----------------|-----------|-------|
| ${\it readmission\_1} {\it year}$ | 0               | 1         | Total |
| 0                                 | 13749 (87%)     | 5 (42%)   | 13754 |
| 1                                 | 2005~(13%)      | 7 (58%)   | 2012  |
| Total                             | 15754 (100%)    | 12 (100%) | 15766 |

Table 154: Contingency table between readmission 1 year and Valvopatias/ Prótese valvares

|                                   | Valvopatias/ P |             |       |
|-----------------------------------|----------------|-------------|-------|
| ${\it readmission\_1} {\it year}$ | 0              | 1           | Total |
| 0                                 | 12882 (88%)    | 872 (83%)   | 13754 |
| 1                                 | $1830\ (12\%)$ | 182 (17%)   | 2012  |
| Total                             | 14712 (100%)   | 1054 (100%) | 15766 |

Table 155: Contingency table between readmission 1 year and Endocardite prévia

|                                   | Endocardi       | Endocardite prévia |       |  |
|-----------------------------------|-----------------|--------------------|-------|--|
| ${\it readmission\_1} {\it year}$ | 0               | 1                  | Total |  |
| 0                                 | 13646 (87%)     | 108 (81%)          | 13754 |  |
| 1                                 | $1987 \ (13\%)$ | 25~(19%)           | 2012  |  |
| Total                             | 15633 (100%)    | 133 (100%)         | 15766 |  |

Table 156: Contingency table between readmission 1 year and Diabetes melittus

|                                   | Diabetes        | Diabetes melittus |       |  |  |
|-----------------------------------|-----------------|-------------------|-------|--|--|
| ${\it readmission\_1} {\it year}$ | 0               | 1                 | Total |  |  |
| 0                                 | 12162 (88%)     | 1592 (85%)        | 13754 |  |  |
| 1                                 | $1728 \ (12\%)$ | 284 (15%)         | 2012  |  |  |
| Total                             | 13890 (100%)    | 1876 (100%)       | 15766 |  |  |

Table 157: Contingency table between readmission 1 year and Insuficiência renal crônica

|                                   | Insuficiência r |            |       |
|-----------------------------------|-----------------|------------|-------|
| ${\it readmission\_1} {\it year}$ | 0               | 1          | Total |
| 0                                 | 13243 (87%)     | 511 (82%)  | 13754 |
| 1                                 | 1903~(13%)      | 109 (18%)  | 2012  |
| Total                             | 15146 (100%)    | 620 (100%) | 15766 |

Table 158: Contingency table between readmission 1 year and Hemodiálise

|                                   | Hemodi       | Hemodiálise |       |  |  |
|-----------------------------------|--------------|-------------|-------|--|--|
| ${\it readmission\_1} {\it year}$ | 0            | 1           | Total |  |  |
| 0                                 | 13742 (87%)  | 12 (63%)    | 13754 |  |  |
| 1                                 | 2005~(13%)   | 7 (37%)     | 2012  |  |  |
| Total                             | 15747 (100%) | 19 (100%)   | 15766 |  |  |

Table 159: Contingency table between readmission 1 year and Acidente Vascular Cerebral/ Acidente isquêmico transitório prévios

|                                   | Acidente Vascula | r Cerebral/ Acidente isquêmico transitório prévios |       |
|-----------------------------------|------------------|--|-------|
| ${\it readmission\_1} {\it year}$ | 0                | 1  | Total |
| 0                                 | 13327 (87%)      | 427 (86%)  | 13754 |
| 1                                 | 1940 (13%)       | 72 (14%)   | 2012  |
| Total                             | 15267 (100%)     | 499 (100%)   | 15766 |

Table 160: Contingency table between readmission 1 year and Doença pulmonar obstrutiva crônica

|                                   | Doença pulmona |            |       |
|-----------------------------------|----------------|------------|-------|
| ${\it readmission\_1} {\it year}$ | 0              | 1          | Total |
| 0                                 | 13577 (87%)    | 177 (83%)  | 13754 |
| 1                                 | 1976 (13%)     | 36 (17%)   | 2012  |
| Total                             | 15553 (100%)   | 213 (100%) | 15766 |

Table 161: Contingency table between readmission 1 year and Neoplasia em tratamento ou tratada recentemente (12 meses)

|                                   | Neoplasia em tra | Neoplasia em tratamento ou tratada recentemente (12 meses) |       |  |
|-----------------------------------|------------------|--|-------|--|
| ${\it readmission\_1} {\it year}$ | 0                | 1  | Total |  |
| 0                                 | 13659 (87%)      | 95 (84%)   | 13754 |  |
| 1                                 | 1994 (13%)       | 18 (16%)   | 2012  |  |
| Total                             | 15653 (100%)     | 113 (100%)   | 15766 |  |

Table 162: Contingency table between readmission 1 year and Tipo de Procedimento 1

|                                   | Tipo de Pro    |             |       |
|-----------------------------------|----------------|-------------|-------|
| ${\it readmission\_1} {\it year}$ | 1              | 2           | Total |
| 0                                 | 9295 (85%)     | 4459 (92%)  | 13754 |
| 1                                 | $1617\ (15\%)$ | 395 (8%)    | 2012  |
| Total                             | 10912 (100%)   | 4854 (100%) | 15766 |

Table 163: Contingency table between readmission 1 year and Tipo de Reoperação 1

|                                   |             | Tipo de Reoperação 1 |           |              |       |
|-----------------------------------|-------------|----------------------|-----------|--------------|-------|
| ${\it readmission\_1} {\it year}$ | 1           | 2                    | 3         | NA           | Total |
| 0                                 | 3640 (93%)  | 792 (87%)            | 27 (82%)  | 9295 (85%)   | 13754 |
| 1                                 | 272~(7%)    | $117 \ (13\%)$       | 6 (18%)   | 1617~(15%)   | 2012  |
| Total                             | 3912 (100%) | 909 (100%)           | 33 (100%) | 10912 (100%) | 15766 |

Table 164: Contingency table between readmission 1 year and Tipo de Procedimento 1 (merge: procedure type com reop type)

|                                   | Tipo de Proceo | Tipo de Procedimento 1 (merge: procedure type com reop type) |            |           |       |  |
|-----------------------------------|----------------|--|------------|-----------|-------|--|
| ${\it readmission\_1} {\it year}$ | 1              | 2  | 3          | 4         | Total |  |
| 0                                 | 9295 (85%)     | 3640 (93%)   | 792 (87%)  | 27 (82%)  | 13754 |  |
| 1                                 | $1617\ (15\%)$ | 272 (7%)   | 117 (13%)  | 6 (18%)   | 2012  |  |
| Total                             | 10912 (100%)   | 3912 (100%)  | 909 (100%) | 33 (100%) | 15766 |  |

Table 165: Contingency table between readmission 1 year and Tipo de Dispositivo ao final do procedimento 1

|                                   | Tipo de I    | Tipo de Dispositivo ao final do procedimento 1 |             |            |       |  |
|-----------------------------------|--------------|--|-------------|------------|-------|--|
| ${\it readmission\_1} {\it year}$ | 1            | 2  | 3           | 4          | Total |  |
| 0                                 | 11015 (90%)  | 1405 (79%)                                     | 1012 (81%)  | 322 (72%)  | 13754 |  |
| 1                                 | 1280 (10%)   | 367 (21%)                                      | 242 (19%)   | 123~(28%)  | 2012  |  |
| Total                             | 12295 (100%) | 1772 (100%)                                    | 1254 (100%) | 445 (100%) | 15766 |  |

Table 166: Contingency table between readmission 1 year and Tipo de Dispositivo ao final do procedimento 1

|                   | Tipo de Dispositivo ao final do procedimento 1 |             |       |
|-------------------|--|-------------|-------|
| readmission_1year | 1  | 2           | Total |
| 0                 | 12420 (88%)                                    | 1334 (79%)  | 13754 |
| 1                 | $1647\ (12\%)$                                 | 365~(21%)   | 2012  |
| Total             | 14067 (100%)                                   | 1699 (100%) | 15766 |

Table 167: Contingency table between readmission 1 year and Óbito intraoperatório 1

|                                   | Óbito intraoperatório 1 |       |
|-----------------------------------|-------------------------|-------|
| ${\it readmission\_1} {\it year}$ | 0                       | Total |
| 0                                 | 13754 (87%)             | 13754 |
| 1                                 | 2012~(13%)              | 2012  |
| Total                             | 15766 (100%)            | 15766 |

Table 168: Contingency table between readmission 1 year and Tipo de Reoperação 2

|                                   |             | Tipo de Reoperação 2 |            |              |       |
|-----------------------------------|-------------|----------------------|------------|--------------|-------|
| ${\it readmission\_1} {\it year}$ | 1           | 2                    | 3          | NA           | Total |
| 0                                 | 3053 (94%)  | 959 (65%)            | 45 (37%)   | 9697 (89%)   | 13754 |
| 1                                 | 206 (6%)    | 515 (35%)            | 76 (63%)   | 1215 (11%)   | 2012  |
| Total                             | 3259 (100%) | 1474 (100%)          | 121 (100%) | 10912 (100%) | 15766 |

Table 169: Contingency table between readmission 1 year and Tipo de Dispositivo ao final do procedimento 2

|                                   | Т           | Tipo de Dispositivo ao final do procedimento 2 |            |            |              |       |  |
|-----------------------------------|-------------|--|------------|------------|--------------|-------|--|
| ${\it readmission\_1} {\it year}$ | 1           | 2  | 3          | 4          | NA           | Total |  |
| 0                                 | 3134 (87%)  | 490 (76%)                                      | 296 (76%)  | 140 (69%)  | 9694 (89%)   | 13754 |  |
| 1                                 | 489 (13%)   | 152~(24%)                                      | 91 (24%)   | 63 (31%)   | 1217 (11%)   | 2012  |  |
| Total                             | 3623 (100%) | 642 (100%)                                     | 387 (100%) | 203 (100%) | 10911 (100%) | 15766 |  |

Table 170: Contingency table between readmission 1 year and Óbito intraoperatório 2

|                                   | Óbito intra |                |       |
|-----------------------------------|-------------|----------------|-------|
| ${\it readmission\_1} {\it year}$ | 0           | NA             | Total |
| 0                                 | 4063 (84%)  | 9691 (89%)     | 13754 |
| 1                                 | 798 (16%)   | $1214\ (11\%)$ | 2012  |
| Total                             | 4861 (100%) | 10905 (100%)   | 15766 |

Table 171: Contingency table between readmission 1 year and Tipo de Reoperação 3

|                                   |               | Tipo de Reoperação 3 |           |                 |       |  |  |
|-----------------------------------|---------------|----------------------|-----------|-----------------|-------|--|--|
| ${\it readmission\_1} {\it year}$ | 1             | 2                    | 3         | NA              | Total |  |  |
| 0                                 | 596 (82%)     | 439 (76%)            | 42 (68%)  | 12677 (88%)     | 13754 |  |  |
| 1                                 | $127\ (18\%)$ | 139 (24%)            | 20 (32%)  | $1726 \ (12\%)$ | 2012  |  |  |
| Total                             | 723 (100%)    | 578 (100%)           | 62 (100%) | 14403 (100%)    | 15766 |  |  |

Table 172: Contingency table between readmission 1 year and Tipo de Dispositivo ao final do procedimento 3

|                                   | T          | Tipo de Dispositivo ao final do procedimento 3 |            |           |              |       |  |
|-----------------------------------|------------|--|------------|-----------|--------------|-------|--|
| ${\it readmission\_1} {\it year}$ | 1          | 2  | 3          | 4         | NA           | Total |  |
| 0                                 | 776 (80%)  | 190 (76%)                                      | 116 (72%)  | 70 (71%)  | 12602 (88%)  | 13754 |  |
| 1                                 | 190 (20%)  | 61 (24%)                                       | 44~(28%)   | 29~(29%)  | 1688~(12%)   | 2012  |  |
| Total                             | 966 (100%) | 251 (100%)                                     | 160 (100%) | 99 (100%) | 14290 (100%) | 15766 |  |

Table 173: Contingency table between readmission 1 year and Óbito intraoperatório 3

|                                   | Óbito       | Óbito intraoperatório 3 |                |       |  |  |
|-----------------------------------|-------------|-------------------------|----------------|-------|--|--|
| ${\it readmission\_1} {\it year}$ | 0           | 1                       | NA             | Total |  |  |
| 0                                 | 1148 (78%)  | 4 (100%)                | 12602 (88%)    | 13754 |  |  |
| 1                                 | 325~(22%)   | 0 (0%)                  | $1687\ (12\%)$ | 2012  |  |  |
| Total                             | 1473 (100%) | 4 (100%)                | 14289 (100%)   | 15766 |  |  |

Table 174: Contingency table between readmission 1 year and Tipo de Reoperação 4

|                            |            | Tipo de Reoperação 4 |           |              |       |  |
|----------------------------|------------|----------------------|-----------|--------------|-------|--|
| ${\rm readmission\_1year}$ | 1          | 2                    | 3         | NA           | Total |  |
| 0                          | 129 (67%)  | 176 (70%)            | 25 (76%)  | 13424 (88%)  | 13754 |  |
| 1                          | 63 (33%)   | 75 (30%)             | 8 (24%)   | 1866 (12%)   | 2012  |  |
| Total                      | 192 (100%) | 251 (100%)           | 33 (100%) | 15290 (100%) | 15766 |  |

Table 175: Contingency table between readmission 1 year and Tipo de Dispositivo ao final do procedimento 4

|                            | Ti         | Tipo de Dispositivo ao final do procedimento 4 |           |           |              |       |  |
|----------------------------|------------|--|-----------|-----------|--------------|-------|--|
| ${\rm readmission\_1year}$ | 1          | 2  | 3         | 4         | NA           | Total |  |
| 0                          | 198 (69%)  | 82 (75%)                                       | 31 (69%)  | 28 (67%)  | 13415 (88%)  | 13754 |  |
| 1                          | 90 (31%)   | 28~(25%)                                       | 14 (31%)  | 14 (33%)  | 1866~(12%)   | 2012  |  |
| Total                      | 288 (100%) | 110 (100%)                                     | 45 (100%) | 42 (100%) | 15281 (100%) | 15766 |  |

Table 176: Contingency table between readmission 1 year and Óbito intraoperatório 4

|                                   | Óbito intra |                 |       |
|-----------------------------------|-------------|-----------------|-------|
| ${\it readmission\_1} {\it year}$ | 0           | NA              | Total |
| 0                                 | 339 (70%)   | 13415 (88%)     | 13754 |
| 1                                 | 146 (30%)   | $1866 \ (12\%)$ | 2012  |
| Total                             | 485 (100%)  | 15281 (100%)    | 15766 |

Table 177: Contingency table between readmission 1 year and Tipo de Reoperação 5

|                                   |           | Tipo de Reoperação 5 |           |              |       |  |
|-----------------------------------|-----------|----------------------|-----------|--------------|-------|--|
| ${\it readmission\_1} {\it year}$ | 1         | 2                    | 3         | NA           | Total |  |
| 0                                 | 48 (68%)  | 83 (78%)             | 9 (64%)   | 13614 (87%)  | 13754 |  |
| 1                                 | 23 (32%)  | 23~(22%)             | 5 (36%)   | 1961~(13%)   | 2012  |  |
| Total                             | 71 (100%) | 106 (100%)           | 14 (100%) | 15575 (100%) | 15766 |  |

Table 178: Contingency table between readmission 1 year and Tipo de Dispositivo ao final do procedimento 5

|                                   | Tip        | Tipo de Dispositivo ao final do procedimento 5 |           |           |              |       |
|-----------------------------------|------------|--|-----------|-----------|--------------|-------|
| ${\it readmission\_1} {\it year}$ | 1          | 2  | 3         | 4         | NA           | Total |
| 0                                 | 72 (72%)   | 41 (73%)                                       | 16 (73%)  | 10 (77%)  | 13615 (87%)  | 13754 |
| 1                                 | 28~(28%)   | 15~(27%)                                       | 6~(27%)   | 3 (23%)   | 1960 (13%)   | 2012  |
| Total                             | 100 (100%) | 56 (100%)                                      | 22 (100%) | 13 (100%) | 15575 (100%) | 15766 |

Table 179: Contingency table between readmission 1 year and Óbito intraoperatório 5

|                                   | Óbito intra |              |       |
|-----------------------------------|-------------|--------------|-------|
| ${\it readmission\_1} {\it year}$ | 0           | NA           | Total |
| 0                                 | 140 (73%)   |              | 13754 |
| 1                                 | 52~(27%)    | 1960 (13%)   | 2012  |
| Total                             | 192 (100%)  | 15574 (100%) | 15766 |

Table 180: Contingency table between readmission 1 year and Tipo de Reoperação 6

|                                   |           | Tipo de Reoperação 6 |          |              |       |  |
|-----------------------------------|-----------|----------------------|----------|--------------|-------|--|
| ${\it readmission\_1} {\it year}$ | 1         | 2                    | 3        | NA           | Total |  |
| 0                                 | 19 (73%)  | 34 (74%)             | 4 (67%)  | 13697 (87%)  | 13754 |  |
| 1                                 | 7(27%)    | 12~(26%)             | 2(33%)   | 1991~(13%)   | 2012  |  |
| Total                             | 26 (100%) | 46 (100%)            | 6 (100%) | 15688 (100%) | 15766 |  |

Table 181: Contingency table between readmission 1 year and Tipo de Dispositivo ao final do procedimento 6

|                                   | Tip       | Tipo de Dispositivo ao final do procedimento 6 |          |          |              |       |
|-----------------------------------|-----------|--|----------|----------|--------------|-------|
| ${\it readmission\_1} {\it year}$ | 1         | 2  | 3        | 4        | NA           | Total |
| 0                                 | 28 (70%)  | 18 (72%)                                       | 6 (86%)  | 7 (78%)  | 13695 (87%)  | 13754 |
| 1                                 | 12 (30%)  | 7 (28%)  | 1 (14%)  | 2(22%)   | 1990 (13%)   | 2012  |
| Total                             | 40 (100%) | 25 (100%)                                      | 7 (100%) | 9 (100%) | 15685 (100%) | 15766 |

Table 182: Contingency table between readmission 1 year and Óbito intraoperatório 6

|                                   | Óbito intr | Óbito intraoperatório 6 |       |  |  |
|-----------------------------------|------------|-------------------------|-------|--|--|
| ${\it readmission\_1} {\it year}$ | 0          | NA                      | Total |  |  |
| 0                                 | 59 (73%)   | 13695 (87%)             | 13754 |  |  |
| 1                                 | 22~(27%)   | $1990 \ (13\%)$         | 2012  |  |  |
| Total                             | 81 (100%)  | 15685 (100%)            | 15766 |  |  |

Table 183: Contingency table between readmission 1 year and Tipo de Reoperação 7

|                                   |           | Tipo de Reoperação 7 |          |                |       |
|-----------------------------------|-----------|----------------------|----------|----------------|-------|
| ${\it readmission\_1} {\it year}$ | 1         | 2                    | 3        | NA             | Total |
| 0                                 | 8 (80%)   | 11 (61%)             | 2 (50%)  | 13733 (87%)    | 13754 |
| 1                                 | 2(20%)    | 7 (39%)              | 2(50%)   | $2001\ (13\%)$ | 2012  |
| Total                             | 10 (100%) | 18 (100%)            | 4 (100%) | 15734 (100%)   | 15766 |

Table 184: Contingency table between readmission 1 year and Tipo de Dispositivo ao final do procedimento 7

|                                   | Tip       | Tipo de Dispositivo ao final do procedimento 7 |          |          |              |       |
|-----------------------------------|-----------|--|----------|----------|--------------|-------|
| ${\it readmission\_1} {\it year}$ | 1         | 2  | 3        | 4        | NA           | Total |
| 0                                 | 10 (77%)  | 9 (69%)  | 1 (100%) | 0 (0%)   | 13734 (87%)  | 13754 |
| 1                                 | 3(23%)    | 4 (31%)  | 0(0%)    | 4 (100%) | 2001 (13%)   | 2012  |
| Total                             | 13 (100%) | 13 (100%)                                      | 1 (100%) | 4 (100%) | 15735 (100%) | 15766 |

Table 185: Contingency table between readmission 1 year and Óbito intraoperatório 7

|                                   | Óbito intraoperatório 7 |              |       |  |
|-----------------------------------|-------------------------|--------------|-------|--|
| ${\it readmission\_1} {\it year}$ | 0                       | NA           | Total |  |
| 0                                 | 21 (66%)                | 13733 (87%)  | 13754 |  |
| 1                                 | 11 (34%)                | 2001~(13%)   | 2012  |  |
| Total                             | 32 (100%)               | 15734 (100%) | 15766 |  |

Table 186: Contingency table between readmission 1 year and Tipo de Reoperação 8

|                                   | Tipo de Reoperação 8 |          |              |       |
|-----------------------------------|----------------------|----------|--------------|-------|
| ${\it readmission\_1} {\it year}$ | 1                    | 2        | NA           | Total |
| 0                                 | 1 (33%)              | 8 (89%)  | 13745 (87%)  | 13754 |
| 1                                 | 2(67%)               | 1 (11%)  | 2009 (13%)   | 2012  |
| Total                             | 3 (100%)             | 9 (100%) | 15754 (100%) | 15766 |

Table 187: Contingency table between readmission 1 year and Tipo de Dispositivo ao final do procedimento 8

|                                   | Tipo de I | l'ipo de Dispositivo ao final do procedimento 8 |          |              |       |
|-----------------------------------|-----------|---|----------|--------------|-------|
| ${\it readmission\_1} {\it year}$ | 1         | 2   | 4        | NA           | Total |
| 0                                 | 6 (86%)   | 3 (75%)   | 0 (0%)   | 13745 (87%)  | 13754 |
| 1                                 | 1 (14%)   | 1(25%)  | 1 (100%) | 2009 (13%)   | 2012  |
| Total                             | 7 (100%)  | 4 (100%)  | 1 (100%) | 15754 (100%) | 15766 |

Table 188: Contingency table between readmission 1 year and Óbito intraoperatório 8

|                                   | Óbito intr | Óbito intraoperatório 8 |       |  |  |
|-----------------------------------|------------|-------------------------|-------|--|--|
| ${\it readmission\_1} {\it year}$ | 0          | NA                      | Total |  |  |
| 0                                 | 9 (75%)    |                         | 13754 |  |  |
| 1                                 | 3~(25%)    | 2009 (13%)              | 2012  |  |  |
| Total                             | 12 (100%)  | 15754 (100%)            | 15766 |  |  |

Table 189: Contingency table between readmission 1 year and Tipo de Reoperação 9

|                                   | Tipo de  | Tipo de Reoperação 9 |       |  |
|-----------------------------------|----------|----------------------|-------|--|
| ${\it readmission\_1} {\it year}$ | 2        | NA                   | Total |  |
| 0                                 | 4 (80%)  |                      | 13754 |  |
| 1                                 | 1(20%)   | 2011 (13%)           | 2012  |  |
| Total                             | 5 (100%) | 15761 (100%)         | 15766 |  |

Table 190: Contingency table between readmission 1 year and Tipo de Dispositivo ao final do procedimento 9

|                                   | Tipo de D | Γipo de Dispositivo ao final do procedimento 9 |              |       |  |
|-----------------------------------|-----------|--|--------------|-------|--|
| ${\it readmission\_1} {\it year}$ | 1         | 2  | NA           | Total |  |
| 0                                 | 2 (67%)   | 2 (100%)                                       | 13750 (87%)  | 13754 |  |
| 1                                 | 1 (33%)   | 0 (0%)   | 2011~(13%)   | 2012  |  |
| Total                             | 3 (100%)  | 2 (100%)                                       | 15761 (100%) | 15766 |  |

Table 191: Contingency table between readmission 1 year and Óbito intraoperatório 9

|                                   | Óbito int | Óbito intraoperatório 9 |       |  |  |
|-----------------------------------|-----------|-------------------------|-------|--|--|
| ${\it readmission\_1} {\it year}$ | 0         | NA                      | Total |  |  |
| 0                                 | 4 (80%)   |                         | 13754 |  |  |
| 1                                 | 1(20%)    | 2011 (13%)              | 2012  |  |  |
| Total                             | 5 (100%)  | 15761 (100%)            | 15766 |  |  |

Table 192: Contingency table between readmission 1 year and Tipo de Reoperação 10

|                                   | Tipo de I | Tipo de Reoperação 10 |       |  |  |
|-----------------------------------|-----------|-----------------------|-------|--|--|
| ${\it readmission\_1} {\it year}$ | 2         | NA                    | Total |  |  |
| 0                                 | 1 (100%)  | 13753 (87%)           | 13754 |  |  |
| 1                                 | 0 (0%)    | $2012\ (13\%)$        | 2012  |  |  |
| Total                             | 1 (100%)  | 15765 (100%)          | 15766 |  |  |

Table 193: Contingency table between readmission 1 year and Tipo de Dispositivo ao final do procedimento 10

|                                   | Tipo de Dis | Tipo de Dispositivo ao final do procedimento 10 |       |  |
|-----------------------------------|-------------|---|-------|--|
| ${\it readmission\_1} {\it year}$ | 2           | NA  | Total |  |
| 0                                 | 1 (100%)    | 13753 (87%)                                     | 13754 |  |
| 1                                 | 0 (0%)      | 2012 (13%)                                      | 2012  |  |
| Total                             | 1 (100%)    | 15765 (100%)                                    | 15766 |  |

Table 194: Contingency table between readmission 1 year and Óbito intraoperatório 10

|                                   | Óbito intr | aoperatório 10 |       |
|-----------------------------------|------------|----------------|-------|
| ${\it readmission\_1} {\it year}$ | 0          | NA             | Total |
| 0                                 | 1 (100%)   |                | 13754 |
| 1                                 | 0 (0%)     | $2012\ (13\%)$ | 2012  |
| Total                             | 1 (100%)   | 15765 (100%)   | 15766 |

Table 195: Contingency table between readmission 1<br/>year and Mudança do tipo de DCEI: entre o Procedimento 1 e Procedimento 2

|                                   | Mudança do t | ipo de DCEI: | entre o Procedimento 1 e Procedimento 2 |       |
|-----------------------------------|--------------|--------------|---|-------|
| ${\it readmission\_1} {\it year}$ | 0            | 1            | NA                                      | Total |
| 0                                 | 3840 (84%)   | 220 (79%)    | 9694 (89%)                              | 13754 |
| 1                                 | 736 (16%)    | 59 (21%)     | 1217 (11%)                              | 2012  |
| Total                             | 4576 (100%)  | 279 (100%)   | 10911 (100%)                            | 15766 |

Table 196: Contingency table between readmission 1<br/>year and Mudança do tipo de DCEI: entre o Procedimento 2 e Procedimento<br/> 3

|                                   | Mudança do t | ipo de DCEI | entre o Procedimento 2 e Procedimento 3 |       |
|-----------------------------------|--------------|-------------|---|-------|
| ${\it readmission\_1} {\it year}$ | 0            | 1           | NA                                      | Total |
| 0                                 | 1085 (79%)   | 67 (71%)    | 12602 (88%)                             | 13754 |
| 1                                 | 297 (21%)    | 27~(29%)    | 1688 (12%)                              | 2012  |
| Total                             | 1382 (100%)  | 94 (100%)   | 14290 (100%)                            | 15766 |

 $\hbox{ Table 197: Contingency table between readmission 1 year and Mudança do tipo de DCEI: entre o Procedimento 3 e Procedimento 4 } \\$ 

|                                   | Mudança do | tipo de DCE | I: entre o Procedimento 3 e Procedimento 4 |       |
|-----------------------------------|------------|-------------|--|-------|
| ${\it readmission\_1} {\it year}$ | 0          | 1           | NA   | Total |
| 0                                 | 320 (70%)  | 19 (68%)    | 13415 (88%)                                | 13754 |
| 1                                 | 137 (30%)  | 9 (32%)     | 1866 (12%)                                 | 2012  |
| Total                             | 457 (100%) | 28 (100%)   | 15281 (100%)                               | 15766 |

Table 198: Contingency table between readmission 1<br/>year and Mudança do tipo de DCEI: entre o Procedimento 4 e Procedimento 5

|                                   | Mudança do | tipo de DCl | EI: entre o Procedimento 4 e Procedimento 5 |       |
|-----------------------------------|------------|-------------|---|-------|
| ${\it readmission\_1} {\it year}$ | 0          | 1           | NA  | Total |
| 0                                 | 133 (73%)  | 6 (67%)     | 13615 (87%)                                 | 13754 |
| 1                                 | 49~(27%)   | 3 (33%)     | 1960 (13%)                                  | 2012  |
| Total                             | 182 (100%) | 9 (100%)    | 15575 (100%)                                | 15766 |

 $\begin{table} Table 199: Contingency table between readmission 1 year and Mudança do tipo de DCEI: entre o Procedimento 5 e Procedimento 6 \\ \end{table}$ 

|                                   | Mudança d | Mudança do tipo de DCEI: entre o Procedimento 5 e Procedimento 6 |              |       |
|-----------------------------------|-----------|--|--------------|-------|
| ${\it readmission\_1} {\it year}$ | 0         | 1  | NA           | Total |
| 0                                 | 52 (70%)  | 7 (100%)   | 13695 (87%)  | 13754 |
| 1                                 | 22 (30%)  | 0 (0%)   | 1990 (13%)   | 2012  |
| Total                             | 74 (100%) | 7 (100%)   | 15685 (100%) | 15766 |

 $\hbox{ Table 200: Contingency table between readmission 1} \\ \hbox{ 1year and Mudança do tipo de DCEI: entre o Procedimento 6 e Procedimento 7 }$ 

|                                   | Mudança d | o tipo de DO | CEI: entre o Procedimento 6 e Procedimento 7 |       |
|-----------------------------------|-----------|--------------|--|-------|
| ${\it readmission\_1} {\it year}$ | 0         | 1            | NA   | Total |
| 0                                 | 19 (68%)  | 1 (33%)      | 13734 (87%)                                  | 13754 |
| 1                                 | 9 (32%)   | 2(67%)       | 2001 (13%)                                   | 2012  |
| Total                             | 28 (100%) | 3 (100%)     | 15735 (100%)                                 | 15766 |

 $\hbox{ Table 201: Contingency table between readmission 1 year and Mudança do tipo de DCEI: entre o Procedimento 7 e Procedimento 8 } \\$ 

|                                   | Mudança d | o tipo de DO | CEI: entre o Procedimento 7 e Procedimento 8 |       |
|-----------------------------------|-----------|--------------|--|-------|
| ${\it readmission\_1} {\it year}$ | 0         | 1            | NA   | Total |
| 0                                 |           | 1 (100%)     | 13745 (87%)                                  | 13754 |
| 1                                 | 3 (27%)   | 0 (0%)       | 2009 (13%)                                   | 2012  |
| Total                             | 11 (100%) | 1 (100%)     | 15754~(100%)                                 | 15766 |

 $\hbox{ Table 202: Contingency table between readmission 1 year and Mudança do tipo de DCEI: entre o Procedimento 8 e Procedimento 9 } \\$ 

|                                   | Mudança do tipo | de DCEI: entre o Procedimento 8 e Procedimento 9 |       |
|-----------------------------------|-----------------|--|-------|
| ${\it readmission\_1} {\it year}$ | 0               | NA   | Total |
| 0                                 | 4 (80%)         | 13750 (87%)                                      | 13754 |
| 1                                 | 1 (20%)         | 2011 (13%)                                       | 2012  |
| Total                             | 5 (100%)        | 15761 (100%)                                     | 15766 |

Table 203: Contingency table between readmission 1<br/>year and Mudança do tipo de DCEI: entre o Procedimento 9 e Procedimento 10

|                            | Mudança do | Mudança do tipo de DCEI: entre o Procedimento 9 e Procedimento 10 |       |  |
|----------------------------|------------|---|-------|--|
| ${\rm readmission\_1year}$ | 0          | NA  | Total |  |
| 0                          | 1 (100%)   | 13753 (87%)   | 13754 |  |
| 1                          | 0 (0%)     | 2012 (13%)  | 2012  |  |
| Total                      | 1 (100%)   | 15765 (100%)  | 15766 |  |

Table 204: Contingency table between readmission 1 year and Diálise durante os episódios de hospitalização

|                                   | Diálise durante d |           |       |
|-----------------------------------|-------------------|-----------|-------|
| ${\it readmission\_1} {\it year}$ | 0                 | 1         | Total |
| 0                                 | 13729 (87%)       | 25 (57%)  | 13754 |
| 1                                 | 1993~(13%)        | 19 (43%)  | 2012  |
| Total                             | 15722 (100%)      | 44 (100%) | 15766 |

Table 205: Contingency table between readmission 1 year and UTI durante os episódios de hospitalização

|                                   | UTI durante os episódios de hospitalização |             |       |
|-----------------------------------|--|-------------|-------|
| ${\it readmission\_1} {\it year}$ | 0  | 1           | Total |
| 0                                 | 11265 (90%)                                | 2489 (78%)  | 13754 |
| 1                                 | 1290 (10%)                                 | 722~(22%)   | 2012  |
| Total                             | 12555 (100%)                               | 3211 (100%) | 15766 |

Table 206: Contingency table between readmission 1<br/>year and Admissão em até 180 dias antes da  ${\rm T0}$ 

|                                   | Admissão em at  |             |       |
|-----------------------------------|-----------------|-------------|-------|
| ${\it readmission\_1} {\it year}$ | 0               | 1           | Total |
| 0                                 | 12991 (88%)     | 763 (71%)   | 13754 |
| 1                                 | $1705 \ (12\%)$ | 307 (29%)   | 2012  |
| Total                             | 14696 (100%)    | 1070 (100%) | 15766 |

Table 207: Contingency table between readmission 1 year and Readmissões pós-T0 com diálise

|                                   | Readr        | Readmissões pós-T0 com diálise |          |          |       |
|-----------------------------------|--------------|--------------------------------|----------|----------|-------|
| ${\it readmission\_1} {\it year}$ | 0            | 1                              | 2        | 3        | Total |
| 0                                 | 13741 (87%)  | 13 (68%)                       | 0 (0%)   | 0 (0%)   | 13754 |
| 1                                 | 2003 (13%)   | 6 (32%)                        | 2 (100%) | 1 (100%) | 2012  |
| Total                             | 15744 (100%) | 19 (100%)                      | 2 (100%) | 1 (100%) | 15766 |

Table 208: Contingency table between readmission 1 year and Desfecho principal da admissão T0

|                                   | Desfecho principal da admissão T0 |       |
|-----------------------------------|-----------------------------------|-------|
| ${\it readmission\_1} {\it year}$ | 0                                 | Total |
| 0                                 | 13754 (87%)                       | 13754 |
| 1                                 | 2012 (13%)                        | 2012  |
| Total                             | 15766 (100%)                      | 15766 |

Table 209: Contingency table between readmission 1 year and Readmissão cirúrgica em até 30 dias

|                                   | Readmissão cirú |            |       |
|-----------------------------------|-----------------|------------|-------|
| ${\it readmission\_1} {\it year}$ | 0               | 1          | Total |
| 0                                 | 13754 (88%)     | 0 (0%)     | 13754 |
| 1                                 | 1875 (12%)      | 137 (100%) | 2012  |
| Total                             | 15629 (100%)    | 137 (100%) | 15766 |

Table 210: Contingency table between readmission 1 year and Readmissão cirúrgica entre 31 a 60 dias

|                   | Readmissão cirú |           |       |
|-------------------|-----------------|-----------|-------|
| readmission_1year | 0               | 1         | Total |
| 0                 | 13754 (88%)     | 0 (0%)    | 13754 |
| 1                 | 1919~(12%)      | 93 (100%) | 2012  |
| Total             | 15673 (100%)    | 93 (100%) | 15766 |

Table 211: Contingency table between readmission 1 year and Readmissão cirúgica entre 61 a 180 dias

|                                   | Readmissão cirúgica entre 61 a 180 dias |            |       |
|-----------------------------------|---|------------|-------|
| ${\it readmission\_1} {\it year}$ | 0                                       | 1          | Total |
| 0                                 | 13754 (88%)                             | 0 (0%)     | 13754 |
| 1                                 | 1863 (12%)                              | 149 (100%) | 2012  |
| Total                             | 15617 (100%)                            | 149 (100%) | 15766 |

Table 212: Contingency table between readmission 1<br/>year and Readmissão cirúrgica em até  $1\ \mathrm{ano}$ 

|                                   | Readmissão cirú |            |       |
|-----------------------------------|-----------------|------------|-------|
| ${\it readmission\_1} {\it year}$ | 0               | 1          | Total |
| 0                                 | 13754 (88%)     | 0 (0%)     | 13754 |
| 1                                 | 1880 (12%)      | 132 (100%) | 2012  |
| Total                             | 15634 (100%)    | 132 (100%) | 15766 |

Table 213: Contingency table between readmission 1 year and Desfecho final do estudo

|                                   | Desfecho final do estudo |             |             |       |
|-----------------------------------|--------------------------|-------------|-------------|-------|
| ${\it readmission\_1} {\it year}$ | 1                        | 2           | 3           | Total |
| 0                                 | 1845 (73%)               | 7019 (91%)  | 4890 (89%)  | 13754 |
| 1                                 | 696~(27%)                | 709 (9%)    | 607 (11%)   | 2012  |
| Total                             | 2541 (100%)              | 7728 (100%) | 5497 (100%) | 15766 |

Table 214: Contingency table between readmission 1<br/>year and Ventilação mecânica /  ${\rm IOT}$ 

|                                   | Ventilação m |                 |       |
|-----------------------------------|--------------|-----------------|-------|
| ${\it readmission\_1} {\it year}$ | 1            | NA              | Total |
| 0                                 | 2325 (82%)   | 11429 (88%)     | 13754 |
| 1                                 | 524 (18%)    | $1488 \ (12\%)$ | 2012  |
| Total                             | 2849 (100%)  | 12917 (100%)    | 15766 |