Accuracy for different combinations of  $\lambda$  and  $\eta$  with activation ledu and 2500 epochs

10	$)^{-1}$ -	0.385	0.706	0.385	0.385	0.385	0.385	0.972	0.189	0.881	0.657	
$7.5 \times 10$	$)^{-2}$ -	0.378	0.615	0.846	0.930	0.958	0.385	0.566	0.385	0.483	0.385	
$5 \times 10$	)-2 -	0.462	0.867	0.385	0.385	0.699	0.580	0.385	0.783	0.385	0.147	- (
$2.5 \times 10$	)-2-	0.965	0.832	0.385	0.385	0.972	0.902	0.944	0.958	0.944	0.923	
10	$)^{-2}$ -	0.965	0.958	0.972	0.965	0.958	0.958	0.965	0.958	0.965	0.972	
$7.5 \times 10$	)-3 -	0.972	0.965	0.951	0.965	0.972	0.972	0.951	0.965	0.965	0.972	- (
$= 5 \times 10$	)-3 -	0.958	0.965	0.972	0.937	0.965	0.965	0.951	0.944	0.951	0.958	•
$2.5 \times 10$		0.965	0.958	0.944	0.972	0.958	0.944	0.951	0.944	0.951	0.965	
10	)-3-	0.972	0.972	0.958	0.958	0.972	0.965	0.958	0.958	0.965	0.972	
$7.5 \times 10$	$)^{-4}$ -	0.958	0.979	0.951	0.944	0.972	0.958	0.951	0.951	0.965	0.944	-
$5 \times 10$	$)^{-4}$ -	0.951	0.937	0.902	0.937	0.958	0.958	0.944	0.965	0.944	0.944	
$2.5 \times 10$		0.972	0.951	0.958	0.944	0.937	0.965	0.944	0.951	0.958	0.972	
10	$)^{-4}$ -		0.965	0.951	0.951	0.923	0.909	0.972	0.951	0.972	0.965	-
		$10^{-15}$	$10^{-14}$	$10^{-13}$	$10^{-12}$	,	$10^{-10}$	$10^{-9}$	$10^{-8}$	$10^{-7}$	$10^{-6}$	
	$\lambda$											