Accuracy for different combinations of λ and η with activation sigmoid and 500 epochs

	_											_	
1()-1 -	0.615	0.615	0.615	0.615	0.615	0.615	0.615	0.615	0.615	0.615		-0.95
7.5×10^{-1}	$)^{-2}$ -	0.615	0.615	0.615	0.615	0.615	0.853	0.615	0.615	0.615	0.615		0.00
5×10	$)^{-2}$ -	0.615	0.615	0.615	0.944	0.615	0.615	0.615	0.615	0.615	0.937		-0.90
2.5×10	$)^{-2}$ -	0.930	0.937	0.930	0.951	0.958	0.951	0.951	0.937	0.615	0.615		
10	$)^{-2}$ -	0.944	0.958	0.951	0.972	0.951	0.958	0.965	0.965	0.972	0.958		-0.85
7.5×10	$)^{-3}$ -	0.965	0.944	0.951	0.944	0.951	0.958	0.958	0.958	0.951	0.951		
$= 5 \times 10$)-3 -	0.951	0.958	0.958	0.951	0.951	0.958	0.944	0.958	0.958	0.951		-0.80
2.5×10	$)^{-3}$ -	0.951	0.958	0.951	0.958	0.965	0.958	0.965	0.951	0.958	0.951		
1($)^{-3}$ -	0.944	0.958	0.958	0.958	0.958	0.958	0.951	0.951	0.951	0.951		-0.75
7.5×10	$)^{-4}$ -	0.958	0.951	0.958	0.965	0.958	0.958	0.958	0.965	0.958	0.958		0.70
5×10	$)^{-4}$ -	0.951	0.615	0.958	0.958	0.615	0.958	0.951	0.951	0.958	0.965		-0.70
2.5×10	$)^{-4}$ -	0.615	0.615	0.958	0.965	0.958	0.958	0.958	0.965	0.951	0.958		-0.65
1(0^{-4} .	0.615	0.615	0.615	0.615	0.615	0.615	0.615	0.615	0.615	0.615		0.00
		10^{-15}	10-14	10^{-13}	10^{-12}	10-11	10-10	10^{-9}	10^{-8}	10^{-7}	10^{-6}		
							λ						