

Spring 2024

Home

Assignments

Discussions

Grades

28

People

Pages

Syllabus

Quizzes

Modules

BigBlueButton

Collaborations

Chat

Follett Discover

Gradescope

## Quiz14

**Due** Mar 20 at 12pm      **Points** 8      **Questions** 6  
**Available** Feb 19 at 12am - Mar 20 at 12pm  
**Time Limit** 8 Minutes

### Submission Details:

<b>Time:</b>	8 minutes
<b>Current Score:</b>	8 out of 8
<b>Kept Score:</b>	8 out of 8

### Attempt History

	Attempt	Time	Score
LATEST	<a href="#">Attempt 1</a>	8 minutes	8 out of 8

ⓘ Correct answers will be available on Mar 20 at 2pm.

Score for this quiz: 8 out of 8  
Submitted Mar 20 at 12:01am  
This attempt took 8 minutes.

Question 11 / 1 pts

In C/C++ array size is not available to the programmer as part of array data structure.

☒ True

☐ False

Question 21 / 1 pts

Consider the following array definition. What would be the order of the items if column major is used?

```
int a[2][3] = {{4,1,7},{1,5,6}};
```

☐ 4,1,7,5,1,6

☐ 4,1,7,1,5,6

☒ 4,1,1,5,7,6

☐ 4,1,5,1,7,6

Question 31 / 1 pts

In C/C++ it is not possible to pass functions as arguments to other functions.

☐ True

☒ False

Question 41 / 1 pts

Which one is not correct about recursive data types?

☐ The size and structure of data is not known statically

☐ Recursive type is a type that uses itself in its declaration

☒ Recurive data stypes are not implementable in C.

☐ There should be a fixed maximum size at translation time

Question 52 / 2 pts

Widening or narrowing type conversion?

int a = 9; double b = a;

widening

double a = 9.7; int b = a;

narrowing

Question 62 / 2 pts

Type coercion or casting?

double a = 9.6; int b = (int) a + 6;

casting

double a = 9.6; int b = a + 6;

coercion

Quiz Score: 8 out of 8

◀ Previous

Next ▶