

# Predicting Bitcoin Price using LSTM and Twitter Sentiment Analysis

*Haruki Moriguchi*  
*haruki.moriguchi@mail.mcgill.ca*  
ID: 260665818

*Edwin H.Ng*  
*edwin.ng@mail.mcgill.ca*  
ID: 260732345

## Abstract

The prediction of stock markets have posed serious challenges to researchers since many factors such as political events, the public opinion and the market trend influence the stock prices. The objective of this paper is to consider the Long Short-Term Memory (LSTM) neural network as a time series model in order to predict the future prices of Bitcoin. LSTM has the advantage of creating dependencies between data that are arbitrarily far apart. The past historical prices of Bitcoin, the volume of tweets related to Bitcoin as well as the sentiment analysis of these tweets will be considered as the inputs of the model. These represents respectively the trend of the Bitcoin price, its popularity, and the public opinion about it.

## Index Terms

**Bitcoin, LSTM, Sentiment Analysis, word2vec**

## I. INTRODUCTION

In recent years, Bitcoin has gained enormous popularity. After receiving many media coverages in 2017, the price went up drastically from 1,000 to 20,000 USD, from which it has since gone down. In fact, this sudden increase in price is not surprising, since behavioral economics states that there are correlations between the public sentiment and the financial market. Fortunately, with the advent of social media, the information about public feelings has become abundant, where Twitter has received a lot of attention from researchers. The primary contributions of this paper is to test the hypothesis that, in addition to past historical prices, the public sentiment also influences the market. The idea is that although the future movement of a stock price should be a reflection of its past tendencies, the public opinion should also be of important influence to its trajectory. In fact, high pessimism toward a stock should be followed by a downward movement and high optimism should be followed by an upward movement.

The proposed approach is structured as follows. First, a sentimental analysis is performed on Bitcoin tweets where they are labelled as "negative" or "positive". These results are then fed to a long short-term memory (LSTM) neural network that also learns from the Bitcoin past historical prices in order to predict its future prices. Also fed into the LSTM is the volume of Bitcoin tweets. This is to reflect the growing trend and interest on Bitcoin and of its correlation to the price.

The data consists of 2,564,353 tweets related to Bitcoin

ranging from October 31, 2017 till November 27, 2017. The Bitcoin price data consists of the hourly prices matching with the corresponding time frame.

## II. RELATED WORK

Prediction of stock markets have been proven to be complex and challenging since they are by nature very stochastics. On the one hand, the Efficient-Market hypothesis states that the current price of an asset should be a reflection of all its previous information. On the other hand, the Random-Walk hypothesis claims that the price is independent of its history. Nonetheless, many researchers agree that the prediction of stock markets can be achieved to some degree.

Recently, the LSTM neural networks has gained popularity where it has been used by Nelson et al. [3] to predict the future movement of stock prices. Moreover, LSTM has also gained notoriety as a time series model since it can maintain contextual information as well as temporal behaviours of events. In particular, Zhuge et al. [5] use the LSTM as a time series model to predict the Shanghai Composite Index based on its historical prices. Furthermore, they have also incorporated an emotional market data into their model in order to reflect the influence of the public opinion on the stock market. The emotional data was obtained through a sentiment analysis based on a Naive Bayes Classifier that was fed with posts text from Eastmoney with regard to the stocks. Similarly, Khedr et al. [1] have also considered predicting the stock movement through a KNN algorithm that takes into account

both its historical prices, and the output of a sentiment analysis based on a Naive Baye Classifier applied to Reuter news.

Another popular source of public opinion is Twitter. In the context of predicting the stock movement through public sentiment, Pagola et al. [4] introduced the use of Word2Vec in order to textually represent the tweets, whereas the classical approach would be to use the N-gram representation. The former allows for sustainability in word meaning across different contexts.


This paper follows the step of [5] in considering the LSTM as a time series model to predict the future stock prices, based on both historical data and public sentiment. The asset under study in this paper is Bitcoin. The public sentiment will be assessed through another LSTM model that feeds on tweets related to Bitcoin, where they are textually represented through the use of Word2Vec. The volume of tweets is also introduced as another factor impacting the prediction of Bitcoin prices.

### III. METHOD

#### A. Data Collection


The closing prices of Bitcoin have been extracted hourly from October 31, 2017 till November 27, 2017<sup>1</sup>. Figure 1 shows the price going in an upward trend from 6,123.21\$ to 9,328.25\$. It is interesting to note that the trend of the volume of tweets, shown in figure 2, is increasing over that same period as well, suggesting a correlation between the price and the volume of tweets. The volume of tweets is extracted from the following data. A total of 2,424,480 tweets related to Bitcoin over the period of October 31, 2017 till November 27, 2017 are extracted from Twitter API [6], using keywords like # Bitcoin, # BTC, # Cryptocurrency, # Cryptos, etc.

Fig. 1: Bitcoin Price from October 31, 2017 till November 27, 2017



<sup>1</sup><https://bitcoincharts.com>

Fig. 2: Bitcoin Volume Tweets from October 31, 2017 till November 27, 2017



#### B. Pre-processing of the Tweets Data

Tweets are pre-processed in order to filter out unnecessary data like the URL's. Moreover, they need to be converted into a feature vector representation. A number of preprocessing steps are taken.

- 1) *Tokenization*: URL's are removed from the tweets. Often, tweets also consists of hashtags(#) and of @ for addressing users, and they are removed consequently. In addition, all alphabetical characters are converted to lowercases. Tweets are then split and tokenized into individual words so that each tweet is then a list of words. Moreover, since LSTM will be used as a sentiment classifier and a uniformed input is needed for the model, tweets are then trimmed down to a maximum of 15 words.
- 2) *Feature vector representation*: Word2vec is used in order to textually represent each tweet from their list of words. It allows for word embeddings where the meaning of the words are then sustained across different contexts, making the feature vector representation robust. A word2vec model is trained over a corpus of 1,578,612 tweets.

#### C. Sentiment Analysis

Because of the lack of annotated sentimental analysis of tweets data specific to the financial domain and of Bitcoin, and since the above corpus of 1,578,612 tweets used to build the word2vec model has already been annotated as being either positive or negative, the corpus of tweets is also used to train a LSTM model that will then perform a sentimental analysis on the Bitcoin tweets. 80% of the corpus tweets are used as the training set and the remaining 20% as the test set. The choice of word2vec model is in particular appropriate in labelling

the Bitcoin tweets since the embedded word representations trained through the corpus are valid across different contexts and for the Bitcoin tweets.

#### D. Prediction of the Bitcoin Prices

The sentiment analysis outputs from the LSTM classifier on the Bitcoin tweets are grouped together according to their respective tweets occurrence in the hourly time frame, and an average is then performed so that every hour from the time period of October 31, 2017 till November 27, 2017 has an average public sentimental representation. These average outputs are then fed to a time series model trained using another LSTM in order to predict the price of Bitcoin. Also fed in the model are the Bitcoin past historical prices and its tweets volume. More precisely, to predict price of the next hour, the prices from the last 24 hours, the tweets volume and their respective sentiment from the current hour are used as inputs to the LSTM model. The proposed idea is that Bitcoin prices should reflect its past trend, while also considering its popularity among the public and of the latter sentiment towards it respectively. Zhuge et al. [5] have shown that the use of a LSTM as a time series model is appropriate since it can maintain temporal behaviours of events by its use of contextual information. Figure 3 summarizes the methodology used in this paper to predict the Bitcoin prices.


#### E. Long Short-Term Memory (LSTM)

The LSTM is a type of recurrent neural networks (RNN). Recurrent neural networks are suitable for sentiment analysis since they can establish long-term dependencies between words that are far apart and utilize contextual information. However, most recurrent neural networks has the critical problem of vanishing and exploding gradients. In order to fix this, Hochreiter and Schmidhuber [2] introduced the LSTM model where from the memory blocks in the hidden layer of a RNN, memory cells are introduced to allow the LSTM to keep or to forget information. This is appropriate in a sentiment analysis task since the use of LSTM may then focus more on the important words.

1) LSTM classifier for the sentiment analysis: d

2) LSTM time series model for predicting the Bitcoin Prices: d


Fig. 3: The Proposed Model for Bitcoin Price Prediction



## IV. RESULTS

As discussed earlier, after training a word2vec model on the corpus of 1,578,612 tweets, a LSTM classifier feeding on the corpus is built to classify the sentiment of tweets. An accuracy of 0.7848 is achieved on the test set. Also shown is the associated ROC curve obtained from the different possible values of the decision boundary as it varies from 0 to 1 in order to classify the tweets as being negative or positive. Considering that the ROC curve is far over the random guesses curve, the model has good predictive power. Indeed, the random guesses curve represents what the ROC curve would look like if the model had no predictive power and would make random guesses. In fact, the idea behind the ROC curve is that the higher the area under the curve, the better prediction power the model has. The area under the curve is used to determine the predictive power of a classification model. For the model specified previously, the area under the curve corresponds to 0.87. This is considered to have good predictive power for a classification model.

Fig. 4: ROC curve for the LSTM classifier of tweets



## REFERENCES

- [1] Khedr, A.E.; Salama, S.E.; Yaseen, N. Predicting Stock Market Behavior using Data Mining Technique and News Sentiment Analysis. *Int. J. Intell. Syst. Appl.* **2017**, *7*, 22-30.
- [2] Sepp Hochreiter and Jurgen Schmidhuber. Long short-term memory. *Neural Comput.*, **1997**, 9(8):1735-1780

- [3] Nelson, D. M. Q.; Pereira, A. C. M.; de Oliveira, R. A.. Stock markets price movement prediction with LSTM neural networks. *International Joint Conference on Neural Networks (IJCNN)*, **2017**, 1419-1426.
- [4] Pagolu, V. S.; Reddy, K. N.; Ganapati Panda; Majhi, B.. Sentiment analysis of twitter data for predicting stock market movements. *International Conference on Signal Processing, Communication, Power and Embedded System*, **2016**, 1345-1350.
- [5] Zhuge, Q.; Xu, L.Y.; Zhang, G.W.. LSTM Neural Network with Emotional Analysis for Prediction of Stock Price. *Engineering Letters*, **2017**, 25, 167-175.
- [6] <https://dev.twitter.com/overview/api>