

easyformat, *tests*

$$\int_a^b dx = b - a$$

Evert Provoost

3rd June 2017 (v1.4.0)

Contents

1	Main test	1
2	<i>Math</i>, <i>_u_n d_e r_s c_o r_e s</i> and $\hat{c}^i r^c o^n f^l e^x e^s \dots$	1
3	Mixing <i>styles</i>	1

1 Main test

These two should be identical and definitely have the exact same length:

| *Lorem ipsum totalem* DA **givea zin doram zettim**, liefkan. |

| *Lorem ipsum totalem* DA **givea zin doram zettim**, liefkan. |

This test has had a consistent and correct result since v1.0.0 (2017/04/07).

2 *Math*, *_u_n d_e r_s c_o r_e s* and $\hat{c}^i r^c o^n f^l e^x e^s \dots$

This (\uparrow easyformat-syntax inside subtitles) is possible without some extra code since v1.1.0 (2017/04/09) and having a \hat (using `\cir`) in mathmode since v1.3.0 (2017/05/28) a possibility of which the kerning was fixed in v1.4.0 (2017/06/03).

$$\int_a^b x \, dx = \frac{b^2 - a^2}{2}$$

3 Mixing *styles*

YEAH, *yeah?*, YEAH!!! \leftarrow do you notice how we go from SMALLCAPS to *italics* and back to SMALLCAPS? This is possible since v1.2.0 (2017/04/17).