

C++ Fundamentals: Exam

The following tasks should be submitted to the SoftUni Judge system, which will be open starting Sunday, 14 January 2018, 09:00 (in the morning) and will close the same day at 15:00. Submit your solutions here:

<https://judge.softuni.bg/Contests/Compete/Index/907>.

For this exam, the code for each task should be a single C++ file, the contents of which you copy-paste into the Judge system.

Please be mindful of the strict input and output requirements for each task, as well as any additional requirements on running time, used memory, etc., as the tasks are evaluated automatically and not following the requirements strictly may result in your program's output being evaluated as incorrect, even if the program's logic is mostly correct.

You can use C++03 and C++11 features in your code.

Unless explicitly stated, any integer input fits into **int** and any floating-point input can be stored in **double**. On the Judge system, a C++ **int** is a **32-bit** signed integer and a C++ **double** is a **64-bit** IEEE754 floating point number.

NOTE: the tasks here are NOT ordered by difficulty level.

Task 2 – Compression (Exam-Task-2-Compression)

A simple approach to compressing text is to find sequences of repeating symbols (e.g. **abbbbccd**, contains **bbbb** which is a sequence of the symbol **b** repeated **4** times) and replace them with their length followed by the repeated symbol. For example, if we have **abbbbccd**, this method of compression will give us **a4bccd**.

Note that we only actually compress a sequence if the combination of the length and the symbol is shorter than the sequence – the sequence **a** is shorter than writing **1a**, the sequence **cc** is the same length as writing **2c**, so there is no point in replacing them – we leave them as they are.

You are given a text (a sequence of lowercase English letters with no spaces or punctuation). Your task is to “compress” any sequences of the same character to numbers representing the length of the sequence followed by the character of the sequence. You should only compress a sequence if it’s compressed version is **shorter** than its original version – if not, leave the original sequence as is.

Input

On the only line of the standard input you will receive the text to be compressed – a sequence of lowercase English letters (**a-z**) with no other symbols (no spaces, no punctuation, etc.).

Output

A single line, containing the compressed text.

Restrictions

The text will contain no more than **20000** symbols.

The total running time of your program should be no more than **0.1s**

The total memory allowed for use by your program is **16MB**

Example I/O

Example Input	Expected Output
aaabccdddde	3abcc4de
hhhhhhhhhheee11111111111111loo	10h3e14loo