

S5-L1

```
Metasploitable 2
--- 192.168.50.100 ping statistics ---
2 packets transmitted, 2 received, 0% packet loss, time 999ms
rtt min/avg/max/mdev = 2.635/2.880/3.126/0.251 ms
msfadmin@metasploitable:~$ ping 192.168.50.1
PING 192.168.50.1 (192.168.50.1) 56(84) bytes of data.
64 bytes from 192.168.50.1: icmp_seq=1 ttl=64 time=1.41 ms
64 bytes from 192.168.50.1: icmp_seq=2 ttl=64 time=0.637 ms
64 bytes from 192.168.50.1: icmp_seq=3 ttl=64 time=1.09 ms
64 bytes from 192.168.50.1: icmp_seq=4 ttl=64 time=1.19 ms

--- 192.168.50.1 ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 2997ms
rtt min/avg/max/mdev = 0.637/1.084/1.412/0.284 ms
msfadmin@metasploitable:~$ ping 192.168.50.100
PING 192.168.50.100 (192.168.50.100) 56(84) bytes of data.
64 bytes from 192.168.50.100: icmp_seq=1 ttl=63 time=9.25 ms
64 bytes from 192.168.50.100: icmp_seq=2 ttl=63 time=2.85 ms
64 bytes from 192.168.50.100: icmp_seq=3 ttl=63 time=2.45 ms
64 bytes from 192.168.50.100: icmp_seq=4 ttl=63 time=3.33 ms
64 bytes from 192.168.50.100: icmp_seq=5 ttl=63 time=3.58 ms

--- 192.168.50.100 ping statistics ---
5 packets transmitted, 5 received, 0% packet loss, time 3996ms
rtt min/avg/max/mdev = 2.459/4.295/9.253/2.510 ms
msfadmin@metasploitable:~$
```

```
kali@kali: ~
File Actions Edit View Help
└─$ ping 192.168.5.1
PING 192.168.5.1 (192.168.5.1) 56(84) bytes of data.
64 bytes from 192.168.5.1: icmp_seq=1 ttl=64 time=1.94 ms
64 bytes from 192.168.5.1: icmp_seq=2 ttl=64 time=1.61 ms
64 bytes from 192.168.5.1: icmp_seq=3 ttl=64 time=2.07 ms
64 bytes from 192.168.5.1: icmp_seq=4 ttl=64 time=2.42 ms
64 bytes from 192.168.5.1: icmp_seq=5 ttl=64 time=5.26 ms
^C
— 192.168.5.1 ping statistics —
5 packets transmitted, 5 received, 0% packet loss, time 4011ms
rtt min/avg/max/mdev = 1.610/2.660/5.262/1.326 ms

(kali@kali)-[~]
└─$ ping 192.168.5.101
PING 192.168.5.101 (192.168.5.101) 56(84) bytes of data.
64 bytes from 192.168.5.101: icmp_seq=1 ttl=63 time=3.40 ms
64 bytes from 192.168.5.101: icmp_seq=2 ttl=63 time=0.982 ms
64 bytes from 192.168.5.101: icmp_seq=3 ttl=63 time=2.07 ms
64 bytes from 192.168.5.101: icmp_seq=4 ttl=63 time=2.92 ms
64 bytes from 192.168.5.101: icmp_seq=5 ttl=63 time=3.27 ms
^C
— 192.168.5.101 ping statistics —
5 packets transmitted, 5 received, 0% packet loss, time 4006ms
rtt min/avg/max/mdev = 0.982/2.527/3.399/0.902 ms

(kali@kali)-[~]
└─$
```

192.168.50.1/firewall_rules.php?if=lan

WARNING: The 'admin' account password is set to the default value. [Change the password in the User Manager.](#)

Firewall / Rules / LAN

The firewall rule configuration has been changed.
The changes must be applied for them to take effect. [Apply Changes](#)

Floating WAN LAN LAN2

Rules (Drag to Change Order)

	States	Protocol	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	Actions
<input type="checkbox"/>	✓	1/3.32 MiB	*	*	LAN Address	80	*	*		Anti-Lockout Rule	Settings
<input type="checkbox"/>	✗	0/2 KiB	IPv4 TCP	192.168.50.100	*	192.168.5.101	80 (HTTP)	*	none		Anchor Edit Copy Delete
<input type="checkbox"/>	✓	3/3.35 MiB	IPv4 *	LAN subnets	*	*	*	none		Default allow LAN to any rule	Anchor Edit Copy Delete X
<input type="checkbox"/>	✓	0/0 B	IPv6 *	LAN subnets	*	*	*	none		Default allow LAN IPv6 to any rule	Anchor Edit Copy Delete X

[↑ Add](#) [↓ Add](#) [Delete](#) [Toggle](#) [Copy](#) [Save](#) [+ Separator](#)

192.168.50.1/firewall_rules.php?if=opt1

WARNING: The 'admin' account password is set to the default value. [Change the password in the User Manager.](#)

Firewall / Rules / LAN2

The firewall rule configuration has been changed.
The changes must be applied for them to take effect. [Apply Changes](#)

Floating WAN LAN LAN2

Rules (Drag to Change Order)

	States	Protocol	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	Actions
<input type="checkbox"/>	✓	0/1 KiB	IPv4 *	LAN2 subnets	*	*	*	none			Anchor Edit Copy Delete X

[↑ Add](#) [↓ Add](#) [Delete](#) [Toggle](#) [Copy](#) [Save](#) [+ Separator](#)

