
Exercise 9 Code

```
#!/usr/bin/env python
import numpy as np
import matplotlib.pyplot as plot
# Calculate the result of a matrix vector multiplication
def matrix_vector_multiplication():
    mat = np.array([[1, 2, 3], [4, 5, 6], [7, 8, 9]])
    vec = np.array([1, 2, 3])
    print("Result: _{{}}".format(np.matmul(mat, vec)))
# Plot sine from -pi to pi with 1,000 data points
def plot_sine():
    x = np.linspace(-np.pi, np.pi, 1000)
    y = [np.sin(x_i) \text{ for } x_i \text{ in } x]
    plot.plot(x, y)
    plot.show()
# Plot 10,000 uniformly distributed random numbers on [0, 1]
def generate_histogram():
    x = np.random.uniform(0, 1, 10000)
    plot. hist (x, bins=20)
    plot.show()
if __name__ == "__main__":
    matrix_vector_multiplication()
    plot_sine()
    generate_histogram()
```


Exercise 9 Result

(a) Result: [14, 32, 50]

(b) $\sin(x)$ on $[-\pi,\,\pi]$ for 1000 data points of x



(c) 10,000 uniformly distributed random numbers on $[0,\,1)$



Exercise 10 Code

```
#!/usr/bin/env python
import numpy as np
# Do n random draws of letters without replacement and compute fraction
    that included one vowel and one consonant
\mathbf{def} \ \mathrm{random\_draw} (\mathrm{n} = 10000):
    matches = 0
    for _{-} in range (0, n):
        # Make list of all letters and of vowels
        letters = ['a', 'b', 'c', 'd', 'e', 'f', 'g', 'h', 'i',
        vowels = ['a', 'e', 'i', 'o', 'u']
        # Draw and remove first letter
        draw1 = letters[np.random.randint(0, 25)]
        letters.remove(draw1)
        # Draw second letter
        draw2 = letters[np.random.randint(0, 24)]
        # Return True if one is a vowel and one is a consonant
        if (draw1 in vowels and draw2 not in vowels) or (draw1 not in
           vowels and draw2 in vowels):
            matches += 1
    print("Fraction_of_draws_with_one_vowel_and_one_consonant:_{}".
       format(matches / n))
if _{-name_{--}} = "_{-main_{--}}":
    random_draw()
```

Exercise 10 Result

(a) Fraction of draws with one vowel and one consonant: 0.3366

Exercise 11 Code

```
#!/usr/bin/env python
import numpy as np
# Do m runs of n students with random birthdays to determine
   probability of collision
def birthday_problem (m = 10000, n = 50):
    matches = 0
    for _{-} in range (0, m):
        # Assign each student a random birthday between 0 and 364
        students = np.random.randint(0, 365, n)
        # Checks for birthday matches since set doesn't contain
           duplicates
        if len(students) != len(set(students)):
            matches += 1
    print("Fraction_of_simulations_with_at_least_one_matching_birthday:
       _{}".format(matches / m))
if -name_{-} = "-main_{-}":
    birthday_problem()
```

Exercise 11 Result

(a) Fraction of simulations with at least one matching birthday: 0.9676