

Homework # 5

Elliott Pryor

10/5/2020

Problem 1

Statement

Let X be a random variable representing the number of earthquakes in the Mount Saint Helen's region per day.

- Researchers claim that X can be modeled with a Poisson distribution. Explain why this is (or is not) a reasonable model for X .
 - Let the average number of earthquakes in a given day be 20. Using the Poisson model in (a), what is $E(X)$? Include an interpretation of the expectation in the context of this problem
 - Let Y be the number of earthquakes in the next 12 hrs
 - What is the distribution of Y ? *Be sure to specify parameters and their values*
 - What is $P(Y \geq 2)$? Write a mathematical expression for this value and evaluate the expression. *You may use R for the calculation, but provide the code you used to find the desired probability.*
-

Solution

Problem 2

Statement

Suppose scientists expose 100 individual fish eggs from the same fish species to the same amount of a potentially harmful substance and then record how many fish have defects at age 6 weeks. The researchers are interested in estimating the probability of this species of fish developing defects after 6 weeks if they are exposed to this chemical.

- Let Y be the number of fish at age 6 weeks that develop defects due to this experiment. Specify a reasonable distribution for the random variable Y .
 - Give at least one reason why your choice of distribution in (a) might be inadequate
 - Suppose the researchers inspect the 6-week-old fish one at a time until they observe the fourth fish with defects. Let Z be the number of fish inspected until the fourth fish with defects is identified. One of the researchers claims that it would be reasonable to model Z with a negative binomial distribution.
 - Specify the appropriate value of r for the proposed model (i.e., write $Z \sim \text{NegativeBinomial}(r = ?, p)$)
 - Explain to the researcher why this model is not appropriate for this situation.
-

Solution

Problem 3

Statement

A hospital receives 15% of its flu vaccine shipments from Company A and the remainder of its shipments from Company B. Suppose each shipment contains exactly 20 vaccine vials.

- For each of Company A's shipments, suppose 20% of the vials are ineffective
 - For each of Company B's shipments, 10% of the vials are ineffective.
 - The hospital plans to randomly select a shipment (of exactly 20 vaccine vials) and test 3 randomly selected vials from the shipment.
- a. Assuming the 20 vials in the shipment are independently made (i.e., they do not come from the same batch) what is the probability that a shipment from Company A would have exactly 2 ineffective vials out of the 3 vials that are randomly selected and tested? *Be sure to clearly define events and random variables*
- b. Suppose another shipment is randomly selected and it is missing its label. That is, you do not know which company the shipment came from.
- i. What is the probability 2 of 3 randomly selected vials from a randomly selected shipment would be ineffective? That is, what is the overall probability that a random selection of 3 vials from a shipment will be ineffective. *Again, be sure to clearly define events and random variables.*
 - ii. If 2 of 3 randomly selected vials from a randomly selected shipment are found to be ineffective, what is the probability the shipment came from Company A? *Again, be sure to clearly define events and random variables.*
-

Solution

Problem 4

Statement

Consider the function: $p(y) = 1/5$ for $y \in \{3, 4, 5, 6, 7\}$

- a. What is missing from $p(y)$ to make it a legitimate probability function?
 - b. Create a clearly labeled plot for the pmf of Y
 - c. Create a clearly labeled plot for the CDF of Y
 - d. What is $Var(Y)$?
 - e. **Extra Credit** Find $E(\frac{1}{Y^2})$
-

Solution