```
cs421=> \d clients
          Table "cs421g24.clients"
 Column I
                                   Modifiers
                   Type
cid
          integer
                                   not null
         | character varying(30) |
 email
                                   not null
         | character varying(20)
 phone
                                   not null
                                   not null
 address | text
 account | character varying(30) |
                                   not null
Indexes:
    "clients pkey" PRIMARY KEY, btree (cid)
Referenced by:
    TABLE "companies" CONSTRAINT "companies_cid_fkey" FOREIGN KEY (cid) REFERENCES clients(cid)
   TABLE "individuals" CONSTRAINT "individuals_cid_fkey" FOREIGN KEY (cid) REFERENCES clients(cid)
   TABLE "prescriptions" CONSTRAINT "prescriptions cid fkey" FOREIGN KEY (cid) REFERENCES clients(cid
   TABLE "subscriptions" CONSTRAINT "subscriptions cid fkey" FOREIGN KEY (cid) REFERENCES clients(cid
```

```
cs421=> \d individuals;
         Table "cs421g24.individuals"
  Column
                     Туре
                                    | Modifiers
 cid
           | integer
                                    not null
 fname
             character varying(30) | not null
            character varying(30) | not null
 lname
 birthdate | date
                                     not null
 gender
           | gender
Indexes:
    "individuals pkey" PRIMARY KEY, btree (cid)
Check constraints:
    "individuals_cid_check" CHECK (cid > 0)
Foreign-key constraints:
    "individuals cid fkey" FOREIGN KEY (cid) REFERENCES clients(cid)
```

```
Table "cs421g24.insuranceclaims"
Column | Type
                  | Modifiers
 icid
         integer | not null
                    not null
 date
          date
 rid
         integer | not null
Indexes:
    "insuranceclaims_pkey" PRIMARY KEY, btree (icid)
Foreign-key constraints:
    "insuranceclaims_rid_fkey" FOREIGN KEY (rid) REFERENCES receipts(rid)
Referenced by:
    TABLE "reimbursed" CONSTRAINT "reimbursed_icid_fkey" FOREIGN KEY (icid) REFERENCES insuranceclaims
(icid)
```

cs421=> \d insuranceclaims

```
cs421=> \d insuranceplans
      Table "cs421g24.insuranceplans"
 Column |
                                    Modifiers
                    Type
 planid
          | integer
                                    not null
            text
                                    not null
coverage
                                    not null
 price
            money
            character varying(30) | not null
pname
Indexes:
    "insuranceplans pkey" PRIMARY KEY, btree (planid)
Referenced by:
   TABLE "covers" CONSTRAINT "covers planid fkey" FOREIGN KEY (planid) REFERENCES insuranceplans(plan
id)
   TABLE "subscriptions" CONSTRAINT "subscriptions_planid_fkey" FOREIGN KEY (planid) REFERENCES insur-
anceplans(planid)
```

```
cs421=> \d prescriptions
Table "cs421g24.prescriptions"
                     | Modifiers
 Column
           | Type
 pid
            integer | not null
 cid
            integer
 did
            bigint
 startdate |
            date
                       not null
enddate
                      not null
           | date
Indexes:
    "prescriptions pkey" PRIMARY KEY, btree (pid)
Foreign-key constraints:
    "prescriptions cid fkey" FOREIGN KEY (cid) REFERENCES clients(cid)
    "prescriptions did fkey" FOREIGN KEY (did) REFERENCES healthpractitioners(did)
Referenced by:
   TABLE "prescriptioncontents" CONSTRAINT "prescriptioncontents pid fkey" FOREIGN KEY (pid) REFERENC
ES prescriptions(pid)
   TABLE "receipts" CONSTRAINT "receipts prescriptions fk" FOREIGN KEY (pid) REFERENCES prescriptions
(pid)
```

```
cs421=> \d receipts
    Table "cs421g24.receipts"
   Column
            Type
                      | Modifiers
 rid
             integer |
                       not null
 did
              bigint
                        not null
              date
 date
                        not null
 totalprice |
                        not null
             money
pid
             integer |
                        not null
Indexes:
    "receipts_pkey" PRIMARY KEY, btree (rid)
Foreign-key constraints:
    "receipts_pid_fkey" FOREIGN KEY (did) REFERENCES pharmacists(did)
    "receipts prescriptions fk" FOREIGN KEY (pid) REFERENCES prescriptions(pid)
Referenced by:
    TABLE "insuranceclaims" CONSTRAINT "insuranceclaims rid fkey" FOREIGN KEY (rid) REFERENCES receipt
s(rid)
    TABLE "receiptdrugs" CONSTRAINT "receiptdrugs rid fkey" FOREIGN KEY (rid) REFERENCES receipts(rid)
```

```
cs421=> \d reimbursed
Table "cs421g24.reimbursed"
 Column | Type | Modifiers
subid
        | integer
icid
        | integer | not null
 amount
        money
                  | not null
data
        date
                   not null
Indexes:
   "reimbursed_pkey" PRIMARY KEY, btree (icid)
Foreign-key constraints:
    "reimbursed icid fkey" FOREIGN KEY (icid) REFERENCES insuranceclaims(icid)
    "reimbursed_subid_fkey" FOREIGN KEY (subid) REFERENCES subscriptions(subid)
```

```
cs421=> \d subscriptions
Table "cs421g24.subscriptions"
  Column
                     | Modifiers
              Type
           | integer | not null
subid
cid
            integer
planid
            integer
startdate |
                       not null
            date
                       not null
enddate
           I date
Indexes:
    "subscriptions pkey" PRIMARY KEY, btree (subid)
Foreign-key constraints:
    "subscriptions cid fkey" FOREIGN KEY (cid) REFERENCES clients(cid)
    "subscriptions_planid_fkey" FOREIGN KEY (planid) REFERENCES insuranceplans(planid)
Referenced by:
   TABLE "reimbursed" CONSTRAINT "reimbursed subid fkey" FOREIGN KEY (subid) REFERENCES subscriptions
(subid)
```