Week 3 - Start with R.

Emil Bæk Mogensen

2023-09-14

Packages

```
library(tidyverse)
```

```
----- tidyverse 2.0.0 --
## -- Attaching core tidyverse packages ---
## v dplyr
               1.1.3
                         v readr
                                     2.1.4
## v forcats
                                     1.5.0
               1.0.0
                         v stringr
## v ggplot2
               3.4.3
                         v tibble
                                     3.2.1
## v lubridate 1.9.2
                         v tidyr
                                     1.3.0
## v purrr
               1.0.2
## -- Conflicts ----- tidyverse_conflicts() --
## x dplyr::filter() masks stats::filter()
## x dplyr::lag()
                     masks stats::lag()
## i Use the conflicted package (<a href="http://conflicted.r-lib.org/">http://conflicted.r-lib.org/</a>) to force all conflicts to become error
```

For this assignment, please answer the following three questions showing your code and results and then take a particular screenshot of your working environment. You can upload here (to Brightspace) the code and the URL to the screenshot OR submit everything to Github and submit here a single link to your repository.

1) Use R to figure out how many elements in the vector below are greater than 2.

```
rooms <- c(1, 2, 1, 3, 1, NA, 3, 1, 3, 2, 1, NA, 1, 8, 3, 1, 4, NA, 1, 3, 1, 2, 1, 7, 1, NA)
rooms <- rooms[!is.na(rooms)]
length(rooms[rooms > 2])
```

[1] 8

2) What type of data is in the 'rooms' vector?

```
class(rooms)
```

[1] "numeric"

3) What is the result of running the median() function on the above 'rooms' vector?

```
median(rooms)
```

[1] 1.5