

VERİ YAPILARILARI VE ALGORİTMALAR

Algorithm Analysis and Asymptotic Notations

# Asymptotic Analysis

```
# loops  
n = 10  
for i in range(0,n):  
    print('Current number: ' + str(i))
```

$$Total_{time} = a \text{ constant } \times n = cn = O(n)$$

# Asymptotic Analysis

```
# nested loops
# outloop executed n times
n = 10
for i in range(0,n):
    print('Current number: ' + str(i))
    for j in range(0,n):
        print('Current number: ' + str(i) + ', ' + str(j))
```

$$Total_{time} = c \times n \times n = O(n^2)$$

# Asymptotic Analysis

```
# Consecutive statements
```

```
for i in range(0,n):
```

```
    print('Current number: ' + str(i))
```

```
for i in range(0,n):
```

```
    print('Current number: ' + str(i))
```

```
    for j in range(0,n):
```

```
        print('Current number: ' + str(i) + ', ' + str(j))
```

$$Total_{time} = c_0 + c_1n + c_2n^2 = O(n^2)$$

# Asymptotic Analysis

```
# Logarithmic complexity
def Logarithms(n):
    i=1
    while i<=n:
        i = i*2
        print(i)
```


Logarithms(100)

$$\log(2^k) = \log n$$

$$k \log 2 = \log n$$

$$k = n$$

$$Total_{time} = O(\log n)$$



Veri Yapıları ve Algoritmalar

**ZAFER CÖMERT**

Öğretim Üyesi