

Compute the prefix-sum by powerful number sieving

[baihacker](#)

2020.04.07

Method description

Consider computing the prefix-sum of a multiplicative function f , the prefix-sum is given by **cal**(index, n). Index is the smallest number where the prime[index] * prime[index] > n. (index starts from 0)

```
int64 cal(int64 i, int64 n) {
    int64 ret = sg(n);
    for (int j = 0; j < i; ++j) {
        int64 p = plist[j], m = n / p / p;
        if (m == 0) break;
        for (int k = 2; m >= 1; ++k, m /= p)
            ret += h(k) * cal(j, m);
    }
    return ret;
}
```

- The definition of f and g will be discussed in a later section.
- sg is the prefix-sum of g .
- $plist[i]$ is the i _th prime (index starts from 0).

This method can be viewed as $\sum_{p \text{ is powerful or } 1} h(p)sg(\frac{n}{p})$ and that's why we call it powerful number sieving.

Properties of f and g

To find multiplicative function h, g , consider their definitions on p^k (p is prime) we have

$$f(p^k) = \sum_{i=0}^k h(p^i)g(p^{k-i}).$$

Then, we have the way to:

- Find g
 - We can start from $f(p) = g(p)$.
- Find h

- In the method, we skip p^2 , to make sure it is correct, we add a forced constraints $h(p) = 0$.
- For $k \geq 2$, we can get the value of $h(p^k)$ by solving an equation since g is found and $h(p^i)$ is known when $i < k$.

Complexity

By the view of powerful number sieving, since a powerful number can be represented as a^3b^2 , it is easy to see the complexity is $\iint_{x,y} O_{sg}(\frac{n}{x^3y^2}) dx dy$, so the complexity is

$$\begin{cases} n^{1/2} & O_{sg} \text{ is smaller than } n^{1/2} \\ n^{1/2} \log n & O_{sg} \text{ is } n^{1/2} \\ O_{sg} & O_{sg} \text{ is larger than } n^{1/2} \end{cases}$$

So, if we want to make use of this method, another constraint on g is that we can compute sg fast.

Note: we assume that $h(p^k)$ can be computed in a reasonable complexity.

References

- [1] fjzzq, 2018.11.01, using powerful numbers to compute the prefix sum of multiplicative functions [\[link\]](#).
- [2] Min_25, 2018.02.04, solution for [Counting modulo pairs](#) (problem authored by baihacker, Min_25's solution link is not provided intentionally)
- [3] abcwuhang, 2018.10.24, posts on [Summing a multiplicative function](#) (problem authored by abcwuhang)
- [4] asaerl, fakesson, 2020.03.28, posts on [Twos are all you need](#) (problem authored by abcwuhang)