

# State Management

Mendel Rosenblum

# Our small, read-only photo app is deceptively simple

- Model, View, Controller - All setup on startup and static
  - Can have a nice modular design of view components
- Add in Session State and object creation and updating
  - Things get more complex particularly for our single page app
- Examples:
  - Users logs out and logins into the app with a different login name
  - User add news comments or photos.

# Session state

- Must be kept in sync between the browser app and the server
  - Who, if anyone, is logged in?
- Server will need to reject any requests from users not logged in
  - Model fetching done only at view/controller startup might not work
- Consider transitions of your photo app
  - Login - Not logged in to logged in
    - At app startup most models are not available (e.g. sidenav user list) but become available after login is completed.
  - Logout - Logged in to not logged in
    - Requests to web server that worked before will now fail

# Models updates

- Consider what happens when new objects like users, photos, or comments are added.
  - Models change
- Controller fetching model only at startup might not work
- Consider photo app adding a photo or comment
  - Model refresh needed

# Controllers are interested in outside events

- How to keep a modular design but allow controllers to be notified of things happening outside of it?
  - Example: a view component and an add component

## Angular approach: **events**

`$scope.$on(eventName, listener)` - Function `listener` is called when event is raised

`$scope.$emit(eventName, args)` - Event is raised and goes up `$scope` chain

`$scope.$broadcast(eventName, args)` - Event is raised and goes down `$scope` chain

- Frequently used pattern - `$broadcast` of event the `$rootScope`  
Controller: `$scope.$on('photoUploaded', reloadModel);`  
Photo upload dialog: `$rootScope.$broadcast('photoUploaded');`

# Dealing with other model changes

What happens if another user adds a photo or comment? Options:

1. Do nothing: Easy!
  - User won't see new material until they do something that caused the model to be refreshed
  - Very disconcerting if they don't see their own changes
2. Poll: Periodically check for changes or just refetch the model
  - Can provide a UI widget to trigger model refresh
3. Server push: Have the server push model changes as soon as they occur
  - User sees updates as soon as possible
  - Might conflict with user changes or be disconcerting for the user
  - Implementation is easier with Web Sockets

# Photo App with sessions and input

- App needs to track who (if anyone) is logged in
  - Ideally held in an Angular Service
  - OK to keep in the mainController's \$scope that is a parent of all the view components
- Need to handle the no one logged-in case
  - Need to add code to controllers to handle this
  - Handling deep linking:

```
$rootScope.$on("$routeChangeStart", function(event, next, current) {  
  if (noOneLoggedIn() && (next.templateUrl !== loginViewTemplate)) {  
    // Force all views to the login view template  
    $location.path("/login-register");  
  }  
});
```
- Use events to signal when controllers should refresh their models
  - Add/update controllers broadcast when changes occur