

Adding a Source Model

The following is an area source model for the Aegean region (Weatherill & Burton, 2010) - this source model will be used in further examples

```
In [5]: # Source Model file
source_model_file = 'input_data/WT2006_Aegean_Sources.xml'

# Import the source model parser
from hmtk.parsers.source_model.nrml04_parser import nrmlSourceModelParser

# Load source model
parser = nrmlSourceModelParser(source_model_file)
source_model = parser.read_file()

# Create a hmtk basemap with a catalogue and source model
basemap2 = HMTKBaseMap(map_config, 'Earthquake Catalogue & Area Source Model')
basemap2.add_catalogue(catalogue, overlay=True) # Adds the catalogue
basemap2.add_source_model(source_model, area_border='r-', border_width=1.5) # Adds the source model
```

```
Area source - ID: 1, name: Montenegro
Area source - ID: 2, name: Albania
Area source - ID: 3, name: TRGZ
Area source - ID: 4, name: Cephalonia Transform
Area source - ID: 5, name: South Ionian
Area source - ID: 6, name: Gulf of Corinth
Area source - ID: 7A, name: West Hellenic Outer
Area source - ID: 7B, name: East Hellenic Outer
Area source - ID: 8A, name: West Hellenic Inner
Area source - ID: 8B, name: East Hellenic Inner
Area source - ID: 9, name: Cyclades
Area source - ID: 10, name: North Anatolian Fault - Main Branch
Area source - ID: 11, name: North Anatolian Fault - Southern Branch
```

Earthquake Catalogue & Area Source Model

