COMP6991 24T1

Foreign Function Interface

How to talk to external code

that (*gasp*) mαy not have been written in Rust!?

- > Spawn a process
 - > Communicate e.g. stdin/stdout
- > Be spawned!
 - > Communicate e.g. stdin/stdout

- > File system
- > Raw socket

- > HTTP?
- > Carrier pigeon?

What about performance?


(spoiler: it's probably slow)

What about platform availability?

(spoiler: it's probably a pain on embedded)



Overall linked program



Useful resources

```
> Nomicon FFI
  > https://doc.rust-lang.org/nomicon/ffi.html
> std::ffi
> Unofficial FFI guide
  > https://michael-f-bryan.github.io/rust-ffi-
guide/
  > Somewhat incomplete
> Libc Rust bindings
```

> https://crates.io/crates/libc

Calling libcurl from Rust

(insanity edition)

We're gonna need these...

https://curl.se/libcurl/c/

https://curl.se/libcurl/c/libcurl-easy.html

https://curl.se/libcurl/c/simple.html

https://github.com/curl/curl/blob/master/include
/curl/curl.h

What sucked?

(about that whole libcurl thing)

I don't like generating 'extern "C" { } `manually!

(me neither!)

- > Rust bindgen
 - > Automatically generates Rust FFI bindings to
- C (and some C++) libraries.
 - > https://github.com/rust-lang/rust-bindgen
- > For the other direction... C bindgen!
- > cbindgen creates C/C++11 headers for Rust libraries which expose a public C API.
 - > https://github.com/eqrion/cbindgen

But I don't want to use [c]bindgen!

(me neither!)

- > Someone else probably already has!
- > Rust bindings
- > e.g. https://docs.rs/curl-sys/latest/curl_sys/
- > e.g. https://docs.rs/sqlite3-

sys/latest/sqlite3_sys/

But I don't want to use C types everywhere!

(me neither!)

- > Build an abstraction on top!
- > Make it safe! (Safe abstraction over an unsafe implementation)
- > e.g. https://docs.rs/curl/latest/curl/
- > e.g. https://docs.rs/sqlite/latest/sqlite/